

RR KABEL LIMITED													
RRKL/CU-ARM-UAR/LP/05/24										w.e.f. 1st May, 2024			
PRICE LIST													
POWER CABLES (COPPER ARMoured / UNARMoured)													
RR KABEL make Power/Control Cables, Solid Copper Conductor upto 6.0 Sq.mm balance Stranded, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 10Cx1.5 sq.mm, 8Cx2.5 sq.mm, 2Cx10.0 sq.mm, 3Cx10.0 Sq.mm, 4Cx6.0 Sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN CODE : 8544)													
Rate Per Meter (INR)													
( UNARMoured CABLES ) ( 2XY )						( ARMoured CABLES ) ( 2XWY / 2XFY )							
No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5		
2	160	242	14	743	1336	2	205	289	14	898	1404		
3	221	339	16	895	1530	3	255	373	16	1008	1594		
4	284	442	19	1072	1812	4	315	467	19	1197	1880		
5	340	537	24	1357	2288	5	378	557	24	1498	2352		
6	404	638	27	1484	2700	6	442	659	27	1649	2804		
7	462	735	30	1761	3203	7	494	749	30	1838	3371		
8	567	786	37	2375	3839	8	636	863	37	2483	3938		
10	674	943	44	2835	4578	10	719	1040	44	2961	4599		
12	709	1154	61	4148	6300	12	788	1208	61	4358	6668		
Size (Sq.mm)	( UNARMoured CABLES ) ( 2XY )					( ARMoured CABLES ) ( 2XWaY/2XFaY ) ( 2XWY / 2XFY )							
	1 Core	2 Core	3 Core	3.5 Core	4 Core	1 Core	2 Core	3 Core	3.5 Core	4 Core	5 Core	6 Core	7 Core
4.0	-	333	474	-	587	-	392	525	-	672	945	1134	1313
6.0	-	473	686	-	830	-	536	740	-	950	1271	1554	1785
10.0	-	824	1136	-	1355	-	856	1175	-	1538	2090	-	-
16.0	638	1145	1763	-	2212	763	1250	1838	-	2371	2867	-	-
25.0	1012	1998	2778	3309	3637	1115	2152	2937	3520	3872	5280	-	-
35.0	1400	2767	3725	4352	4985	1514	2948	3982	4615	5254	7150	-	-
50.0	1917	3795	5121	6153	6807	2047	3850	5443	6424	7282	9790	-	-
70.0	2730	5412	7517	8691	9873	2875	5720	7920	9035	10318	15400	-	-
95.0	3722	7398	10601	12452	14238	3821	7905	10824	12511	14740	-	-	-
120.0	4692	9350	12979	16500	18480	4808	9425	13882	17050	18619	-	-	-
150.0	5862	11660	17380	20075	23100	5982	11800	17655	20625	23650	-	-	-
185.0	7194	14086	21450	25080	28600	7354	14607	22440	26257	29975	-	-	-
240.0	9295	18035	28034	32748	37896	9449	18818	29150	33891	38669	-	-	-
300.0	11594	22472	34768	40376	46800	11781	23834	36740	42489	49170	-	-	-
400.0	15235	29994	43340	49367	61570	15400	32421	47190	53702	65737	-	-	-
500.0	19250	-	-	-	-	19470	-	-	-	-	-	-	-
630.0	24200	-	-	-	-	24530	-	-	-	-	-	-	-
800.0	30800	-	-	-	-	31130	-	-	-	-	-	-	-
1000.0	38500	-	-	-	-	38830	-	-	-	-	-	-	-
Additional to be charged for Special Construction													
A) Tinning	3%					G) HR PVC Insulation	10%					As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the Price List are only for guidelines and as per market convention, it may vary within the prescribed limit of IS:8130-1994, with related classes and tables.	
B) Stranding (upto 6.0 Sq.mm)	4%					H) HR PVC Inner Sheath	7.5%						
C) Extruded Inner Sheath	4.0%					I) HR PVC Outer Sheath	7.5%						
D) Round Wire Armouring:						J) FR-LSH Outer Sheath (Power Cables)							
1. 1C x 95.0 Sq.mm & above	9.0%					Upto 6.0 Sq.mm	11.5%					* MOQ will be applicable for all Special Items	
2. 12C x 1.5 Sq.mm & above	18%					10.0 Sq.mm & above	6%						
3. 9C x 2.5 Sq.mm & above	18%					K) FR-LSH / LSZH Loading - Control Cables (Inner / Outer Sheath)	FR-LSH		LSZH		* The above material will be supplied from our Waghodia Unit.		
4. 4C x 10.0 Sq.mm & above	18%						Cores	Inner Sheath	Outer Sheath	Inner Sheath			Outer Sheath
5. 2C x 16.0 & above	18%					2C to 4C	7.5%	9%	22.5%	22.5%			
6. 3C x 16.0 & above	18%					5C to 10C	7.5%	6%	22.5%	22.5%			
E) Oxygen Index (FR)	4.0%					12C & above	7.5%	6%	18.0%	18.0%			
F) PVC Insulation (as per IS 1554)	7.5%												
<b>Terms &amp; Conditions:</b>													
> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.													
> Freight will be Extra as applicable													
Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.													
<b>THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE</b>													

**RR KABEL LIMITED**
**RRKL/AL-ARM-UAR/LP/05/24**
**w.e.f. 1st May, 2024**
**PRICE LIST**
**POWER CABLES (AL. ARMoured / UNARMoured)**

RR KABEL make Power Cables, Solid Aluminum conductor upto 10.0 sq.mm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core Cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 2Cx10.0 sq.mm, 3Cx10.0 sq.mm, 4Cx6.0 sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN Code : 8544)

Size (in Sq.mm)	CORES / RATE PER METER (INR)									
	( UNARMoured CABLES ) (A2XY)					( ARMoured CABLES ) ( A2XWaY/ A2XFaY) (A2XWY / A2XFY)				
	1C	2C	3C	3.5C	4C	1C	2C	3C	3.5C	4C
4.0	-	103	129	-	155	-	185	198	-	232
6.0	-	144	171	-	209	-	224	245	-	292
10.0	-	209	233	-	274	-	284	316	-	402
16.0	101	212	263	-	348	182	323	340	-	430
25.0	146	274	371	471	495	240	344	435	505	541
35.0	189	360	511	553	613	290	430	575	639	728
50.0	243	452	629	749	820	358	556	748	865	973
70.0	335	650	905	1023	1178	458	744	1026	1166	1322
95.0	431	771	1101	1302	1404	549	920	1263	1456	1648
120.0	537	961	1438	1674	1738	637	1098	1538	1823	2010
150.0	663	1195	1691	1959	2152	759	1350	1888	2161	2471
185.0	821	1425	2132	2505	2663	933	1623	2339	2736	3040
240.0	1042	1864	2752	3066	3479	1153	2152	2986	3435	3925
300.0	1288	2278	3373	3973	4237	1419	2637	3689	4227	4838
400.0	1658	2843	4208	4965	5579	1792	3424	4716	5400	6220
500.0	2084	3626	5844	6851	7781	2232	4623	6203	7633	8600
630.0	2580	4617	7697	9088	10412	2754	5687	8278	9353	11288
800.0	3221	-	-	-	-	3385	-	-	-	-
1000.0	4061	-	-	-	-	4163	-	-	-	-

**Additional to be charged for Special Construction**

A) Stranding (upto 10.0 Sq.mm)	10%	H) FR-LSH / LSZH Loading - (Inner / Outer Sheath) :							
B) Round Wire Armouring		Size	FR-LSH		LSZH				
			1. 1C x 95.0 & above	30%	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath	
			2. 2C x 16.0 & above	30%	Upto 1C x 16.0	NA	15%	NA	37.50%
			3. 3C x 16.0 & above	30%	1C x 25.0 to 1C x 50.0	NA	15%	NA	30%
			4. 3.5C x 25.0 & above	30%	1C x 70.0 & above	NA	11.50%	NA	26.0%
			5. 4C x 10.0 & above	30%	Multicore upto 16.0	15%	11.5%	22.5%	30%
C) Oxygen Index (FR)	4.0%	Multicore 25.0 to 50.0	11.5%	11.5%	18.0%	22.5%			
D) PVC Insulation (as per IS 1554)	12%	Multicore 70.0 & above	7.5%	7.5%	22.5%	18%			
E) HR PVC Insulation	15%	I) Extruded PVC Inner Sheath :		* MOQ will be applicable for all Special Items					
F) HR PVC Inner Sheath	7.50%	1. Upto 50.0 Sq.mm.	5%						
G) HR PVC Outer Sheath	7.50%	2. 70.0 Sq.mm. & above	2.5%						

**Terms & Conditions:**

- > The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- > Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

RR KABEL LIMITED												
RRKL/HT-ALSC/LP/05/24										w.e.f. 1st May, 2024		
PRICE LIST												
HT Single Core Power Cables												
RR KABEL make, Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Al Flat / Round Wire Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments.												
Size (in Sq.mm)	RATE PER METER (INR)											
	3.3 KV (UE) / 6.6 KV (E)		6.6 KV (UE) / 11 KV (E)		11 KV (UE)		22 KV ( E )		33 KV ( E )		33 KV ( UE )	
	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour
240.0	1574	1651	1730	1816	1959	2062	2005	2111	2578	2717	2952	3111
300.0	1803	1903	1984	2094	2232	2349	2283	2404	3048	3212	3281	3457
400.0	2192	2310	2379	2504	2649	2786	2708	2848	3497	3674	3701	3893
500.0	2798	2948	2900	3048	3328	3500	3328	3500	4120	4340	4295	4526
630.0	3380	3561	3471	3653	3932	4134	3932	4134	4792	5042	4989	5249
800.0	4201	4417	4259	4606	4711	4959	4711	4959	5671	5967	5918	6223
1000.0	4969	5231	5457	5748	5838	6139	5838	6139	6939	7275	7459	7850
Additional to be charged for Special Construction												
A) FR-LSH PVC Inner Sheath -			11.5%									
B) FR-LSH PVC Outer Sheath -			7.5%									
C) Oxygen Index -			4.5%									
<b>Terms &amp; Conditions:</b>												
> The above rates are exclusive of GST & any other statutory levies, which shall be charged extra.												
> Freight will be Extra as applicable												
Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist.												
THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE												

**RR KABEL LIMITED**

RRKL/HT-AL3C/LP/05/24

w.e.f. 1st May, 2024

**PRICE LIST**
**HT 3 Core Power Cables**

RR KABEL make, Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Cores laid up, Inner Sheath of PVC tape, GI Flat Strip Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments.

Size (in Sq.mm)	3.3 KV (UE) / 6.6 KV (E)	6.6 KV (UE) / 11 KV ( E )	11 KV (UE)	22 KV ( E )	33 KV ( E )	33 KV ( UE )
35.0	-	1453	-	-	-	-
50.0	-	1737	-	-	-	-
70.0	1953	2116	-	-	-	-
95.0	2204	2400	3244	3311	4386	-
120.0	2668	2897	3645	3720	4945	-
150.0	3133	3394	4181	4266	5315	5751
185.0	3593	3870	4719	4816	5934	6396
240.0	4381	4689	5571	5685	7009	7418
300.0	5237	5547	6532	6665	7912	8708
400.0	6641	6940	7923	8084	9589	10084

**Additional to be charged for Special Construction**

A) Extruded PVC Inner Sheath -	4.5%
B) Pressure Extruded PVC Inner Sheath -	19.5%
C) Round Wire Armouring - Upto 11 KV	30%
D) Round Wire Armouring - Upto 11 KV ( UE ) & above -	33%
E) FR-LSH PVC Inner Sheath -	7.5%
F) FR-LSH PVC Outer Sheath -	7.5%
G) Oxygen Index (FR Sheath) -	4.5%

**Terms & Conditions:**

> The above rates are exclusive of GST & any other statutory levies, which shall be charged extra.

> Freight will be Extra as applicable

Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist.

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**