

LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated Industrial Cables
Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables


Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables



Residential & Commercial



List Price wef. 11 Oct 2024



**High grade
99.97% pure bare
copper conductor**



**Abrasion resistant
grade sheath
material**



**Long life &
highly durable
cables**

Flame Retardant (FR) PVC Insulated Industrial Cables



List Price wef. 11 Oct 2024

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

GOLD PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10302	0.75	1,290	20
10303	1.00	1,780	20
10304	1.50	2,615	12
10305	2.50	4,140	12
10306	4.00	6,045	8
10307	6.00	9,040	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10312	0.75	1,240	20
10313	1.00	1,605	20
10314	1.50	2,335	12
10315	2.50	3,770	12
10316	4.00	5,805	8
10317	6.00	8,700	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10312016	0.75	2,365	8
10313	1.00	3,075	8
10314	1.50	4,495	6
10315	2.50	7,300	4
10306016	4.00	11,330	4
10307016	6.00	17,025	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	770	30
10314	1.50	1,125	24
10315	2.50	1,825	24
10316	4.00	2,835	12
10317	6.00	4,255	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flamegard Flame Retardant Low Smoke(FR-LSH) Industrial Cables



List Price wef. 11 Oct 2024

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES
FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10112013	0.75	1,265	20
10113	1.00	1,645	20
10114	1.50	2,390	12
10115	2.50	3,830	12
10106	4.00	5,950	8
10107	6.00	8,915	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10112016	0.75	2,390	8
10113016	1.00	3,105	8
10114016	1.50	4,540	6
10115016	2.50	7,375	4
10106016	4.00	11,445	4
10107016	6.00	17,195	4

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	775	30
10114	1.50	1,135	24
10115	2.50	1,845	24
10106	4.00	2,860	12
10107	6.00	4,300	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Halogen Free Flame Retardant (HFFR) Industrial Cables



List Price wef. 11 Oct 2024

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES
FINOLEX MAKE HALOGARD SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES
IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,300	20
10403	1.00	1,685	20
10404	1.50	2,450	12
10405	2.50	3,960	12

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	6,095	8
10407	6.00	9,135	4

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	LP per coil Rs.	Length per coil	No. of Coils packed in a Master Carton
10413016	1.00	3,265	180	8
10414016	1.50	4,765	180	6
10415016	2.50	7,720	180	4
10406016	4.00	11,905	180	4
10407016	6.00	17,855	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.
 COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flexible Cables



FLEXIBLE CABLES - SINGLE CORE
FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE
GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	900	945
14002	0.75	1,330	1,397
14003	1.00	1,730	1,817

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14104	1.50	2,520	2,646
14105	2.50	4,085	4,289
14206	4.00	6,295	6,610

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	9,445	9,917
14208	10	16,420	17,241
14209	16	25,200	26,460
14210	25	39,405	41,375
14211	35	55,040	57,792
14212	50	78,045	81,947

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14513	70	1,13,790	1,19,480
14514	95*	1,50,480	1,58,004
14515	120*	1,93,295	2,02,960
14516	150*	2,39,390	2,51,360
14517	185*	2,95,910	3,10,706
14518	240*	3,89,105	4,08,560

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17002	0.50	2,365
17002	0.75	3,240
17002	1.00	4,035

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17102	1.50	5,485
17102	2.50	8,885
17202	4.00	13,915

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17003	0.50	3,175
17003	0.75	4,410
17003	1.00	5,605

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17103	1.50	7,810
17103	2.50	12,525
17203	4.00	19,870

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17004	0.50	4,040
17004	0.75	5,660
17004	1.00	7,250

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17104	1.50	10,250
17104	2.50	16,610
17204	4.00	26,240

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17006	0.50	5,995
17006	0.75	8,610
17006	1.00	10,925

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17106	1.50	15,450
17106	2.50	25,070
17206	4.00	39,760

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17008	0.50	7,010
17008	0.75	9,885
17008	1.00	12,665

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17107	1.50	17,980
17107	2.50	29,150
17207	4.00	46,065

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17008	0.50	7,880
17008	0.75	11,185
17008	1.00	14,315

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17108	1.50	20,470
17108	2.50	33,270
17208	4.00	52,490

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17010	0.50	9,590
17010	0.75	13,815
17010	1.00	17,720

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17110	1.50	25,220
17110	2.50	41,080
17210	4.00	65,140

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17012	0.50	11,365
17012	0.75	16,400
17012	1.00	21,075

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17112	1.50	30,020
17112	2.50	49,205
17212	4.00	77,805

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES: (4+10)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17014	0.50	13,265
17014	0.75	18,995
17014	1.00	24,445

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17114	1.50	35,075
17114	2.50	57,355
17214	4.00	90,385

SIXTEEN CORES (8 +11)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17016	0.50	15,050
17016	0.75	21,735
17016	1.00	27,960

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17116	1.50	39,930
17116	2.50	65,320
17216	4.00	1,03,410

NINETEEN CORES (1+6 + 12)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17019	0.50	17,635
17019	0.75	25,530
17019	1.00	33,075

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17119	1.50	47,205
17119	2.50	76,875
17219	4.00	1,22,130

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17203074	6	29,520
17203084	10	50,675
17203094	16*	78,805
17203104	25*	1,21,850
17203114	35*	1,70,865

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17203124	50*	2,44,925
17503134	70*	3,46,575
17503144	95*	4,57,450
17503154	120*	6,10,985

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17204074	6	38,790
17204084	10	66,410
17204094	16*	1,02,830
17204104	25*	1,61,415
17204114	35*	2,25,700

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17204124	50*	3,21,570
17504134	70*	4,58,635
17504144	95*	6,06,370
17504154	120*	7,92,405

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing : Cables shall be supplied in Standard length of 100 M



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

Coaxial Cables – Jelly



List Price wef. 11 Oct 2024

COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,750	5,338
RG 6 CU	2,440	7,442
RG 11 CU	5,560	16,958

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,510	4,606
RG 11 CCS	3,035	9,257

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,490	10,645

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

CCTV Cable



Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	3,045
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	10,319
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,335
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	11,302
65916013	RG59 JF XI +6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,885
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	13,166
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	1,740
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	3,440
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	1,940
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	3,850
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	1,990
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	3,935
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,230
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,400

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	820
31050023	2 pair	1,465
31050033	3 pair	2,170
31050043	4 pair	2,865
31050053	5 pair	3,565

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	6,940
31050203	2D pair	13,270
31050503	50 pair	32,570
31051001	100 pair	63,645

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen index Fire Retardent PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	575
31040023	2 pair	1,020
31040033	3 pair	1,510
31040043	4 pair	1,945
31040053	5 pair	2,395

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,820
31040203	20 pair	9,095
31040503	50 pair	22,035
31041001	100 pair	42,340


Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

LAN Cable



Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	9,255
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	11,420
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	11,420
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	11,420
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	11,420
32925048	0.5x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	6,550
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,635
32955048	0.5x4P UTP CAT-6 CCA LAN 305 X 2	305 Mtr	8,115
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	15,917
32245044	0.5 x4P UTP CAT6 LAN *GRY* 100M X 2	100 Mtr	3,580
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	14,570
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	19,081




Speaker Cable



List Price wef. 11 Oct 2024

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM [Transparent]	6	100 Mtr	1,825
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	2,680
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	3,305
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	4,935
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	7,680
60329024	Speaker Cable 2.5 SQMM [Transperant]100M	6	100 Mtr	8,220
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	455
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	670
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	825
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,235

PACKING : Available in 100 M coils AND 25 M coil



Agriculture



High grade
99.97% pure bare
copper conductor




Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.50	8,500
13713051	2.50	13,195
13703061	4.00	19,760
13803071	6.00	29,000
13803081	10.00	50,395
13803091	16.00	78,325

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13803101	25.00	1,22,450
13803111	35.00	1,69,715
13803121*	50.00	Prices for these sizes can be given on request.
13803131*	70.00	
13803141*	95.00	

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.50	8,925
13863059	2.50	13,855

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823069	4.00	20,748

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6.00	30,450
13823089	10.00	52,915
13823099	16.00	82,241

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823109	25.00	1,28,573
13823119	35.00	1,78,201

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	18,665
13853089	14	140/.36	31,040
13853099	23	226/.36	49,525

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853109	36	354/.36	73,130
13853119	50	594/.36	1,00,885

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires




List Price wef. 11 Oct 2024

PVC INSULATED WINDING WIRES
FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	520	1000	6
13000602	0.60	520	500	6
13000701	0.70	710	1000	6
13000702	0.70	710	500	6
13000801	0.80	920	1000	6
13000802	0.80	920	500	6
13000901	0.90	1,155	1000	5
13000902	0.90	1,155	500	6
13001001	1.00	1,410	1000	5
13001002	1.00	1,410	500	6
13001101	1.10	1,695	1000	4
13001102	1.10	1,695	500	6
13001201	1.20	2,005	1000	4
13001202	1.20	2,005	500	6
13001301	1.30	2,345	1000	3
13001302	1.30	2,345	500	6
13001402	1.40	2,735	500	5
13001502	1.50	3,125	500	5
13001602	1.60	3,545	500	4
13001702	1.70	3,995	500	4
13001802	1.80	4,480	500	4
13001902	1.90	4,980	500	3
13002002	2.00	5,555	500	3
13002102	2.10	6,110	500	3
13002202	2.20	6,695	500	2
13002302	2.30	7,305	500	2
13002402	2.40	7,965	500	2
13002502	2.50	8,635	500	2
13002602	2.60	9,325	500	2
13002702	2.70	10,035	500	2
13002804	2.80*	10,820	250	3
13003004	3.00*	12,390	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required. PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power



List Price wef. 11 Oct 2024



High thermal rating to withstand extreme temperatures



Excellent resistant to heat pressure



Long life & highly durable cables

Auto Battery Cables



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	6,305	25,200
22210	354/.3	25	9,850	39,405
22211	495/.3	35	13,760	55,040
22212	703/.3	50	19,510	78,045
22513	360/.5	70	28,445	1,13,790
22514	475/.5 *	95	37,620	1,50,480
22515	608/.5 *	120	48,325	1,93,295
22516	750/.5 *	150	59,850	2,39,390
22517	925/.5 *	185	73,975	2,95,910
22518	1221/.5 *	240	97,275	3,89,105

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	845	3,370

105° CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	220	860
2302	24/.21	0.75	325	1,290
2303	32/.21	1.00	430	1,720
2304	30/.26	1.50	635	2,520
2305	50/.26	2.50	1,050	4,185
2306	56/.31	4.00	1,735	6,935
2307	84/.31	6.00	2,580	10,300

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE: The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

Solar Cables

List Price wef. 11 Oct 2024



SOLAR DC CABLE

FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.

**Product Code	Material Description	List Price per 100m (Rs.)
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	6,135
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	6,135
16907016	56/0.3 ATC 4.0 Solar Cable Ebeam 300M Red	9,060
16997016	56/0.3 ATC 4.0 Solar Cable Ebeam 300M Black	9,060

NOTES	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	<p>The full product code is of 8 digits. For example : 22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m 22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.</p> <p>a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor.</p> <p>b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.</p> <p>c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.</p> <p>d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.</p>
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: www.finolex.com | /Finolexcables | /Finolexcables | /Finolex.Cables

AN IS/ISO 9001:2015 CERTIFIED COMPANY
 26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.
 Tel: 020-27506200 | Fax: 020-27472239
 Visit us at: www.finolex.com | Email: sales@finolex.com
 CIN: L31300MH1967PLC016531
Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 26575639 | **Bengaluru:** 7022979589 |
Bhubaneswar: 0674-2971922 / 2971188 | **Chennai:** 044-28269322 /
 28231514 | **Chandigarh:** 0172-4064047 | **Cochin:** 9388689670 |
Coimbatore: 0422-2330997 | **Dharwad:** 8362746440 | **Goa:** 8322782003 /
 2782065 | **Gurgaon:** 9896763770 | **Guwahati:** 9864027312 / 8135029423
 | **Indore:** 7314911723 | **Jaipur:** 9929111411 | **Kolkata:** 033-24192494 /
 24192495 | **Lucknow:** 052-24035031 | **Mumbai:** 022-22820062 | **New**
Delhi: 011-23324748 / 23353160 | **Patna:** 9934107999 | **Pune:**
 020-27506200 | **Raipur:** 7008336581 | **Ranchi:** 8101383841 |
Secunderabad: 040-27811161 | **Uttarakhand:** 9760045003 | **Vadodara:**
 9879555568 | **Vijayawada:** 9848043967

Sample card available on request

All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.
 In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation.
 When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.