



Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,
Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : spa.mumbai@kei-ind.com

HSN CODE : 8544



PRICE LIST OCT 2024

ALUMINUM UN ARMoured / ARMoured

W.E.F : 09.10.2024

"KEI" BRAND Power Cables,Solid Aluminum conductor up to 10 sqmm balance stranded conductor,XLPE Insulated,cores laid up, PVC tape innersheathed,unarmoured/Armour(Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x16 sqmm, 3x10 sqmm & balance all galvanised steel strip),extruded PVC Type ST2 sheathed,650/1100V grade as per IS 7098(Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWaY A2XFaY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
6		155.00	184.00		225.00		241.00	263.00		314.00
10		225.00	250.00		295.00		305.00	340.00		432.00
16		228.00	283.00		374.00		347.00	366.00		462.00
25	157.00	295.00	399.00	506.00	532.00	258.00	370.00	468.00	543.00	582.00
35	203.00	387.00	549.00	594.00	659.00	312.00	462.00	618.00	687.00	783.00
50	261.00	486.00	676.00	805.00	882.00	385.00	598.00	804.00	930.00	1046.00
70	360.00	699.00	973.00	1100.00	1266.00	492.00	800.00	1103.00	1253.00	1421.00
95	463.00	829.00	1184.00	1400.00	1509.00	590.00	989.00	1358.00	1565.00	1772.00
120	577.00	1033.00	1546.00	1800.00	1868.00	685.00	1180.00	1653.00	1960.00	2161.00
150	713.00	1285.00	1818.00	2106.00	2313.00	816.00	1451.00	2030.00	2323.00	2656.00
185	883.00	1532.00	2292.00	2693.00	2863.00	1003.00	1745.00	2514.00	2941.00	3268.00
240	1120.00	2004.00	2958.00	3296.00	3740.00	1239.00	2313.00	3210.00	3693.00	4219.00
300	1385.00	2449.00	3626.00	4271.00	4555.00	1525.00	2835.00	3966.00	4544.00	5201.00
400	1782.00	3056.00	4524.00	5337.00	5997.00	1926.00	3681.00	5070.00	5805.00	6687.00
500	2240.00					2399.00				
630	2774.00					2961.00				
800	3463.00					3639.00				
1000	4366.00					4475.00				

EXTRAS FOR SPECIAL CONSTRUCTION:

a) Round Wire Armouring	
- 2 x 16 & above	30.00%
- 3 x 16 & 3.5CX25 & above	30.00%
- 4 x 10 & above	30.00%
- For Single core 95 & above	30.00%
b) Stranding 10 sq.mm and below	10.00%
c) Extruded PVC Innersheath Up 50	7.50%
Extruded PVC Innersheath 70 & Above	4.00%
d) HR PVC Insulation	15.00%
e) HR PVC Inner Sheath	7.50%
f) HR PVC Outer Sheath	7.50%
g) Oxygen Index (FR)	4.00%
h) PVC Cables	12.00%

Cable Size (Sq.mm)	FRLS Loading Factor				LSZH	
	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath	
		Armd.	Unarmd.			
	Power (Al.)					
Upto 16	15.0%	11.5%	11.5%	22.5%	30.0%	
25 - 50	11.5%	11.5%	11.5%	18.0%	22.5%	
70 & above	7.5%	7.5%	7.5%	22.5%	18.0%	
	Power Single Core (Al.)					
Upto 16	-N.A-	15.0%	15.0%	-N.A-	37.5%	
25 - 70	-N.A-	15.0%	15.0%	-N.A-	30%	
95 & above	-N.A-	11.5%	11.5%	-N.A-	26.0%	

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



PRICE LIST OCT 2024

CU UNARMoured / ARMoured

W.E.F : 09.10.2024

"KEI" BRAND Power/Control Copper Cables,Solid Copper conductor,XLPE Insulated,cores laid up, PVC tape innersheathed,Unarmoured/Armour(Glavanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm,2x16 sqmm, 3x10 sqmm,4x10 sqmm balance all galvanised steel strip),extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY	2XaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		358.00	510.00		631.00		421.00	564.00		722.00
6		508.00	737.00		892.00		576.00	796.00		1021.00
10		886.00	1221.00		1457.00		920.00	1263.00		1653.00
16	686.00	1231.00	1895.00		2378.00	820.00	1344.00	1976.00		2549.00
25	1088.00	2148.00	2986.00	3557.00	3910.00	1199.00	2313.00	3157.00	3784.00	4162.00
35	1505.00	2975.00	4004.00	4678.00	5359.00	1628.00	3169.00	4281.00	4961.00	5648.00
50	2061.00	4080.00	5505.00	6614.00	7318.00	2201.00	4139.00	5851.00	6906.00	7828.00
70	2935.00	5818.00	8081.00	9343.00	10613.00	3091.00	6149.00	8514.00	9713.00	11092.00
95	4001.00	7953.00	11396.00	13386.00	15306.00	4108.00	8498.00	11636.00	13449.00	15846.00
120	5044.00	10051.00	13952.00	17738.00	19866.00	5169.00	10132.00	14923.00	18329.00	20015.00
150	6302.00	12535.00	18684.00	21581.00	24833.00	6431.00	12685.00	18979.00	22172.00	25424.00
185	7734.00	15142.00	23059.00	26961.00	30745.00	7906.00	15703.00	24123.00	28226.00	32223.00
240	9992.00	19388.00	30137.00	35204.00	40738.00	10158.00	20229.00	31336.00	36433.00	41569.00
300	12464.00	24157.00	37376.00	43404.00	50310.00	12665.00	25622.00	39496.00	45676.00	52858.00
400	16378.00	32244.00	46591.00	53070.00	66188.00	16555.00	34853.00	50729.00	57730.00	70667.00
500	20694.00					20930.00				
630	26015.00					26370.00				
800	33110.00					33465.00				
1000	41388.00					41742.00				

CONTROL CABLES

(Rate in Rs. Per Metre)

Number of Cores	UN ARMoured 2XY				ARMoured - 2XWY/2XFY		No. of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5		2.5		1.5	2.5		1.5	2.5	1.5	2.5
2	172.00	260.00	220.00	311.00	12	762.00	1241.00	847.00	1299.00		
3	238.00	364.00	274.00	401.00	14	799.00	1436.00	965.00	1509.00		
4	305.00	475.00	339.00	502.00	16	962.00	1645.00	1084.00	1714.00		
5	366.00	577.00	406.00	599.00	19	1152.00	1948.00	1287.00	2021.00		
6	434.00	686.00	475.00	708.00	24	1459.00	2460.00	1610.00	2528.00		
7	497.00	790.00	531.00	805.00	27	1595.00	2903.00	1773.00	3014.00		
8	610.00	845.00	684.00	928.00	30	1893.00	3443.00	1976.00	3624.00		
10	725.00	1014.00	773.00	1118.00	37	2553.00	4127.00	2669.00	4233.00		

EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES) :

A) Tinning	3.00%
B) Stranding (Upto 6 SQ.MM)	4.00%
C) Extruded Innersheath	4.00%
D) Round Wire Armouring	
1C x 95 sq. mm & above	9.00%
1.5 sq.mm - 16 core & above	18.00%
2.5 sq.mm - 10 core & above	18.00%
16 sq.mm - 4 core & above	18.00%
25 sq.mm - 2 core & above	18.00%
16 sq.mm - 3 core & above	18.00%

E) HR PVC INSULATION	10.00%
F) OXYGEN INDEX (FR)	4.00%
G) HR I.SH & O.SH.	7.50% (Each)
H) FRLS Loading-Power Cable	upto 6sq mm - 11.50%
FRLS Loading-Power Cable	10 sq mm and above - 6.00%
I) PVC Cables	7.50%

FRLS Loading Factor- Control Cable				LSZH	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armoured	Unarmd		
2 - 4	7.5%	9.0%	9.0%	22.5%	22.5%
5 - 10	7.5%	6.0%	6.0%	22.5%	22.5%
12 & Above	7.5%	6.0%	6.0%	18.0%	18.0%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



PRICE LIST OCT 2024

W.E.F : 09.10.2024

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC), EXTRUDED PVC INNER SHEATHED , AL FLAT STRIP ARMORED , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEFaY					
	3.3 KV E	6.6 KV (E) / 3.3 KV (UE)	6.6 KV (UE) 11 KV(E)	11 KV (UE)	22 KV (E)	33 KV (E)
240		1637.00	1799.00	2037.00	2085.00	2681.00
300		1875.00	2063.00	2321.00	2374.00	3170.00
400		2280.00	2474.00	2755.00	2816.00	3637.00
500		2910.00	3016.00	3461.00	3461.00	4285.00
630		3515.00	3610.00	4089.00	4089.00	4984.00
800		4369.00	4429.00	4899.00	4899.00	5898.00
1000		5168.00	5675.00	6072.00	6072.00	7217.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	11.5%
2) FRLS PVC Outer Sheath	7.5%
3) Oxygen Index	4.5%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



PRICE LIST OCT 2024

W.E.F : 09.10.2024

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC) , EXTRUDED PVC INNER SHEATHED, AL ROUND WIRE ARMoured , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEWαY					
	3.3 KV E	6.6 KV (E) / 3.3 KV (UE)	6.6 KV (UE) 11 KV(E)	11 KV (UE)	22 KV (E)	33 KV (E)
240		1717.00	1889.00	2144.00	2195.00	2826.00
300		1979.00	2178.00	2443.00	2500.00	3340.00
400		2402.00	2604.00	2897.00	2962.00	3821.00
500		3066.00	3170.00	3640.00	3640.00	4514.00
630		3703.00	3799.00	4299.00	4299.00	5244.00
800		4594.00	4790.00	5157.00	5157.00	6206.00
1000		5440.00	5978.00	6385.00	6385.00	7566.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	11.5%
2) FRLS PVC Outer Sheath	7.5%
3) Oxygen Index	4.5%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



PRICE LIST OCT 2024

W.E.F : 09.10.2024

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3ka FOR 1 SEC), CORES LAID UP, INNERSHEATH OF PVC TAPE, GALVANISED STEEL FLAT STRIP ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	3 CORE HT XLPE					
	A2XCEFY					
	3.3 KV E	6.6 KV (E) / 3.3 KV (UE)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
35			1511.00			
50			1806.00			
70		2031.00	2201.00			
95		2292.00	2496.00	3374.00	3443.00	4561.00
120		2775.00	3013.00	3791.00	3869.00	5143.00
150		3258.00	3530.00	4348.00	4437.00	5528.00
185		3737.00	4025.00	4908.00	5009.00	6171.00
240		4556.00	4877.00	5794.00	5912.00	7289.00
300		5446.00	5769.00	6793.00	6932.00	8228.00
400		6907.00	7218.00	8240.00	8407.00	9973.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	4.5%
2) Pressure Extruded PVC Innersheath	19.5%
3) Round Wire Armouring - Up to 11 KV (E)	30.0%
11 KV (UE) & Above	33.0%
4) FRLS PVC Inner Sheath	7.5%
5) FRLS PVC Outer Sheath	7.5%
6) FR Sheath with Oxygen Index	4.5%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.