

CONNECTION TO A SAFER FUTURE

House Wires & Cables Pricelist



About Polycab India Ltd

Polycab India Limited (PIL) is India's largest manufacturer of Wires and Cables and one of the fastest growing FMEG companies with a consolidated turnover of ₹ 180+ Bn in FY24. PIL is at the forefront of providing innovative, safe and energy efficient products to a diverse set of customers via a strong distribution network of 3,800+ authorized dealers and 205,000+ retail outlets. PIL's business operations span across India through 28 manufacturing facilities, 13 offices and 29 warehouses. PIL has also served customers in 79 countries globally. PIL's 4,800+ employees are dedicated to upholding robust governance practices, preserving a customer centric culture, having a purpose to serve the communities, and imbibing a genuine sense of ecological consciousness. For further information, please visit www.polycab.com.

The state of the party of the p



India's Widest Range of Wires & Cables

We manufacture and sell a diverse range of wires and cables and our key products in this segment are power cables, control cables, instrumentation cables, solar cables, building wires, flexible cables, flexible single/multi core cables, communication cables and others including welding cables, submersible flat and round cables, rubber cables, overhead conductors, railway signalling cables and specialty cables. We strive to deliver customized and innovative products with speed and quality service. Our production process is designed to ensure quality while delivering the ability to produce complex electrical products on short timeframes to meet our customers' needs.





Innovation & Sustainability

Polycab's house wires epitomize REACH compliance. innovation and sustainability. We've invested heavily in research and development to create products that cater to our customers' dynamic needs while maintaining a strong commitment to safety and the environment. Polycab house wires are made from lead free non-carcinogenic raw materials. They meet stringent European norms of RoHS and

Our R&D team is dedicated to pioneering ground-breaking solutions, with a focus on customer safety. We're proud to have engineered insulating compounds that ensure safety during fire emergencies and also possess a high oxygen index and low smoke properties to set up a new standard for environmental safety and responsibility.

Quality Focus

Our manufacturing facilities are accredited with quality management system certificates for compliance with ISO 9001, ISO 14001 and OHSAS 18001 requirements.

Our products are also certified to be compliant with various national and international quality standards including Bureau of Indian Standards 'BIS', British Approvals Service for Cables 'BASEC', US Underwriters Laboratory, FQC and international electrotechnical commission 'IEC'.





POLYCABMAXIMA+

Green Wire HR FR-LSH LF

EXTRA SAFE, LOW SMOKE WIRES



POLYCABMAXIMA+ PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1515	28
1	2045	24
1.5	2990	16
2.5	4695	12
4	6860	8
6	10290	6

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - HEAT RESISTANT FLAME RETARDANT LOW SMOKE LOW HALOGEN - LEAD FREE CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS **PRODUCT FEATURES:** 35°C LOW SMOKE **LOW TOXIC 20% HIGHER HEAT** RESISTANCE DURING EXTREME FIRES **FUMES** MOISTURE **ENERGY SAVING LEAD FREE** RODENT **HIGH ABRASION** CONSTRUCTION RESISTANT **PVC INSULATION** PROTECTION RESISTANCE 99.97% HIGH REACH RoHS FLAMESTOP PURITY COPPER COMPLIANT COMPLIANT

POLYCABOPTIMA+

LF FR

HIGH QUALITY MATERIALS, POWER SAVING DESIGN



POLYCABOPTIMA+ PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1440	28
1	1940	24
1.5	2840	16
2.5	4490	12
4	6565	8
6	9810	6

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES – LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:




POLYCABPRIMMA

LF FR

FLAME RETARDANT LEAD FREE WIRES

Т




POLYCABPRIMMA PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1430	28
1	1830	24
1.5	2660	16
2.5	4235	12
4	6505	8
6	9785	6

POLYCABPRIMMA PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES – LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:



etira

etira

etira

ETIRA

SUPERIOR QUALITY POCKET FRIENDLY PRICE



ETIRA PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1330	28
1	1730	24
1.5	2545	16
2.5	4055	12
4	6070	8
6	9315	6

ETIRA PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - FLAME RETARDANT (FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:



180M POUCH PACKAGING



POLYCAB GREEN WIRE PRICELIST

SIZE (SQ.MM.)	180 METER POUCH PACKAGING	
	LP (₹)	COILS PER CARTON
1	4090	12
1.5	5980	10
2.5	9390	6
4	13720	4
6	20580	3

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES – HEAT RESISTANT FLAME RETARDANT LOW SMOKE LOW HALOGEN – LEAD FREE CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS



POLYCAB LF FR PRICELIST

	180 METER POUCH PACKAGING	
SIZE (SQ.MM.)	LP (₹)	COILS PER CARTON
1	3880	12
1.5	5680	10
2.5	8980	6
4	13130	4
6	19620	3

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS



INSTANT SCAN INSTANT MONEY



For any query regarding **Polycab Experts program** reach out to Polycab Sales team or **\$022 49581311**

TERMS AND CONDITIONS APPLY

- The above rates are exclusive of GST which shall be charged extra.
- This pricelist is subject to change without notice.
- As per international practice which is also adopted by the Bureau of Indian Standards, the diameter of the conductor shown herein is nominal; the size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes & tables.



Corporate Office: POLYCAB INDIA LIMITED #29, The Ruby, 21st Floor, Senapati Bapat Marg, Tulsi Pipe Road, Dadar (West), Mumbai - 400 028, Maharashtra (India) Ph.: +91-22-2432 7070/4, 6735 1400 Email: enquiry@polycab.com, Toll Free No.: 1800 267 0008 Follow us on: f × in © Website: www.polycab.com