

LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated Industrial Cables
Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables


Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables



Residential & Commercial



List Price wef. 19 Nov 2024



**High grade
99.97% pure bare
copper conductor**



**Abrasion resistant
grade sheath
material**



**Long life &
highly durable
cables**

Flame Retardant (FR) PVC Insulated Industrial Cables



List Price wef. 19 Nov 2024

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES
FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

GOLD PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10302	0.75	1,260	20
10303	1.00	1,735	20
10304	1.50	2,550	12
10305	2.50	4,035	12
10306	4.00	5,895	8
10307	6.00	8,815	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10312	0.75	1210	20
10313	1.00	1565	20
10314	1.50	2275	12
10315	2.50	3675	12
10316	4.00	5660	8
10317	6.00	8485	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10312016	0.75	2,305	8
10313	1.00	3,000	8
10314	1.50	4,385	6
10315	2.50	7,120	4
10306016	4.00	11,045	4
10307016	6.00	16,600	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	750	30
10314	1.50	1,095	24
10315	2.50	1,780	24
10316	4.00	2,760	12
10317	6.00	4,150	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flamegard Flame Retardant Low Smoke(FR-LSH) Industrial Cables



List Price wef. 19 Nov 2024

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES
FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10112013	0.75	1235	20
10113	1.00	1605	20
10114	1.50	2330	12
10115	2.50	3750	12
10106	4.00	5805	8
10107	6.00	8700	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10112016	0.75	2330	8
10113016	1.00	3030	8
10114016	1.50	4430	6
10115016	2.50	7190	4
10106016	4.00	11155	4
10107016	6.00	16765	4

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	760	30
10114	1.50	1110	24
10115	2.50	1800	24
10106	4.00	2790	12
10107	6.00	4190	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Halogen Free Flame Retardant (HFFR) Industrial Cables



List Price wef. 19 Nov 2024

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES
FINOLEX MAKE HALOGARD SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1270	20
10403	1.00	1645	20
10404	1.50	2390	12
10405	2.50	3860	12

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	5945	8
10407	6.00	8910	4

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	LP per coil Rs.	Length per coil	No. of Coils packed in a Master Carton
10413016	1.00	3190	180	8
10414016	1.50	4645	180	6
10415016	2.50	7525	180	4
10406016	4.00	11610	180	4
10407016	6.00	17415	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.
 COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flexible Cables



FLEXIBLE CABLES - SINGLE CORE
FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	880	924
14002	0.75	1300	1,365
14003	1.00	1685	1,769

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14104	1.50	2455	2,578
14105	2.50	3980	4,179
14206	4.00	6140	6,447

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	9,215	9,676
14208	10	16,020	16,821
14209	16	24,595	25,825
14210	25	38,455	40,378
14211	35	53,715	56,401
14212	50	76,165	79,973

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14513	70	1,11,035	1,16,587
14514	95*	1,46,840	1,54,182
14515	120*	1,88,615	1,98,046
14516	150*	2,33,595	2,45,275
14517	185*	2,88,735	3,03,172
14518	240*	3,79,660	3,98,643

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17002	0.50	2,305
17002	0.75	3,175
17002	1.00	3,965

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17102	1.50	5,390
17102	2.50	8,715
17202	4.00	13,645

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17003	0.50	3,115
17003	0.75	4,345
17003	1.00	5,505

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17103	1.50	7,665
17103	2.50	12,280
17203	4.00	19,470

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17004	0.50	3,970
17004	0.75	5,560
17004	1.00	7,120

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17104	1.50	10,055
17104	2.50	16,275
17204	4.00	25,705

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17006	0.50	5,890
17006	0.75	8,455
17006	1.00	10,720

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17106	1.50	15,150
17106	2.50	24,565
17206	4.00	38,940

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17008	0.50	6,885
17008	0.75	9,705
17008	1.00	12,420

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17107	1.50	17,625
17107	2.50	28,555
17207	4.00	45,100

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17008	0.50	7,745
17008	0.75	10,980
17008	1.00	14,035

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17108	1.50	20,065
17108	2.50	32,585
17208	4.00	51,390

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17010	0.50	9,420
17010	0.75	13,555
17010	1.00	17,370

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17110	1.50	24,710
17110	2.50	40,225
17210	4.00	63,765

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17012	0.50	11,155
17012	0.75	16,090
17012	1.00	20,660

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17112	1.50	29,405
17112	2.50	48,180
17212	4.00	76,150

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES: (4+10)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17014	0.50	13,025
17014	0.75	18,630
17014	1.00	23,955

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17114	1.50	34,360
17114	2.50	56,155
17214	4.00	88,450

SIXTEEN CORES (8 +11)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17016	0.50	14,770
17016	0.75	21,315
17016	1.00	27,405

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17116	1.50	39,105
17116	2.50	63,950
17216	4.00	1,01,200

NINETEEN CORES (1+6 + 12)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17019	0.50	17,310
17019	0.75	25,035
17019	1.00	32,415

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17119	1.50	46,225
17119	2.50	75,250
17219	4.00	1,19,510

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17203074	6	28,915
17203084	10	49,620
17203094	16*	77,130
17203104	25*	1,19,235
17203114	35*	1,67,185

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17203124	50*	2,39,690
17503134	70*	3,39,025
17503144	95*	4,47,490
17503154	120*	5,97,690

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17204074	6	37,985
17204084	10	65,005
17204094	16*	1,00,615
17204104	25*	1,57,925
17204114	35*	2,20,790

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17204124	50*	3,14,570
17504134	70*	4,48,560
17504144	95*	5,93,080
17504154	120*	7,74,975

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing : Cables shall be supplied in Standard length of 100 M



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

Coaxial Cables – Jelly



List Price wef. 19 Nov 2024

COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,725	5,261
RG 6 CU	2,440	7,320
RG 11 CU	5,480	16,714

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,480	4,514
RG 11 CCS	2,995	9,135

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,455	10,538

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.



CCTV Cable

Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	2,990
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	10,133
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,280
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	11,116
65916013	RG59 JF XI +6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,835
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	12,996
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	1,705
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	3,370
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	1,900
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	3,765
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	1,940
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	3,835
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,180
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,300

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	805
31050023	2 pair	1,440
31050033	3 pair	2,125
31050043	4 pair	2,805
31050053	5 pair	3,495

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	6,795
31050203	2D pair	12,985
31050503	50 pair	31,850
31051001	100 pair	62,210

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen index Fire Retardent PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	565
31040023	2 pair	1,000
31040033	3 pair	1,480
31040043	4 pair	1,905
31040053	5 pair	2,350

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,725
31040203	20 pair	8,905
31040503	50 pair	21,570
31041001	100 pair	41,405


Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

LAN Cable



Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	9,065
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	11,195
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	11,195
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	11,195
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	11,195
32925048	0.5x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	6,550
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,570
32955048	0.5x4P UTP CAT-6 CCA LAN 305 X 2	305 Mtr	8,115
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	15,630
32245044	0.5 x4P UTP CAT6 LAN *GRY* 100M X 2	100 Mtr	3,505
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	14,308
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	18,738




Speaker Cable



List Price wef. 19 Nov 2024

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM [Transparent]	6	100 Mtr	1,795
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	2,630
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	3,250
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	4,840
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	7,530
60329024	Speaker Cable 2.5 SQMM [Transperant]100M	6	100 Mtr	8,060
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	450
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	660
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	815
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,210

PACKING : Available in 100 M coils AND 25 M coil



Agriculture



High grade
99.97% pure bare
copper conductor




Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.50	8,340
13713051	2.50	12,935
13703061	4.00	19,350
13803071	6.00	28,375
13803081	10.00	49,310
13803091	16.00	76,575

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13803101	25.00	1,19,715
13803111	35.00	1,65,885
13803121*	50.00	Prices for these sizes can be given on request.
13803131*	70.00	
13803141*	95.00	

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.50	8,757
13863059	2.50	13,582

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823069	4.00	20,318

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6.00	29,794
13823089	10.00	51,776
13823099	16.00	80,404

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823109	25.00	1,25,701
13823119	35.00	1,74,179

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	18,665
13853089	14	140/.36	31,040
13853099	23	226/.36	49,525

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853109	36	354/.36	73,130
13853119	50	594/.36	1,00,885

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires




List Price wef. 19 Nov 2024

PVC INSULATED WINDING WIRES
FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	510	1000	6
13000602	0.60	510	500	6
13000701	0.70	700	1000	6
13000702	0.70	700	500	6
13000801	0.80	900	1000	6
13000802	0.80	900	500	6
13000901	0.90	1,125	1000	5
13000902	0.90	1,125	500	6
13001001	1.00	1,380	1000	5
13001002	1.00	1,380	500	6
13001101	1.10	1,655	1000	4
13001102	1.10	1,655	500	6
13001201	1.20	1,960	1000	4
13001202	1.20	1,960	500	6
13001301	1.30	2,295	1000	3
13001302	1.30	2,295	500	6
13001402	1.40	2,670	500	5
13001502	1.50	3,050	500	5
13001602	1.60	3,460	500	4
13001702	1.70	3,895	500	4
13001802	1.80	4,370	500	4
13001902	1.90	4,860	500	3
13002002	2.00	5,425	500	3
13002102	2.10	5,965	500	3
13002202	2.20	6,530	500	2
13002302	2.30	7,130	500	2
13002402	2.40	7,770	500	2
13002502	2.50	8,425	500	2
13002602	2.60	9,095	500	2
13002702	2.70	9,795	500	2
13002804	2.80*	10,555	250	3
13003004	3.00*	12,090	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required. PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power



List Price wef. 19 Nov 2024



High thermal rating to withstand extreme temperatures



Excellent resistant to heat pressure



Long life & highly durable cables

Auto Battery Cables



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	6,150	24,595
22210	354/.3	25	9,615	38,455
22211	495/.3	35	13,430	53,715
22212	703/.3	50	19,040	76,165
22513	360/.5	70	27,760	1,11,035
22514	475/.5 *	95	36,710	1,46,840
22515	608/.5 *	120	47,150	1,88,615
22516	750/.5 *	150	58,400	2,33,595
22517	925/.5 *	185	72,180	2,88,735
22518	1221/.5 *	240	94,915	3,79,660

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	830	3,305

105° CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	215	845
2302	24/.21	0.75	320	1,265
2303	32/.21	1.00	420	1,680
2304	30/.26	1.50	620	2,465
2305	50/.26	2.50	1,025	4,085
2306	56/.31	4.00	1,700	6,770
2307	84/.31	6.00	2,520	10,055

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE: The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

Solar Cables

List Price wef. 19 Nov 2024






SOLAR DC CABLE

FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.

**Product Code	Material Description	List Price per 100m (Rs.)
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	6,030
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	6,030
16907016	56/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	8,905
16997016	56/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	8,905

NOTES	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	<p>The full product code is of 8 digits. For example : 22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m 22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.</p> <p>a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor.</p> <p>b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.</p> <p>c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.</p> <p>d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.</p>
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: www.finolex.com |  /Finolexcables |  /Finolexcables |  /Finolex.Cables



Finolex Cables Limited
 AN IS/ISO 9001:2015 CERTIFIED COMPANY
 26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.
 Tel: 020-27506200 | Fax: 020-27472239
 Visit us at: www.finolex.com | Email: sales@finolex.com
 CIN: L31300MH1967PLC016531
Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 26575639 | **Bengaluru:** 7022979589 |
Bhubaneswar: 0674-2971922 / 2971188 | **Chennai:** 044-28269322 /
 28231514 | **Chandigarh:** 0172-4064047 | **Cochin:** 9388689670 |
Coimbatore: 0422-2330997 | **Dharwad:** 8362746440 | **Goa:** 8322782003 /
 2782065 | **Gurgaon:** 9896763770 | **Guwahati:** 9864027312 / 8135029423
 | **Indore:** 7314911723 | **Jaipur:** 9929111411 | **Kolkata:** 033-24192494 /
 24192495 | **Lucknow:** 052-24035031 | **Mumbai:** 022-22820062 | **New**
Delhi: 011-23324748 / 23353160 | **Patna:** 9934107999 | **Pune:**
 020-27506200 | **Raipur:** 7008336581 | **Ranchi:** 8101383841 |
Secunderabad: 040-27811161 | **Uttarakhand:** 9760045003 | **Vadodara:**
 9879555568 | **Vijayawada:** 9848043967

Sample card available on request

All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.
 In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation.
 When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.