

CONNECTION TO A SAFER FUTURE

House Wires & Cables Pricelist



About Polycab India Ltd

Polycab India Limited (PIL) is India's largest manufacturer of Wires and Cables and one of the fastest growing FMEG companies with a consolidated turnover of ₹ 180+ Bn in FY24. PIL is at the forefront of providing innovative, safe and energy efficient products to a diverse set of customers via a strong distribution network of 3,800+ authorized dealers and 205,000+ retail outlets. PIL's business operations span across India through 28 manufacturing facilities, 13 offices and 29 warehouses. PIL has also served customers in 79 countries globally. PIL's 4,800+ employees are dedicated to upholding robust governance practices, preserving a customer centric culture, having a purpose to serve the communities, and imbibing a genuine sense of ecological consciousness. For further information, please visit www.polycab.com.





India's Widest Range of Wires & Cables

We manufacture and sell a diverse range of wires and cables and our key products in this segment are power cables, control cables, instrumentation cables, solar cables, building wires, flexible cables, flexible single/multi core cables, communication cables and others including welding cables, submersible flat and round cables, rubber cables, overhead conductors, railway signalling cables and specialty cables. We strive to deliver customized and innovative products with speed and quality service. Our production process is designed to ensure quality while delivering the ability to produce complex electrical products on short timeframes to meet our customers' needs.







Innovation & Sustainability

Polycab's house wires epitomize REACH compliance. innovation and sustainability. We've invested heavily research and development to create products that cater to our customers' dynamic needs while maintaining a strong commitment to safety and the environment. Polycab house wires are made from lead free non-carcinogenic materials. They meet stringent European norms of RoHS and

Our R&D team is dedicated to pioneering ground-breaking solutions, with a focus on customer safety. We're proud to have engineered insulating compounds that ensure safety during fire emergencies and also possess a high oxygen index and low smoke properties to set up a new standard for environmental safety responsibility.

Quality Focus

- Our manufacturing facilities are accredited with quality management system certificates for compliance with ISO **9001, ISO 14001 and OHSAS 18001** requirements.
- Our products are also certified to be compliant with various national and international quality standards including Bureau of Indian Standards 'BIS', British Approvals Service for Cables 'BASEC', US Underwriters Laboratory, FQC and international electrotechnical commission 'IEC'.













Green Wire HR FR-LSH LF

EXTRA SAFE, LOW SMOKE WIRES



SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1485	28
1	2005	24
1.5	2930	16
2.5	4600	12
4	6720	8
6	10085	6

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - HEAT RESISTANT FLAME RETARDANT LOW SMOKE LOW HALOGEN - LEAD FREE CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:



LOW SMOKE
DURING EXTREME FIRES



FUMES



20% HIGHER HEAT RESISTANCE

















99.97% HIGH PURITY COPPER

LF FR

HIGH QUALITY MATERIALS, POWER SAVING DESIGN



SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1405	28
1	1890	24
1.5	2770	16
2.5	4375	12
4	6400	8
6	9565	6

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:


















99.97% HIGH PURITY COPPER

LF FR

FLAME RETARDANT LEAD FREE WIRES





SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1395	28
1	1785	24
1.5	2595	16
2.5	4130	12
4	6340	8
6	9540	6

POLYCABPRIMMA PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:





99.97%

COPPER











FR

SUPERIOR QUALITY POCKET FRIENDLY PRICE





ETIRA PRICELIST

SIZE (SQ.MM.)	90 METER BOX PACKAGING	
	LP (₹)	COILS PER CARTON
0.75	1300	28
1	1695	24
1.5	2495	16
2.5	3975	12
4	5950	8
6	9130	6

ETIRA PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - FLAME RETARDANT (FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:



99.97%

COPPER



RoHS



etiro

Stird

180M POUCH PACKAGING





DURING EXTREME FIRES













99.97% HIGH PURITY COPPER



POLYCAB GREEN WIRE PRICELIST

SIZE (SQ.MM.)	180 METER POUCH PACKAGING	
SIZE (SQ.IVIIVI.)	LP (₹)	COILS PER CARTON
1	4010	12
1.5	5860	10
2.5	9200	6
4	13440	4
6	20170	3

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - HEAT RESISTANT FLAME RETARDANT LOW SMOKE LOW HALOGEN - LEAD FREE CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS













99.97% HIGH PURITY COPPER

POLYCAB LF FR PRICELIST

SIZE (SQ.MM.)	180 METER POUCH PACKAGING	
SIZE (SQ.IVIIVI.)	LP (₹)	COILS PER CARTON
1	3780	12
1.5	5540	10
2.5	8750	6
4	12800	4
6	19130	3

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

POLYCAB EXPERTS

INSTANT SCAN INSTANT MONEY



download the **EXPERTS APP**

For any query regarding Polycab Experts program reach out to Polycab Sales team or 📞 022 49581311

TERMS AND CONDITIONS APPLY

- The above rates are exclusive of GST which shall be charged extra.
- This pricelist is subject to change without notice.
- As per international practice which is also adopted by the Bureau of Indian Standards, the diameter of the conductor shown herein is should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes & tables.

VACOCOOC(TS IOda/Jav

POLYCAB

IDEAS. CONNECTED.

Corporate Office:

POLYCAB INDIA LIMITED

#29, The Ruby, 21st Floor, Senapati Bapat Marg,

Tulsi Pipe Road, Dadar (West),

Mumbai - 400 028, Maharashtra (India)

Ph.: +91-22-2432 7070/4, 6735 1400

Email: enquiry@polycab.com, Toll Free No.: 1800 267 0008

Follow us on: $\mathbf{f} \times \mathbf{in} \odot \mathbf{D}$ Website: www.polycab.com