


LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated Industrial Cables
Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables


Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables



Residential & Commercial



List Price wef. 30 Jan 2025



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

FINOULTRA



FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES

FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS 17048 : 2018

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10452	0.75	1360	20
10453	1	1740	20
10454	1.5	2585	12
10455	2.5	4130	12
10456	4	6200	8
10457	6	9145	4

PACKING : Finolex FinoUltra HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.

COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flame Retardant (FR) PVC Insulated Industrial Cables



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

GOLD PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10302	0.75	1,285	20
10303	1.00	1,770	20
10304	1.50	2,600	12
10305	2.50	4,115	12
10306	4.00	6,015	8
10307	6.00	8,990	4

Flame Retardant (FR) PVC Insulated Industrial Cables

List Price wef. 30 Jan 2025



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10312	0.75	1,235	20
10313	1.00	1,595	20
10314	1.50	2,320	12
10315	2.50	3,750	12
10316	4.00	5,775	8
10317	6.00	8,655	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10312016	0.75	2,355	8
10313	1.00	3,065	8
10314	1.50	4,480	6
10315	2.50	7,275	4
10306016	4.00	11,285	4
10307016	6.00	16,960	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	765	30
10314	1.50	1,120	24
10315	2.50	1,820	24
10316	4.00	2,820	12
10317	6.00	4,240	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flamegard Flame Retardant Low Smoke(FR-LSH) Industrial Cables



List Price wef. 30 Jan 2025

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10112013	0.75	1,260	20
10113	1.00	1,640	20
10114	1.50	2,380	12
10115	2.50	3,825	12
10106	4.00	5,925	8
10107	6.00	8,880	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10112016	0.75	2,380	8
10113016	1.00	3,100	8
10114016	1.50	4,525	6
10115016	2.50	7,350	4
10106016	4.00	11,400	4
10107016	6.00	17,130	4

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	775	30
10114	1.50	1,130	24
10115	2.50	1,840	24
10106	4.00	2,850	12
10107	6.00	4,285	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Halogen Free Flame Retardant (HFFR) Industrial Cables



List Price wef. 30 Jan 2025

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES
FINOLEX MAKE FINOGREEN SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,295	20
10403	1.00	1,680	20
10404	1.50	2,440	12
10405	2.50	3,940	12

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	6,065	8
10407	6.00	9,085	4

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	LP per coil Rs.	Length per coil	No. of Coils packed in a Master Carton
10413016	1.00	3,225	180	8
10414016	1.50	4,710	180	6
10415016	2.50	7,650	180	4
10406016	4.00	11,810	180	4
10407016	6.00	17,725	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.
 COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flexible Cables



FLEXIBLE CABLES - SINGLE CORE
FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	900	945
14002	0.75	1,305	1,370
14003	1.00	1,700	1,785

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14104	1.50	2,485	2,609
14105	2.50	4,045	4,247
14206	4.00	6,245	6,557

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	9,380	9,849
14208	10	16,305	17,120
14209	16	24,840	26,082
14210	25	38,840	40,782
14211	35	54,250	56,963
14212	50	76,925	80,771

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14513	70	1,12,145	1,17,752
14514	95*	1,48,310	1,55,726
14515	120*	1,90,500	2,00,025
14516	150*	2,35,930	2,47,727
14517	185*	2,91,620	3,06,201
14518	240*	3,83,455	4,02,628

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17002	0.50	2,335
17002	0.75	3,215
17002	1.00	4,015

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17102	1.50	5,460
17102	2.50	8,830
17202	4.00	13,780

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17003	0.50	3,155
17003	0.75	4,400
17003	1.00	5,575

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17103	1.50	7,740
17103	2.50	12,405
17203	4.00	19,665

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17004	0.50	4,020
17004	0.75	5,630
17004	1.00	7,190

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17104	1.50	10,155
17104	2.50	16,440
17204	4.00	25,960

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17006	0.50	5,970
17006	0.75	8,555
17006	1.00	10,825

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17106	1.50	15,300
17106	2.50	24,810
17206	4.00	39,330

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17008	0.50	6,975
17008	0.75	9,820
17008	1.00	12,545

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17107	1.50	17,800
17107	2.50	28,840
17207	4.00	45,550

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17008	0.50	7,840
17008	0.75	11,090
17008	1.00	14,175

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17108	1.50	20,265
17108	2.50	32,910
17208	4.00	51,905

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17010	0.50	9,535
17010	0.75	13,690
17010	1.00	17,545

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17110	1.50	24,955
17110	2.50	40,625
17210	4.00	64,405

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17012	0.50	11,290
17012	0.75	16,250
17012	1.00	20,865

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17112	1.50	29,700
17112	2.50	48,660
17212	4.00	76,910

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES: (4+10)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17014	0.50	13,180
17014	0.75	18,815
17014	1.00	24,195

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17114	1.50	34,705
17114	2.50	56,715
17214	4.00	89,335

SIXTEEN CORES (8 +11)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17016	0.50	14,945
17016	0.75	21,530
17016	1.00	27,680

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17116	1.50	39,495
17116	2.50	64,590
17216	4.00	1,02,210

NINETEEN CORES (1+6 + 12)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17019	0.50	17,485
17019	0.75	25,285
17019	1.00	32,740

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17119	1.50	46,685
17119	2.50	76,005
17219	4.00	1,20,705

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17203074	6	29,205
17203084	10	50,115
17203094	16*	77,900
17203104	25*	1,20,425
17203114	35*	1,68,855

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17203124	50*	2,42,085
17503134	70*	3,42,415
17503144	95*	4,51,965
17503154	120*	6,03,665

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17204074	6	38,365
17204084	10	65,655
17204094	16*	1,01,620
17204104	25*	1,59,505
17204114	35*	2,23,000

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17204124	50*	3,17,715
17504134	70*	4,53,045
17504144	95*	5,99,010
17504154	120*	7,82,725

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing : Cables shall be supplied in Standard length of 100 M



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

Coaxial Cables – Jelly



List Price wef. 30 Jan 2025

COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,725	5,261
RG 6 CU	2,400	7,320
RG 11 CU	5,480	16,714

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,500	4,575
RG 11 CCS	3,035	9,257

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,490	10,645

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL. Wire braid, Jelly flooded and PVC Jacketing in Black colour.

CCTV Cable



Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	3,025
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	10,251
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,315
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	11,234
65916013	RG59 JF XI +6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,875
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	13,132
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	1,725
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	3,405
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	1,920
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	3,805
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	1,960
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	3,875
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,200
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,345

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDANT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	815
31050023	2 pair	1,455
31050033	3 pair	2,145
31050043	4 pair	2,835
31050053	5 pair	3,530

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	6,795
31050203	2D pair	12,985
31050503	50 pair	31,850
31051001	100 pair	62,210

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen index Fire Retardant PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	575
31040023	2 pair	1,010
31040033	3 pair	1,495
31040043	4 pair	1,925
31040053	5 pair	2,375

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,770
31040203	20 pair	8,905
31040503	50 pair	21,570
31041001	100 pair	41,405


Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

LAN Cable



Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	9,065
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	11,195
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	11,195
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	11,195
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	11,195
32925048	0.5x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	6,550
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,570
32955048	0.5x4P UTP CAT-6 CCA LAN 305 X 2	305 Mtr	8,115
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	15,630
32245044	0.5 x4P UTP CAT6 LAN *GRY* 100M X 2	100 Mtr	3,505
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	14,308
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	18,738




Speaker Cable



List Price wef. 30 Jan 2025

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM [Transparent]	6	100 Mtr	1,795
60325024	Speaker Cable 0.75 SQMM [Transparent]	6	100 Mtr	2,630
60326024	Speaker Cable 1 SQMM [Transparent]	6	100 Mtr	3,250
60327024	Speaker Cable 1.5 SQMM [Transparent]	6	100 Mtr	4,840
60328024	Speaker Cable 2.0 SQMM [Transparent]	6	100 Mtr	7,530
60329024	Speaker Cable 2.5 SQMM [Transparent]100M	6	100 Mtr	8,060
60324022	Speaker Cable 0.50 SQ MM [Transparent] 25 M	24	25 Mtr	450
60325022	Speaker Cable 0.75 SQ MM [Transparent] 25 M	24	25 Mtr	660
60326022	Speaker Cable 1.00 SQ MM [Transparent] 25 M	24	25 Mtr	815
60327022	Speaker Cable 1.50 SQ MM [Transparent] 25 M	24	25 Mtr	1,210

PACKING : Available in 100 M coils AND 25 M coil



Agriculture



High grade
99.97% pure bare
copper conductor




Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.50	8,340
13713051	2.50	12,935
13703061	4.00	19,545
13803071	6.00	28,660
13803081	10.00	49,310
13803091	16.00	77,340

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13803101	25.00	1,20,910
13803111	35.00	1,67,545
13803121*	50.00	Prices for these sizes can be given on request.
13803131*	70.00	
13803141*	95.00	

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.50	8,757
13863059	2.50	13,582

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823069	4.00	20,522

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6.00	30,093
13823089	10.00	51,776
13823099	16.00	81,207

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823109	25.00	1,26,956
13823119	35.00	1,75,922

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	18,665
13853089	14	140/.36	31,040
13853099	23	226/.36	49,525

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853109	36	354/.36	73,130
13853119	50	594/.36	1,00,885

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires




List Price wef. 30 Jan 2025

PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	510	1000	6
13000602	0.60	510	500	6
13000701	0.70	700	1000	6
13000702	0.70	700	500	6
13000801	0.80	900	1000	6
13000802	0.80	900	500	6
13000901	0.90	1,125	1000	5
13000902	0.90	1,125	500	6
13001001	1.00	1,380	1000	5
13001002	1.00	1,380	500	6
13001101	1.10	1,655	1000	4
13001102	1.10	1,655	500	6
13001201	1.20	1,960	1000	4
13001202	1.20	1,960	500	6
13001301	1.30	2,295	1000	3
13001302	1.30	2,295	500	6
13001402	1.40	2,670	500	5
13001502	1.50	3,050	500	5
13001602	1.60	3,460	500	4
13001702	1.70	3,895	500	4
13001802	1.80	4,370	500	4
13001902	1.90	4,860	500	3
13002002	2.00	5,425	500	3
13002102	2.10	5,965	500	3
13002202	2.20	6,530	500	2
13002302	2.30	7,130	500	2
13002402	2.40	7,770	500	2
13002502	2.50	8,425	500	2
13002602	2.60	9,095	500	2
13002702	2.70	9,795	500	2
13002804	2.80*	10,555	250	3
13003004	3.00*	12,090	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
 PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power



List Price wef. 30 Jan 2025



High thermal rating to withstand extreme temperatures



Excellent resistant to heat pressure



Long life & highly durable cables

Auto Battery Cables



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	6,150	24,595
22210	354/.3	25	9,615	38,455
22211	495/.3	35	13,430	53,715
22212	703/.3	50	19,040	76,165
22513	360/.5	70	27,760	1,11,035
22514	475/.5 *	95	36,710	1,46,840
22515	608/.5 *	120	47,150	1,88,615
22516	750/.5 *	150	58,400	2,33,595
22517	925/.5 *	185	72,180	2,88,735
22518	1221/.5 *	240	94,915	3,79,660

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	830	3,305

105° CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	215	845
2302	24/.21	0.75	320	1,265
2303	32/.21	1.00	420	1,680
2304	30/.26	1.50	620	2,465
2305	50/.26	2.50	1,025	4,085
2306	56/.31	4.00	1,700	6,770
2307	84/.31	6.00	2,520	10,055

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE: The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

Solar Cables

List Price wef. 30 Jan 2025



SOLAR DC CABLE

FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.

**Product Code	Material Description	List Price per 100m (Rs.)
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	6,030
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	6,030
16907016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	8,905
16997016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	8,905

NOTES	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	<p>The full product code is of 8 digits. For example : 22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m 22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.</p> <p>a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor.</p> <p>b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.</p> <p>c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.</p> <p>d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.</p>
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: www.finolex.com | [/Finolexcables](https://www.facebook.com/Finolexcables) | [/Finolex.Cables](https://www.instagram.com/Finolex.Cables)



AN IS/ISO 9001:2015 CERTIFIED COMPANY

26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.
 Tel: 020-27506200 | Fax: 020-27472239
 Visit us at: www.finolex.com | Email: sales@finolex.com
 CIN: L31300MH1967PLC016531

Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 26575639 | **Bengaluru:** 7022979589 |
Bhubaneswar: 0674-2971922 / 2971188 | **Chennai:** 044-28269322 /
 28231514 | **Chandigarh:** 0172-4064047 | **Cochin:** 9388689670 |
Coimbatore: 0422-2330997 | **Dharwad:** 8362746440 | **Goa:** 8322782003 /
 2782065 | **Gurgaon:** 9896763770 | **Guwahati:** 9864027312 / 8135029423
 | **Indore:** 7314911723 | **Jaipur:** 9929111411 | **Kolkata:** 033-24192494 /
 24192495 | **Lucknow:** 052-24035031 | **Mumbai:** 022-22820062 | **New**
Delhi: 011-23324748 / 23353160 | **Patna:** 9934107999 | **Pune:**
 020-27506200 | **Raipur:** 7008336581 | **Ranchi:** 8101383841 |
Secunderabad: 040-27811161 | **Uttarakhand:** 9760045003 | **Vadodara:**
 9879555568 | **Vijayawada:** 9848043967

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.