

LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated Industrial Cables
Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables


Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables



Residential & Commercial



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

List Price wef. 1 June 2025

FINOULTRA



FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES

FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS 17048 : 2018

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10452	0.75	1,435	20
10453	1	1,840	20
10454	1.5	2,730	12
10455	2.5	4,360	12
10456	4	6,550	8
10457	6	9,655	4

Flame Retardant (FR) PVC Insulated Industrial Cables

GOLD PACK



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS 694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,360	20
10303	1	1,870	20
10304	1.5	2,745	12
10305	2.5	4,345	12
10306	4	6,350	8
10307	6	9,490	4

Flame Retardant (FR) PVC Insulated Industrial Cables

SILVER PACK



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,305	20
10303	1	1,685	20
10304	1.5	2,450	12
10305	2.5	3,960	12
10306	4	6,110	8
10307	6	9,140	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10312016	0.75	2,490	20
10313	1.0	3,240	20
10314	1.5	4,730	12
10315	2.5	7,680	12
10306016	4.0	11,915	8
10307016	6.0	17,905	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10313	1	820	30
10314	1.5	1,205	24
10315	2.5	1,960	24
10316	4	3,025	12
10317	6	4,540	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flamegard

Flame Retardant

Low Smoke(FR-LSH)

Industrial Cables



FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10112013	0.75	1,335	20
10113	1	1,730	20
10114	1.5	2,515	12
10115	2.5	4,040	12
10106	4	6,265	8
10107	6	9,375	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10112016	0.75	2,515	8
10113016	1	3,270	8
10114016	1.5	4,775	6
10115016	2.5	7,755	4
10106016	4	12,035	4
10107016	6	18,085	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil (Rs.)	No. of Coils packed in a Master Carton
10113	1	820	30
10114	1.5	1,195	24
10115	2.5	1,940	24
10106	4	3,010	12
10107	6	4,520	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

List Price wef. 1 June 2025

Halogen Free Flame Retardant (HFFR) Industrial Cables



HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE FINOGREEN SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES
IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,370	20
10403	1	1,770	20
10404	1.5	2,570	12
10405	2.5	4,155	12
10406	4	6,415	8
10407	6	9,595	4

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10413016	1	3,400	8
10414016	1.5	4,965	6
10415016	2.5	8,070	4
10406016	4	12,495	4
10407016	6	18,725	4



Flexible Cables

List Price wef. 1 June 2025

FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	960	1,010
14002	0.75	1,385	1,455
14003	1.00	1,795	1,885
14104	1.50	2,630	2,760
14105	2.50	4,270	4,485
14206	4.00	6,610	6,940

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	9,905	10,400
14208	10	17,215	18,075
14209	16	26,095	27,400
14210	25	40,765	42,805
14211	35	56,820	59,660
14212	50	80,555	84,585
14513	70	1,17,055	1,22,910
14514	95*	1,55,000	1,62,750
14515	120*	1,98,905	2,08,850
14516	150*	2,46,315	2,58,630
14517	185*	3,04,195	3,19,405
14518	240*	3,99,655	4,19,640

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

 FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES
 FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17002	0.50	2,415	2970	17102	1.5	5,630	6350
17002	0.75	3,320	3960	17102	2.5	9,110	10145
17002	1.00	4,150	4835	17202	4	14,250	15705

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17003	0.50	3,255	3810	17103	1.5	7,995	8715
17003	0.75	4,540	5160	17103	2.5	12,810	13830
17003	1.00	5,750	6440	17203	4	20,305	21700

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17004	0.50	4,150	4,740	17104	1.5	10,490	11,340
17004	0.75	5,800	6,440	17104	2.5	16,975	18,110
17004	1.00	7,430	8,150	17204	4	26,800	28,325

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17006	0.50	6,155	6930	17106	1.5	15,800	16925
17006	0.75	8,830	9800	17106	2.5	25,615	27160
17006	1.00	11,185	12185	17206	4	40,605	42755

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	7,195	8000	17108	1.50	18,380	19575
17008	0.75	10,130	11095	17108	2.50	29,775	31320
17008	1.00	12,965	14015	17208	4.00	47,010	49080

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	8,090	9010	17108	1.50	20,920	22230
17008	0.75	11,455	12475	17108	2.50	33,975	35660
17008	1.00	14,645	15725	17208	4.00	53,565	55745

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17010	0.50	9,835	10,780	17110	1.50	25,765	27100
17010	0.75	14,145	15,290	17110	2.50	41,930	43690
17010	1.00	18,125	19,330	17210	4.00	66,455	68855

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17012	0.50	11,645	12,665	17112	1.50	30,655	32095
17012	0.75	16,790	18,020	17112	2.50	50,225	52385
17012	1.00	21,550	22,845	17212	4.00	79,360	81950

FOURTEEN CORES (4+10)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17014	0.50	13,595	14,760	17114	1.50	35,820	37455
17014	0.75	19,440	20,725	17114	2.50	58,540	60800
17014	1.00	24,985	26,345	17214	4.00	92,175	94885

SIXTEEN CORES (8+11)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17016	0.50	15,415	16,695	17116	1.50	40,770	42565
17016	0.75	22,245	23,775	17116	2.50	66,660	69145
17016	1.00	28,580	30,200	17216	4.00	1,05,460	108650

NINETEEN CORES (1+6+12)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17019	0.50	18,060	19,360	17119	1.5	48,190	50165
17019	0.75	26,115	27,680	17119	2.5	78,425	80960
17019	1.00	33,800	35,590	17219	4	1,24,525	127775

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES
FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17203074	6	30,150	31,980	17203124	50*	2,49,780	260660
17203084	10	51,725	54,500	17503134	70*	3,53,215	365065
17203094	16*	80,385	84,060	17503144	95*	4,66,220	482220
17203104	25*	1,24,250	1,29,195	17503154	120*	6,22,705	644895
17203114	35*	1,74,205	1,81,035				

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17204074	6	39,595	41,585	17204124	50*	3,27,730	338235
17204084	10	67,745	70,530	17504134	70*	4,67,270	480345
17204094	16*	1,04,835	1,08,580	17504144	95*	6,17,845	636335
17204104	25*	1,64,550	1,70,310	17504154	120*	8,07,295	829300
17204114	35*	2,30,035	2,37,445				

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

COAXIAL CABLES - JELLY



COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,775	5,414
RG 6 CU	2,465	7,518
RG 11 CU	5,630	17,172

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated Aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,505	4,590
RG 11 CCS	3,010	9,181

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,480	10614

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

CCTV Cable



Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	3,195
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	10,828
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,495
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	11,844
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	4,065
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	13,776
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	1,810
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	3,545
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	2,025
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	4,000
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,085
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	4,095
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,310
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,560

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHYLENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02, MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	860	31050103	10 pair	7,160
31050023	2 pair	1,525	31050203	20 pair	13,605
31050033	3 pair	2,250	31050503	50 pair	33,240
31050043	4 pair	2,965	31051001	100 pair	64,535
31050053	5 pair	3,695			

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	605	31040103	10 pair	5,010
31040023	2 pair	1,070	31040203	20 pair	9,390
31040033	3 pair	1,570	31040503	50 pair	22,620
31040043	4 pair	2,025	31041001	100 pair	43,015
31040053	5 pair	2,485			

Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%


A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

List Price wef. 1 June 2025

LAN Cable



Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	9,535
32255042	0.5x4P UTP CAT-6 LAN *YLW * 305M	305 Mtr	11,695
32245042	0.5x4P UTP CAT-6 LAN *GRY * 305M	305 Mtr	11,695
32275042	0.5x4P UTP CAT-6 LAN *BLU * 305M	305 Mtr	11,695
32265042	0.5x4P UTP CAT-6 LAN *GRN * 305M	305 Mtr	11,695
32925048	0.5x4 Pair CAT-5 (E) CCA LAN Cable	305 Mtr	6,690
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,775
32955048	0.5x4P UTP CAT-6 CCA LAN 305 Mtr	305 Mtr	8,345
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	16,310
32245044	0.5 x4P CAT6 LAN GRY 100M X 2	100 Mtr	3,640
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	14,930
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	20,140
32245142	4P CAT6 LITE LAN GRY 305M X 2	305 Mtr	11,102
32255142	4P CAT6 LITE LAN YLW 305M X 2	305 Mtr	11,102
32265142	4P CAT6 LITE LAN GRN 305M X 2	305 Mtr	11,102
32275142	4P CAT6 LITE LAN BLU 305M X 2	305 Mtr	11,102




Speaker Cable

List Price wef. 1 June 2025



Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	1,845
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	2,685
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	3,315
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	4,955
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	7,715
60329024	Speaker Cable 2.5 SQMM (Transperant)100M	6	100 Mtr	8,255
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	460
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	670
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	830
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,240



Agriculture



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.5	8725	13803101	25	127005
13713051	2.5	13605	13803111	35	175945
13703061	4	20525	13803121*	50	Prices for these sizes can be given on request.
13803071	6	30065	13803131*	70	
13803081	10	51815	13803141*	95	
13803091	16	81180			

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.5	9160	13823069	4	21550
13863059	2.5	14285			

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6	31570	13823109	25	133355
13823089	10	54405	13823119	35	184740
13823099	16	85240			

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	19320	13853109	36	354/.36	74770
13853089	14	140/.36	32145	13853119	50	594/.36	103725
13853099	23	226/.36	50845				

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us.

We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires

List Price wef. 1 June 2025




PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	530	1000	6
13000602	0.60	530	500	6
13000701	0.70	725	1000	6
13000702	0.70	725	500	6
13000801	0.80	935	1000	6
13000802	0.80	935	500	6
13000901	0.90	1,170	1000	5
13000902	0.90	1,170	500	6
13001001	1.00	1,435	1000	5
13001002	1.00	1,435	500	6
13001101	1.10	1,725	1000	4
13001102	1.10	1,725	500	6
13001201	1.20	2,040	1000	4
13001202	1.20	2,040	500	6
13001301	1.30	2,385	1000	3
13001302	1.30	2,385	500	6
13001402	1.40	2,775	500	5
13001502	1.50	3,175	500	5
13001602	1.60	3,600	500	4
13001702	1.70	4,055	500	4
13001802	1.80	4,550	500	4
13001902	1.90	5,055	500	3
13002002	2.00	5,640	500	3
13002102	2.10	6,205	500	3
13002202	2.20	6,795	500	2
13002302	2.30	7,415	500	2
13002402	2.40	8,085	500	2
13002502	2.50	8,765	500	2
13002602	2.60	9,465	500	2
13002702	2.70	10,185	500	2
13002804	2.80*	10,980	250	2
13003004	3.00*	12,575	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.

PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power



High thermal rating
to withstand
extreme temperatures



Excellent
resistant to
heat pressure



Long life &
highly durable
cables

Auto Battery Cables

List Price wef. 1 June 2025



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	6,405	25,610
22210	354/.3	25	10,010	40,035
22211	495/.3	35	13,980	55,915
22212	703/.3	50	19,820	79,290
22513	360/.5	70	28,895	1,15,585
22514	475/.5.*	95	38,210	1,52,860
22515	608/.5.*	120	49,085	1,96,340
22516	750/.5.*	150	60,790	2,43,160
22517	925/.5.*	185	75,140	3,00,555
22518	1221/.5.*	240	98,795	3,95,200

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	860	3,430

1050 CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILECABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	220	875
2302	24/.21	0.75	330	1,310
2303	32/.21	1.00	440	1,740
2304	30/.26	1.50	640	2,560
2305	50/.26	2.50	1,065	4,240
2306	56/.31	4.00	1,765	7,035
2307	84/.31	6.00	2,615	10,445

Solar Cables

List Price wef. 1 June 2025

SOLAR DC CABLE

FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.

**Product Code	Material Description	List Price per 100m (Rs.)
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	6,295
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	6,295
16907016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	9,240
16997016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	9,240

NOTES

- Prices
GST extra as applicable.
- Printing
Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
- Delivery
F.O.R. any station in India by road transport.
- Product Code
The full product code is of 8 digits. For example :
22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m
22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.
a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor,
225 represents Auto Cable IS specifications for 0.5 conductor.
b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.
c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.
d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.
- Alteration
This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: www.finolex.com | [/Finolexcables](https://www.facebook.com/Finolexcables) | [/Finolexcables](https://www.twitter.com/Finolexcables) | [/Finolex.Cables](https://www.instagram.com/Finolex.Cables)



Finolex
Cables Limited

AN IS/ISO 9001:2015 CERTIFIED COMPANY


26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.
Tel: 020-27506200 | Fax: 020-27472239
Visit us at: www.finolex.com | Email: sales@finolex.com
CIN: L31300MH1967PLC016531

Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 28575639 | Bengaluru: 7022979589 |
Bhubaneswar: 0674-2971922 / 2971188 | Chennai: 044-28269322 /
28231514 | Chandigarh: 0172-4064047 | Cochin: 9388689670 |
Coimbatore: 0422-2330997 | Dharwad: 8362746440 | Goa: 8322782003 /
2782065 | Gurgaon: 9896763770 | Guwahati: 9864027312 / 8135029423
| Indore: 7314911723 | Jaipur: 9929111411 | Kolkata: 033-24192494 /
24192495 | Lucknow: 052-24035031 | Mumbai: 022-22820062 | New
Delhi: 011-23324748 / 23353160 | Patna: 9934107999 | Pune:
020-27506200 | Raipur: 7008336581 | Ranchi: 8101383841 |
Secunderabad: 040-27811101 | Uttarakhand: 9760045003 | Vadodara:
9879555568 | Vijayawada: 9848043967

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.
In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation.
When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.