

LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated
Industrial Cables
Flamegard - Flame Retardant Low Smoke
(FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant
(HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables


Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables



Residential & Commercial



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

List Price wef. 14 Oct 2025

FINOULTRA



FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES

FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UP TO 1100V AS PER IS 17048: 2018

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10452	0.75	1,540	20
10453	1.0	1,970	20
10454	1.5	2,925	12
10455	2.5	4,670	12
10456	4.0	7,020	8
10457	6.0	10,345	4

Flame Retardant (FR) PVC Insulated Industrial Cables

GOLD PACK



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,455	20
10303	1.0	2,010	20
10304	1.5	2,940	12
10305	2.5	4,660	12
10306	4.0	6,805	8
10307	6.0	10,170	4

Flame Retardant (FR) PVC Insulated Industrial Cables

SILVER PACK



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,400	20
10303	1.0	1,805	20
10304	1.5	2,625	12
10305	2.5	4,245	12
10306	4.0	6,545	8
10307	6.0	9,790	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10312016	0.75	2,675	8
10313	1.0	3,470	8
10314	1.5	5,070	6
10315	2.5	8,230	4
10306016	4.0	12,765	4
10307016	6.0	19,205	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.0	895	30
10314	1.5	1,315	24
10315	2.5	2,120	24
10316	4.0	3,305	12
10317	6.0	4,960	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 300 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 300 m coil (Rs.)	No. of Coils packed in a Master Carton
10312017	0.75	4460	8
10313017	1.0	5785	6
10314017	1.5	8450	6
10315017	2.5	13715	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 200 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 200 m coil (Rs.)	No. of Coils packed in a Master Carton
10306015	4.0	14,185	4
10307015	6.0	21,340	4

List Price wef. 14 Oct 2025

Flamegard

Flame Retardant

Low Smoke(FR-LSH)

Industrial Cables



FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10112013	0.75	1,435	20
10113	1.0	1,855	20
10114	1.5	2,695	12
10115	2.5	4,325	12
10106	4.0	6,715	8
10107	6.0	10,050	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10112016	0.75	2,695	8
10113016	1.0	3,505	8
10114016	1.5	5,120	6
10115016	2.5	8,310	4
10106016	4.0	12,895	4
10107016	6.0	19,380	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in

master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

List Price wef. 14 Oct 2025

Halogen Free Flame Retardant (HFFR) Industrial Cables



HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE FINOGREEN SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES
IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,470	20
10403	1.0	1,895	20
10404	1.5	2,755	12
10405	2.5	4,460	12
10406	4.0	6,875	8
10407	6.0	10,285	4



Flexible Cables

List Price wef. 14 Oct 2025

FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	1,045	1,095
14002	0.75	1,510	1,585
14003	1.00	1,960	2,060
14104	1.50	2,865	3,010
14105	2.50	4,655	4,890
14206	4.00	7,200	7,560

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	10,785	11,325
14208	10	18,695	19,630
14209	16	28,910	30,355
14210	25	45,185	47,445
14211	35	63,030	66,180
14212	50	89,355	93,825
14513	70	1,30,005	1,36,505
14514	95*	1,72,065	1,80,670
14515	120*	2,20,890	2,31,935
14516	150*	2,73,545	2,87,220
14517	185*	3,37,940	3,54,835
14518	240*	4,44,125	4,66,330

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR
FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17002	0.50	2,620	3115	17102	1.5	6,190	6845
17002	0.75	3,625	4195	17102	2.5	10,030	10990
17002	1.00	4,540	5160	17202	4	15,715	17075

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17003	0.50	3,555	4055	17103	1.5	8,815	9495
17003	0.75	4,975	5540	17103	2.5	14,145	15125
17003	1.00	6,315	6955	17203	4	22,455	23815

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17004	0.50	4,540	5,080	17104	1.5	11,570	12,385
17004	0.75	6,375	6,965	17104	2.5	18,765	19,880
17004	1.00	8,175	8,855	17204	4	29,665	31,195

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17006	0.50	6,740	7455	17106	1.5	17,450	18545
17006	0.75	9,695	10595	17106	2.5	28,330	29870
17006	1.00	12,320	13265	17206	4	44,955	47145

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	7,885	8630	17108	1.50	20,305	21485
17008	0.75	11,135	12045	17108	2.50	32,945	34520
17008	1.00	14,290	15295	17208	4.00	52,095	54265

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	8,870	9725	17108	1.50	23,125	24415
17008	0.75	12,605	13570	17108	2.50	37,595	39330
17008	1.00	16,150	17195	17208	4.00	59,360	61690

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17010	0.50	10,800	11,685	17110	1.50	28,495	29860
17010	0.75	15,570	16,670	17110	2.50	46,440	48305
17010	1.00	19,995	21,185	17210	4.00	73,685	76315

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17012	0.50	12,795	13,760	17112	1.50	33,920	35415
17012	0.75	18,490	19,685	17112	2.50	55,630	57910
17012	1.00	23,785	25,085	17212	4.00	88,015	90925

FOURTEEN CORES (4+10)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17014	0.50	14,935	16,045	17114	1.50	39,630	41340
17014	0.75	21,420	22,680	17114	2.50	64,835	67280
17014	1.00	27,590	28,965	17214	4.00	1,02,255	105385

SIXTEEN CORES (8+11)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17016	0.50	16,945	18,165	17116	1.50	45,120	47010
17016	0.75	24,505	26,005	17116	2.50	73,850	76555
17016	1.00	31,560	33,190	17216	4.00	1,16,985	120640

NINETEEN CORES (1+6+12)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17019	0.50	19,860	21,130	17119	1.5	53,345	55455
17019	0.75	28,790	30,350	17119	2.5	86,935	89790
17019	1.00	37,340	39,150	17219	4	1,38,185	142065

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17203074	6	33,380	35,205	17203124	50*	2,77,350	288805
17203084	10	57,325	60,140	17503134	70*	3,92,655	405860
17203094	16*	89,210	93,040	17503144	95*	5,18,270	536010
17203104	25*	1,37,970	1,43,275	17503154	120*	6,92,270	716650
17203114	35*	1,93,505	2,00,850				

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17204074	6	43,880	45,920	17204124	50*	3,64,270	376110
17204084	10	75,155	78,120	17504134	70*	5,19,700	534975
17204094	16*	1,16,440	1,20,555	17504144	95*	6,87,085	708295
17204104	25*	1,82,795	1,89,150	17504154	120*	8,97,915	923815
17204114	35*	2,55,665	2,64,005				

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

COAXIAL CABLES - JELLY



COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,885	5,749
RG 6 CU	2,650	8,083
RG 11 CU	6,090	18,575

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated Aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,535	4,682
RG 11 CCS	3,075	9,379

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black colour.

Type	90 m coil
	List Price (Rs.)
RG 6 CCS Eco Lite	1,040

Finolex Coaxial Cables with copper clad steel conductor (RG CCS Eco Lite), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,645	11117

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.



CCTV Cable

Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	3,410
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	11,556
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,745
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	12,691
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	4,385
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	14,860
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	1,935
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	3,790
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	2,180
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	4,295
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,230
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	4,380
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,480
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,900

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHYLENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDANT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	935	31050103	10 pair	7,875
31050023	2 pair	1,665	31050203	20 pair	15,035
31050033	3 pair	2,465	31050503	50 pair	36,830
31050043	4 pair	3,250	31051001	100 pair	71,710
31050053	5 pair	4,050			

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	655	31040103	10 pair	5,470
31040023	2 pair	1,160	31040203	20 pair	10,315
31040033	3 pair	1,710	31040503	50 pair	24,945
31040043	4 pair	2,205	31041001	100 pair	47,675
31040053	5 pair	2,715			

Standard Length of coif is 90 Meters. | Standard Length of the drum is 500m +/-10%


A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

List Price wef. 14 Oct 2025

LAN Cable




Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	10,450
32255042	0.5x4P UTP CAT-6 LAN *YLW * 305M	305 Mtr	12,820
32245042	0.5x4P UTP CAT-6 LAN *GRY * 305M	305 Mtr	12,820
32275042	0.5x4P UTP CAT-6 LAN *BLU * 305M	305 Mtr	12,820
32265042	0.5x4P UTP CAT-6 LAN *GRN * 305M	305 Mtr	12,820
32925048	0.5x4 Pair CAT-5 (E) CCA LAN Cable	305 Mtr	7,065
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	4,090
32955048	0.5x4P UTP CAT-6 CCA LAN 305 Mtr	305 Mtr	8,875
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	18,225
32245044	0.5 x4P CAT6 LAN GRY 100M X 2	100 Mtr	4,005
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	15,705
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	21,355
32245142	4P CAT6 LITE LAN GRY 305M X 2	305 Mtr	12,215
32255142	4P CAT6 LITE LAN YLW 305M X 2	305 Mtr	12,215
32265142	4P CAT6 LITE LAN GRN 305M X 2	305 Mtr	12,215
32275142	4P CAT6 LITE LAN BLU 305M X 2	305 Mtr	12,215



Speaker Cable

List Price wef. 14 Oct 2025

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	2,040
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	2,975
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	3,660
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	5,505
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	8,590
60329024	Speaker Cable 2.5 SQMM (Transperant)100M	6	100 Mtr	9,185
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	510
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	745
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	915
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,375



Agriculture



High grade
99.97% pure bare
copper conductor




Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.5	9570	13803101	25	140865
13713051	2.5	14955	13803111	35	195280
13703061	4	22625	13803121*	50	Prices for these sizes can be given on request.
13803071	6	33250	13803131*	70	
13803081	10	57345	13803141*	95	
13803091	16	90055			

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.5	10050	13823069	4	23755
13863059	2.5	15705			

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6	34915	13823109	25	147910
13823089	10	60210	13823119	35	205045
13823099	16	94560			

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	20935	13853109	36	354/.36	81505
13853089	14	140/.36	34875	13853119	50	594/.36	113105
13853099	23	226/.36	55350				

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us.

We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires

List Price wef. 14 Oct 2025




PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	580	1000	6
13000602	0.60	580	500	6
13000701	0.70	795	1000	6
13000702	0.70	795	500	6
13000801	0.80	1,025	1000	6
13000802	0.80	1,025	500	6
13000901	0.90	1,285	1000	5
13000902	0.90	1,285	500	6
13001001	1.00	1,580	1000	5
13001002	1.00	1,580	500	6
13001101	1.10	1,905	1000	4
13001102	1.10	1,905	500	6
13001201	1.20	2,255	1000	4
13001202	1.20	2,255	500	6
13001301	1.30	2,640	1000	3
13001302	1.30	2,640	500	6
13001402	1.40	3,065	500	5
13001502	1.50	3,510	500	5
13001602	1.60	3,985	500	4
13001702	1.70	4,490	500	4
13001802	1.80	5,035	500	4
13001902	1.90	5,600	500	3
13002002	2.00	6,240	500	3
13002102	2.10	6,870	500	3
13002202	2.20	7,525	500	2
13002302	2.30	8,215	500	2
13002402	2.40	8,955	500	2
13002502	2.50	9,710	500	2
13002602	2.60	10,490	500	2
13002702	2.70	11,295	500	2
13002804	2.80*	12,170	250	2
13003004	3.00*	13,940	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.

PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power



High thermal rating
to withstand
extreme temperatures



Excellent
resistant to
heat pressure



Long life &
highly durable
cables

Auto Battery Cables

List Price wef. 14 Oct 2025



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	7,130	28,510
22210	354/.3	25	11,145	44,585
22211	495/.3	35	15,570	62,285
22212	703/.3	50	22,080	88,315
22513	360/.5	70	32,200	1,28,795
22514	475/.5.*	95	42,575	1,70,305
22515	608/.5.*	120	54,695	2,18,775
22516	750/.5.*	150	67,735	2,70,945
22517	925/.5.*	185	83,735	3,34,940
22518	1221/.5.*	240	1,10,115	4,40,455

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	920	3,690

1050 CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILECABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	245	970
2302	24/.21	0.75	365	1,455
2303	32/.21	1.00	490	1,940
2304	30/.26	1.50	715	2,850
2305	50/.26	2.50	1,185	4,730
2306	56/.31	4.00	1,965	7,840
2307	84/.31	6.00	2,915	11,645

Solar Cables

List Price wef. 14 Oct 2025



SOLAR DC CABLE

FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.

**Product Code	Material Description	List Price per 100m (Rs.)
16905018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M RED	4,695
16995018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M Black	4,695
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	6,765
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	6,765
16907016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	10,025
16997016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	10,025

Solar Nova

**Product Code	Material Description	List Price per 100m (Rs.)
16985014	ATC 2.5 SOLAR NOVA EBEAM100MBLK	4,420
16986014	ATC 4.0 SOLAR NOVA EBEAM 100MBLK	6,385
16987014	ATC 6.0 SOLAR NOVA EBEAM 100M BLK	9,610
	ATC 10.0 SOLAR NOVA EBEAM 100M BLK	17,220

NOTES

- Prices: GST extra as applicable.
- Printing: Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
- Delivery: F.O.R. any station in India by road transport.
- Product Code: The full product code is of 8 digits. For example :
22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m
22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.
a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor,
225 represents Auto Cable IS specifications for 0.5 conductor.
b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.
c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.
d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.

Visit us at: www.finolex.com | [/Finolexcables](https://www.facebook.com/finolexcables) | [/Finolexcables](https://www.instagram.com/finolexcables) | [/Finolex.Cables](https://www.youtube.com/channel/UCqW0j0k0k0k0k0k0k0k0k0k)



Finolex
Cables Limited

AN IS/ISO 9001:2015 CERTIFIED COMPANY
26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.
Tel: 020-27506200 | Fax: 020-27472239
Visit us at: www.finolex.com | Email: sales@finolex.com
CIN: L31300MH1967PLC016531

Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: 7926584837 / 26575639 | Bengaluru: 7022979589 /
Bhubaneswar: 0674-2971922 / 2971188 | Chennai: 044-28269322 /
28231514 | Chandigarh: 0172-4064047 | Cochin: 938889670 /
Coimbatore: 0422-2330997 | Dharwad: 8362746440 | Goa: 8322782003 /
2782065 | Gurgaon: 9896763770 | Guwahati: 9864027312 / 8135029423
| Indore: 7314911723 | Jaipur: 9929111411 | Kolkata: 033-24192494 /
24192495 | Lucknow: 052-24035031 | Mumbai: 022-22820062 | New
Delhi: 011-23324748 / 23353160 | Patna: 9634107999 | Pune:
020-27506200 | Raipur: 7008339581 | Ranchi: 8101383841 |
Secunderabad: 040-27811181 | Uttarakhand: 9760045003 | Vadodra:
9879555568 | Vijayawada: 9848043967

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.
In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation.
When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.