

ALUMINUM UN ARMoured / ARMoured

PRICE LIST : 10.10.2025

"KEI" BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, Extruded PVC innersheathed, unarmoured/Armoured (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Mtr.)

Cable Size in sq.mm	UN ARMoured					Cable Size in sq.mm	ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4		Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY		A2XW _a Y A2XF _a Y	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
4		83	100		118	4		161	180		204
6		104	126		151	6		190	212		244
10		143	175		223	10		244	272	R/W →	326
										*F/A →	298
16		186	233		301	16	R/W →	280			384
							*F/A →	250	304		
25	118	244	341	409	448	25	212	304	412	484	527
35	154	315	452	519	591	35	261	384	527	610	680
50	212	430	613	717	817	50	333	505	699	803	911
70	283	581	846	986	1115	70	422	670	943	1086	1226
95	369	763	1107	1298	1459	95	516	860	1215	1411	1573
120	459	949	1384	1642	1846	120	616	1054	1497	1777	1960
150	573	1186	1742	1986	2293	150	734	1282	1849	2118	2416
185	699	1441	2118	2483	2817	185	889	1562	2258	2631	2964
240	892	1838	2723	3161	3604	240	1104	1967	2867	3311	3755
300	1104	2271	3368	3916	4483	300	1341	2416	3526	4093	4641
400	1459	2996	4429	5157	5902	400	1731	3157	4590	5314	6077
500	1803					500	2093				
630	2261					630	2583				
800	2849					800	3217				
1000	3561					1000	3924				

R/W= ROUND WIRE ARMOUR, F/A= FLAT STRIP ARMOUR

* FLAT STRIP ARMoured (F/A) CABLES ARE NOT CONFIRMING TO IS 7098-1.

EXTRAS FOR SPECIAL CONSTRUCTION:

A] ROUND WIRE ARMOURING

1C95 sq.mm & Above	30.00%
3C & 4C 16 sq.mm & Above	30.00%
2C & 3.5C 25 sq.mm & Above	30.00%

B] Stranding

10 sq.mm & Below	5.00%
------------------	-------

C] HR PVC

Insulation	10.00%
Inner/Outer Sheath (EACH)	5.00%

E] Oxygen Index (FR)	4.00%
F] PVC Cables	12.00%

FRLS Loading Factor				LSZH	
Cable Size (Sq.mm)	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armd.	Unarmd.		
Power (Al.)					
Upto 16	5.0%	5.0%	5.0%	22.5%	30.0%
25 - 50	5.0%	5.0%	5.0%	18.0%	22.5%
70 & above	5.0%	5.0%	5.0%	22.5%	18.0%
Power Single Core (Al.)					
Upto 16	-N.A-	5.0%	5.0%	-N.A-	37.5%
25 - 70	-N.A-	5.0%	5.0%	-N.A-	30.0%
95 & above	-N.A-	5.0%	5.0%	-N.A-	26.0%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

CU UNARMoured / ARMoured

PRICE LIST : 10-10-2025

"KEI" **BRAND** Power/Control Copper Cables, Solid Copper conductor, XLPE Insulated, cores laid up, Extruded PVC innersheathed, Unarmoured/Armoured (Galvanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm, 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Mtr.)

Cable Size in sq.mm	UN ARMoured					Cable Size in sq.mm	ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4		Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY		2XaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		338	465		622	4		408	528		684
6		484	674		908	6		555	726		962
10		776	1117		1474	10		847	1170		1519
16	596	1208	1702		2312	16	669	1257	1747		2323
25	954	1839	2692	3335	3665	25	1023	1912	2779	3430	3769
35	1322	2546	3746	4408	5091	35	1391	2625	3836	4520	5206
50	1894	3646	5431	6337	7242	50	1958	3741	5543	6455	7380
70	2637	5080	7590	8852	10109	70	2694	5190	7720	8990	10258
95	3419	6869	10258	12064	13682	95	3588	6992	10404	12225	13846
120	4313	8660	12938	15453	17250	120	4497	8794	13107	15643	17437
150	5390	10830	16189	18684	21559	150	5581	10963	16361	18886	21770
185	6636	13329	19933	23348	26580	185	6866	13493	20151	23583	26818
240	8591	17270	25829	30130	34431	240	8847	17454	26048	30380	34696
300	10726	21559	32254	37643	43025	300	11017	21755	32511	37942	43355
400	14291	28689	42949	49634	57607	400	14636	28923	43275	50163	57934
500	17848					500	18216				
630	22483					630	22893				
800	28528					800	28983				
1000	35642					1000	36125				

CONTROL CABLES

(Rate in Rs. Per Mtr.)

Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY		Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
2	146	217	204	273	12	718	1144	806	1188
3	198	305	248	352	14	828	1328	927	1378
4	256	393	308	440	16	943	1521	1001	1562
5	327	506	393	569	19	1108	1793	1174	1826
6	377	591	454	671	24	1408	2258	1463	2291
7	432	679	506	756	27	1570	2527	1620	2549
8	492	778	575	858	30	1738	2802	1790	2819
10	605	960	696	1012	37	2131	3440	2170	3446

EXTRAS FOR SPECIAL CONSTRUCTION:

A] Tinning	3.00%
B] Stranding (Upto 6 sq.mm)	4.00%
C] ROUND WIRE ARMOURING	
1C 95 sq.mm & above	9.00%
2C 25 sq.mm & Above	18.00%
3C & 4C 16 sq.mm & Above	18.00%
1.5 sq.mm - 16 Core & Above	18.00%
2.5 sq.mm - 10 Core & Above	18.00%
D] Oxygen Index (FR)	4.00%

E] FRLS	5.00%
F] HR PVC INSULATION	7.50%
G] HR I.SH/O.SH. (EACH)	5.00%
I] PVC Cables	7.50%

FRLS Loading Factor- Control Cable				LSZH	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armd.	Unarmd.		
2 - 10	5.0%	5.0%	5.0%	22.5%	22.5%
12 & Above	5.0%	5.0%	5.0%	18.0%	18.0%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

1C HT CABLE FLAT & ROUND
PRICE LIST : 10-10-2025

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.18kA FOR 1 SEC), AL FLAT STRIP ARMoured & AL ROUND WIRE ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.


(Rate in Rs. Per Mtr.)

1 CORE HT XLPE

Cable Size in sq.mm	A2XCEFaY					Cable Size in sq.mm	A2XCEWaY				
	6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]		6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]
240	1459	1523	1738	1792	2150	240	1691	1766	2021	2075	2483
300	1723	1781	2010	2064	2443	300	1975	2032	2304	2368	2959
400	2182	2215	2476	2537	2921	400	2416	2448	2744	2803	3432
500	2615	2637	2913	2967	3379	500	2903	2932	3408	3483	3953
630	3157	3171	3458	3523	3974	630	3518	3526	4042	4110	4623
800	3841	3859	4171	4249	4716	800	4447	4469	4827	4910	5432
1000	4666	4673	5031	5092	5604	1000	5383	5383	5765	5859	6748

EXTRAS FOR SPECIAL CONSTRUCTION:-

- | | |
|--------------------------------|------|
| 1) <u>FRLS PVC SHEATH</u> - | |
| Inner Sheath | 5.0% |
| Outer Sheath | 5.0% |
| 2) FR Sheath with Oxygen Index | 2.5% |


3C HT CABLE FLAT & ROUND
PRICE LIST : 10-10-2025

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC 3CORE COMBINED), CORES LAID UP, INNERSHEATH OF PVC TAPE, GALVANISED STEEL FLAT STRIP ARMoured & ROUND WIRE ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Mtr.)

3 CORE HT XLPE

Cable Size in sq.mm	A2XCEFY					Cable Size in sq.mm	A2XCEWY				
	6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]		6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]
35						35					
50						50					
70						70					
95	2233	2419	2978	3128	4042	95	2591	2803	3644	3824	4870
120	2566	2744	3343	3462	4404	120	2924	3118	4010	4174	5655
150	2975	3139	3781	3910	4927	150	3351	3591	4472	4647	6171
185	3372	3615	4232	4368	5421	185	3809	4246	4948	5114	6665
240	4142	4375	5013	5163	6249	240	4802	5066	5805	6372	7603
300	4931	5103	5797	6038	7063	300	5636	5845	7012	7213	8482
400	6339	6421	7184	7364	8442	400	7479	7586	8489	8657	10033

EXTRAS FOR SPECIAL CONSTRUCTION:-

- | | |
|--------------------------------------|-------|
| 1) Extruded PVC Inner Sheath | 5.0% |
| 2) Pressure Extruded PVC Innersheath | 20.0% |
| 3) <u>FRLS PVC SHEATH</u> - | |
| Inner Sheath | 5.0% |
| Outer Sheath | 5.0% |
| 4) FR Sheath with Oxygen Index | 2.5% |

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.