

RR KABEL LIMITED

RRKL/CU-ARM-UAR/LP/10/25

w.e.f. 16th October, 2025

PRICE LIST

POWER CABLES (COPPER ARMoured / UNARMoured)

RR KABEL make Power/Control Cables, Solid Copper Conductor upto 6.0 Sq.mm balance Stranded, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 10Cx1.5 sq.mm, 8Cx2.5 sq.mm, 2Cx10.0 sq.mm, 3Cx10.0 Sq.mm, 4Cx6.0 Sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN CODE : 8544)

Rate Per Meter (INR)

(UNARMOURED CABLES) (2XY)						(ARMOURED CABLES) (2XWY / 2XFY)					
No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5
2	197	298	14	968	1749	2	252	356	14	1169	1837
3	278	416	16	1159	2004	3	321	460	16	1307	2087
4	356	561	19	1387	2371	4	396	594	19	1550	2457
5	435	702	24	1757	2993	5	482	729	24	1939	3076
6	523	833	27	1940	3324	6	573	858	27	2156	3450
7	592	949	30	2303	3941	7	631	968	30	2405	4149
8	721	1076	37	2983	4726	8	807	1181	37	3120	4847
10	860	1233	44	3489	5634	10	919	1360	44	3644	5660
12	919	1509	61	5105	7754	12	1021	1580	61	5364	8206

Size (Sq.mm)	(UNARMoured CABLES) (2XY)					(ARMoured CABLES) (2XWw/2XFwY) (2XWY / 2XFY)							
	1 Core	2 Core	3 Core	3.5 Core	4 Core	1 Core	2 Core	3 Core	3.5 Core	4 Core	5 Core	6 Core	7 Core
4.0	-	422	601	-	743	-	495	663	-	850	1246	1570	1730
6.0	-	616	887	-	1092	-	697	957	-	1251	1812	2214	2540
10.0	-	1068	1504	-	1792	-	1108	1557	-	2033	2756	-	-
16.0	791	1505	2185	-	2805	946	1643	2277	-	3007	3953	-	-
25.0	1299	2564	3564	4246	4667	1431	2761	3769	4517	4968	7208	-	-
35.0	1797	3552	4966	5717	6687	1944	3783	5308	6063	7048	9759	-	-
50.0	2460	4870	6751	8085	8939	2627	4941	7175	8445	9563	13364	-	-
70.0	3503	6945	9944	11664	13208	3690	7340	10477	12128	13804	21023	-	-
95.0	4776	9492	14227	16558	18522	4904	10142	14527	16635	19175	-	-	-
120.0	6020	11997	16655	21174	23714	6171	12094	17813	21878	23892	-	-	-
150.0	7523	14962	22302	25760	29642	7676	15141	22654	26466	30348	-	-	-
185.0	9233	18074	27524	32182	36699	9438	18743	28796	33692	38464	-	-	-
240.0	11927	23141	35972	42022	48628	12125	24146	37405	43488	49619	-	-	-
300.0	14878	28835	44614	51810	60052	15118	30583	47144	54521	63095	-	-	-
400.0	19549	38486	55614	63346	79006	19762	41603	60552	68909	84351	-	-	-
500.0	24702	-	-	-	-	24983	-	-	-	-	-	-	-
630.0	31053	-	-	-	-	31476	-	-	-	-	-	-	-
800.0	39521	-	-	-	-	39945	-	-	-	-	-	-	-
1000.0	49403	-	-	-	-	49825	-	-	-	-	-	-	-

Additional to be charged for Special Construction

A) Tinning	3%	G) HR PVC Insulation	10%	As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the Price List are only for guidelines and as per market convention, it may vary within the prescribed limit of IS:8130-1994, with related classes and tables.			
B) Stranding (upto 6.0 Sq.mm)	4%	H) HR PVC Inner Sheath	7.5%				
C) Extruded Inner Sheath	4.0%	I) HR PVC Outer Sheath	7.5%				
D) Round Wire Armouring:		J) FR-LSH Outer Sheath (Power Cables)					
1. 1C x 95.0 Sq.mm & above	9.0%	Upto 6.0 Sq.mm	11.5%	* MOQ will be applicable for all Special Items			
2. 12C x 1.5 Sq.mm & above	18%	10.0 Sq.mm & above	6%				
3. 9C x 2.5 Sq.mm & above	18%	K) FR-LSH / LSZH Loading - Control Cables (Inner / Outer Sheath)					
4. 4C x 10.0 Sq.mm & above	18%	Cores	FR-LSH				LSZH
5. 2C x 16.0 & above	18%		Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath	
6. 3C x 16.0 & above	18%		2C to 4C	7.5%	9%	22.5%	22.5%
E) Oxygen Index (FR)	4.0%	5C to 10C	7.5%	6%	22.5%	22.5%	* The above material will be supplied from our Waghodia Unit.
F) PVC Insulation (as per IS 1554)	7.5%	12C & above	7.5%	6%	18.0%	18.0%	

Terms & Conditions:

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

RR KABEL LIMITED

RRKL/AL-ARM-UAR/LP/10/25

w.e.f. 16th October, 2025

PRICE LIST

POWER CABLES (AL. ARMoured / UNARMoured)

RR KABEL make Power Cables, Solid Aluminum conductor upto 10.0 sq.mm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core Cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 2Cx10.0 sq.mm, 3Cx10.0 sq.mm, 4Cx6.0 sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN Code : 8544)

Size (in Sq.mm)	CORES / RATE PER METER (INR)									
	(UNARMoured CABLES) (A2XY)					(ARMoured CABLES) (A2XWaY/ A2XFaY) (A2XWY / A2XFY)				
	1C	2C	3C	3.5C	4C	1C	2C	3C	3.5C	4C
4.0	-	131	163	-	196	-	233	250	-	291
6.0	-	183	216	-	263	-	283	309	-	369
10.0	-	263	295	-	346	-	358	399	-	507
16.0	128	268	332	-	440	230	407	429	-	542
25.0	185	346	487	617	649	303	435	571	663	710
35.0	239	454	644	698	774	367	542	726	806	919
50.0	306	570	793	945	1035	452	702	944	1092	1228
70.0	422	820	1143	1291	1486	578	940	1294	1472	1668
95.0	543	973	1390	1651	1771	693	1161	1594	1846	2080
120.0	677	1213	1869	2123	2259	804	1386	2000	2312	2612
150.0	837	1508	2199	2483	2796	958	1704	2455	2740	3212
185.0	1036	1798	2771	3177	3462	1177	2048	3039	3469	3951
240.0	1315	2352	3577	3888	4523	1454	2715	3881	4357	5102
300.0	1625	2875	4385	5039	5508	1790	3328	4796	5360	6289
400.0	2092	3587	5471	6295	7040	2261	4322	6130	6847	7850
500.0	2629	4576	7743	8687	9819	2817	5835	8218	9678	10852
630.0	3257	5825	9714	11525	13140	3475	7178	10447	11859	14246
800.0	4065	-	-	-	-	4272	-	-	-	-
1000.0	5125	-	-	-	-	5254	-	-	-	-

Additional to be charged for Special Construction

A) Stranding (upto 10.0 Sq.mm)	10%	H) FR-LSH / LSZH Loading - (Inner / Outer Sheath) :						
B) Round Wire Armouring		Size	FR-LSH		LSZH			
			Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath		
		1. 1C x 95.0 & above	30%	Upto 1C x 16.0	NA	15%	NA	37.50%
		2. 2C x 16.0 & above	30%	1C x 25.0 to 1C x 50.0	NA	15%	NA	30%
		3. 3C x 16.0 & above	30%	1C x 70.0 & above	NA	11.50%	NA	26.0%
		4. 3.5C x 25.0 & above	30%	Multicore upto 16.0	15%	11.5%	22.5%	30%
5. 4C x 10.0 & above	30%							
C) Oxygen Index (FR)	4.0%	Multicore 25.0 to 50.0	11.5%	11.5%	18.0%	22.5%		
D) PVC Insulation (as per IS 1554)	12%	Multicore 70.0 & above	7.5%	7.5%	22.5%	18%		
E) HR PVC Insulation	15%	I) Extruded PVC Inner Sheath :			* MOQ will be applicable for all Special Items			
F) HR PVC Inner Sheath	7.50%	1. Upto 50.0 Sq.mm.	5%					
G) HR PVC Outer Sheath	7.50%	2. 70.0 Sq.mm. & above	2.5%					

Terms & Conditions:

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE