

LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated Industrial Cables
Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables

Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables



Residential & Commercial



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

List Price wef. 01 Nov 2025

FINOULTRA



FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES

FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UP TO 1100V AS PER IS 17048: 2018

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10452	0.75	1,595	20
10453	1.0	2,040	20
10454	1.5	3,025	12
10455	2.5	4,835	12
10456	4.0	7,265	8
10457	6.0	10,705	4

Flame Retardant (FR) PVC Insulated Industrial Cables



GOLD PACK

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS 694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,505	20
10303	1.0	2,080	20
10304	1.5	3,045	12
10305	2.5	4,825	12
10306	4.0	7,045	8
10307	6.0	10,525	4

Flame Retardant (FR) PVC Insulated Industrial Cables

SILVER PACK



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,450	20
10303	1.0	1,870	20
10304	1.5	2,715	12
10305	2.5	4,395	12
10306	4.0	6,775	8
10307	6.0	10,140	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10312016	0.75	2,770	8
10313	1.0	3,590	8
10314	1.5	5,245	6
10315	2.5	8,520	4
10306016	4.0	13,210	4
10307016	6.0	19,875	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.0	925	30
10314	1.5	1,355	24
10315	2.5	2,200	24
10316	4.0	3,420	12
10317	6.0	5,135	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 300 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 300 m coil (Rs.)	No. of Coils packed in a Master Carton
10312017	0.75	4615	8
10313017	1.0	5985	6
10314017	1.5	8740	6
10315017	2.5	14200	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 200 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 200 m coil (Rs.)	No. of Coils packed in a Master Carton
10306015	4.0	14,680	4
10307015	6.0	22,085	4

Flamegard

Flame Retardant

Low Smoke(FR-LSH)

Industrial Cables



FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10112013	0.75	1,485	20
10113	1.0	1,920	20
10114	1.5	2,790	12
10115	2.5	4,475	12
10106	4.0	6,950	8
10107	6.0	10,400	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10112016	0.75	2,800	8
10113016	1.0	3,630	8
10114016	1.5	5,300	6
10115016	2.5	8,605	4
10106016	4.0	13,345	4
10107016	6.0	20,065	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

List Price wef. 01 Nov 2025

Halogen Free Flame Retardant (HFFR) Industrial Cables



HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE FINOGREEN SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES
IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,525	20
10403	1.0	1,965	20
10404	1.5	2,850	12
10405	2.5	4,615	12
10406	4.0	7,115	8
10407	6.0	10,645	4



Flexible Cables

List Price wef. 01 Nov 2025

FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	1,085	1,140
14002	0.75	1,565	1,645
14003	1.00	2,030	2,130
14104	1.50	2,965	3,115
14105	2.50	4,820	5,060
14206	4.00	7,450	7,825

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	11,165	11,725
14208	10	19,355	20,325
14209	16	30,235	31,745
14210	25	47,250	49,615
14211	35	65,925	69,220
14212	50	93,465	98,140
14513	70	1,36,030	1,42,830
14514	95*	1,80,015	1,89,015
14515	120*	2,31,120	2,42,675
14516	150*	2,86,210	3,00,520
14517	185*	3,53,615	3,71,295
14518	240*	4,64,775	4,88,015

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR
FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17002	0.50	2,705		17102	1.5	6,420	
17002	0.75	3,745		17102	2.5	10,415	
17002	1.00	4,700		17202	4	16,330	

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathedwith PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17003	0.50	3,675		17103	1.5	9,170	
17003	0.75	5,145		17103	2.5	14,720	
17003	1.00	6,550		17203	4	23,380	

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17004	0.50	4,695		17104	1.5	12,035	
17004	0.75	6,605		17104	2.5	19,535	
17004	1.00	8,490		17204	4	30,910	

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colourand Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17006	0.50	6,980		17106	1.5	18,155	
17006	0.75	10,050		17106	2.5	29,505	
17006	1.00	12,800		17206	4	46,855	

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	8,165		17108	1.50	21,135	
17008	0.75	11,555		17108	2.50	34,325	
17008	1.00	14,845		17208	4.00	54,315	

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	9,190		17108	1.50	24,070	
17008	0.75	13,080		17108	2.50	39,170	
17008	1.00	16,795		17208	4.00	61,905	

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17010	0.50	11,200		17110	1.50	29,680	
17010	0.75	16,175		17110	2.50	48,410	
17010	1.00	20,795		17210	4.00	76,865	

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17012	0.50	13,275		17112	1.50	35,345	
17012	0.75	19,210		17112	2.50	57,995	
17012	1.00	24,750		17212	4.00	91,830	

FOURTEEN CORES (4+10)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17014	0.50	15,495		17114	1.50	41,290	
17014	0.75	22,260		17114	2.50	67,595	
17014	1.00	28,710		17214	4.00	1,06,710	

SIXTEEN CORES (8+11)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17016	0.50	17,590		17116	1.50	47,020	
17016	0.75	25,465		17116	2.50	77,005	
17016	1.00	32,845		17216	4.00	1,22,075	

NINETEEN CORES (1+6+12)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17019	0.50	20,625		17119	1.5	55,605	
17019	0.75	29,930		17119	2.5	90,685	
17019	1.00	38,860		17219	4	1,44,230	

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010


3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17203074	6	34,785		17203124	50*	2,89,515	
17203084	10	59,765		17503134	70*	4,10,170	
17203094	16*	93,090		17503144	95*	5,41,380	
17203104	25*	1,44,030		17503154	120*	7,23,150	
17203114	35*	2,02,040					

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17204074	6	45,750		17204124	50*	3,80,500	
17204084	10	78,415		17504134	70*	5,43,065	
17204094	16*	1,21,575		17504144	95*	7,17,910	
17204104	25*	1,90,880		17504154	120*	9,38,315	
17204114	35*	2,67,045					

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

COAXIAL CABLES - JELLY



COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,930	5,887
RG 6 CU	2,725	8,311
RG 11 CU	6,280	19,154

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethylene Foam Insulation, With Laminated Aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,585	4,834
RG 11 CCS	3,200	9,760

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black colour.

Type	90 m coil
	List Price (Rs.)
RG 6 CCS Eco Lite	1,055

Finolex Coaxial Cables with copper clad steel conductor (RG CCS Eco Lite), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,645	11117

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.



CCTV Cable

Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	3,495
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	11,844
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,845
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	13,030
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	4,515
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	15,301
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	1,985
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	3,890
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	2,240
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	4,410
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,290
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	4,495
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,550
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	5,035

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDANT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	965	31050103	10 pair	8,190
31050023	2 pair	1,730	31050203	20 pair	15,665
31050033	3 pair	2,560	31050503	50 pair	38,400
31050043	4 pair	3,380	31051001	100 pair	74,860
31050053	5 pair	4,210			

Standard Length of the coil is 90 Mtrs. I Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	675	31040103	10 pair	5,675
31040023	2 pair	1,200	31040203	20 pair	10,725
31040033	3 pair	1,770	31040503	50 pair	25,970
31040043	4 pair	2,290	31041001	100 pair	49,715
31040053	5 pair	2,820			


Standard Length of coil is 90 Meters. I Standard Length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

LAN Cable




Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	10,875
32255042	0.5x4P UTP CAT-6 LAN *YLW * 305M	305 Mtr	13,400
32245042	0.5x4P UTP CAT-6 LAN *GRY * 305M	305 Mtr	13,400
32275042	0.5x4P UTP CAT-6 LAN *BLU * 305M	305 Mtr	13,400
32265042	0.5x4P UTP CAT-6 LAN *GRN * 305M	305 Mtr	13,400
32925048	0.5x4 Pair CAT-5 (E) CCA LAN Cable	305 Mtr	7,080
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	4,240
32955048	0.5x4P UTP CAT-6 CCA LAN 305 Mtr	305 Mtr	8,905
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	18,830
32245044	0.5 x4P CAT6 LAN GRY 100M X 2	100 Mtr	4,165
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	16,235
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	21,880
32245142	4P CAT6 LITE LAN GRY 305M X 2	305 Mtr	12,703
32255142	4P CAT6 LITE LAN YLW 305M X 2	305 Mtr	12,703
32265142	4P CAT6 LITE LAN GRN 305M X 2	305 Mtr	12,703
32275142	4P CAT6 LITE LAN BLU 305M X 2	305 Mtr	12,703



Speaker Cable

List Price wef. 01 Nov 2025

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	2,125
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	3,100
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	3,815
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	5,745
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	8,975
60329024	Speaker Cable 2.5 SQMM (Transperant)100M	6	100 Mtr	9,600
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	530
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	775
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	955
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,435



Agriculture



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.5	9940	13803101	25	147030
13713051	2.5	15550	13803111	35	203905
13703061	4	23550	13803121*	50	Prices for these sizes can be given on request.
13803071	6	34660	13803131*	70	
13803081	10	59795	13803141*	95	
13803091	16	94005			

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.5	10435	13823069	4	24730
13863059	2.5	16330			

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6	36395	13823109	25	154380
13823089	10	62785	13823119	35	214100
13823099	16	98705			

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	20935	13853109	36	354/.36	81530
13853089	14	140/.36	34880	13853119	50	594/.36	113145
13853099	23	226/.36	55360				

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us.

We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires

List Price wef. 01 Nov 2025




PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	605	1000	6
13000602	0.60	605	500	6
13000701	0.70	825	1000	6
13000702	0.70	825	500	6
13000801	0.80	1,070	1000	6
13000802	0.80	1,070	500	6
13000901	0.90	1,345	1000	5
13000902	0.90	1,345	500	6
13001001	1.00	1,650	1000	5
13001002	1.00	1,650	500	6
13001101	1.10	1,985	1000	4
13001102	1.10	1,985	500	6
13001201	1.20	2,355	1000	4
13001202	1.20	2,355	500	6
13001301	1.30	2,760	1000	3
13001302	1.30	2,760	500	6
13001402	1.40	3,210	500	5
13001502	1.50	3,675	500	5
13001602	1.60	4,170	500	4
13001702	1.70	4,700	500	4
13001802	1.80	5,270	500	4
13001902	1.90	5,865	500	3
13002002	2.00	6,530	500	3
13002102	2.10	7,185	500	3
13002202	2.20	7,870	500	2
13002302	2.30	8,595	500	2
13002402	2.40	9,365	500	2
13002502	2.50	10,155	500	2
13002602	2.60	10,970	500	2
13002702	2.70	11,815	500	2
13002804	2.80*	12,725	250	2
13003004	3.00*	14,585	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.

PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power



**High thermal rating
to withstand
extreme temperatures**



**Excellent
resistant to
heat pressure**



**Long life &
highly durable
cables**

Auto Battery Cables

List Price wef. 01 Nov 2025



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	7,465	29,835
22210	354/.3	25	11,670	46,650
22211	495/.3	35	16,295	65,180
22212	703/.3	50	23,110	92,425
22513	360/.5	70	33,705	1,34,820
22514	475/.5.*	95	44,560	1,78,255
22515	608/.5.*	120	57,250	2,29,005
22516	750/.5.*	150	70,905	2,83,610
22517	925/.5.*	185	87,655	3,50,615
22518	1221/.5.*	240	1,15,275	4,61,105

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	945	3,785

1050 CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILECABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	255	1,015
2302	24/.21	0.75	385	1,525
2303	32/.21	1.00	510	2,025
2304	30/.26	1.50	745	2,980
2305	50/.26	2.50	1,240	4,945
2306	56/.31	4.00	2,055	8,200
2307	84/.31	6.00	3,050	12,185

Solar Cables

List Price wef. 01 Nov 2025



SOLAR DC CABLE

FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.

**Product Code	Material Description	List Price per 100m (Rs.)
16905018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M RED	4,860
16995018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M Black	4,860
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	7,005
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	7,005
16907016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	10,380
16997016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	10,380

Solar Nova

**Product Code	Material Description	List Price per 100m (Rs.)
16985014	ATC 2.5 SOLAR NOVA EBEAM100MBLK	4,595
16986014	ATC 4.0 SOLAR NOVA EBEAM 100MBLK	6,645
16987014	ATC 6.0 SOLAR NOVA EBEAM 100M BLK	10,020
	ATC 10.0 SOLAR NOVA EBEAM 100M BLK	17,980

NOTES

- Prices: GST extra as applicable.
- Printing: Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
- Delivery: F.O.R. any station in India by road transport.
The full product code is of 8 digits. For example :
22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m
22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.
a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor,
225 represents Auto Cable IS specifications for 0.5 conductor.
b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.
c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.
d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.
- Product Code

Visit us at: www.finolex.com | [/Finolexcables](https://www.facebook.com/finolexcables) | [/Finolexcables](https://www.twitter.com/finolexcables) | [/Finolex.Cables](https://www.instagram.com/Finolex.Cables)



Finolex
Cables Limited

AN IS/ISO 9001:2015 CERTIFIED COMPANY

26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.
Tel: 020-27506200 | Fax: 020-27472239
Visit us at: www.finolex.com | Email: sales@finolex.com
CIN: L31300MH19567PLC016531

Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: 7928584637 / 28575839 | Bengaluru: 7022979589 |
Bhubaneswar: 0674-2971922 / 2971188 | Chennai: 044-28269322 /
28231514 | Chandigarh: 0172-4064047 | Cochin: 9388689670 |
Coimbatore: 0422-2330997 | Dharwad: 8362746440 | Goa: 8322782003 /
2782065 | Gurgaon: 9896783770 | Guwahati: 9864027312 / 8135029423
Indore: 7314911723 | Jaipur: 9929111411 | Kolkata: 033-24192494 /
24192495 | Lucknow: 052-24035031 | Mumbai: 022-22820062 | New
Delhi: 011-23324748 / 23353160 | Patna: 9834107999 | Pune:
020-27506200 | Raipur: 7008336581 | Ranchi: 8101383841 |
Secunderabad: 040-27811161 | Uttarakhand: 9760045003 | Vadodara:
9879555568 | Vijayawada: 9848043967

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.
In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation.
When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.