



Final Distribution, Wiring Devices & Smart Home Energy Management Devices

Maximum Retail Price Effective January 15th, 2026



About Schneider Electric	4
Easy9 Philosophy	5
Miniature Circuit Breaker (MCB).....	7
Residual Current Circuit Breaker (RCCB) - AC Type	9
Surge Protection Device.....	10
Timers & Time Switches	11
Easy9 Distribution Boards	13
PratiKa.....	16
Plugs and Sockets - IP44 / IP67	16
Electra	20
Metal Clad Plugs & Sockets	20
56 Series	21
Plugs and Sockets - IP56 / IP66	21
Wiring Devices	24
LIVIA - Switch to the extra-ordinary.....	25
Miluz ZeTa Little things, big impact.....	27
Opale - Switches with Satin Finish	33
Unica Pure - Irresistibly Beautiful	35
ZENcelo India - The Revolutionary Full-Flat Switch	43
AvatarOn - It's also a Switch.....	47
Kavacha - Weather Protected Series.....	54
Metal Boxes	55
Smart Home Energy Management System	56
Wiser™	60
Surface and Flush Mount Occupancy Sensors.....	61
Dimmable Sensors with Light Regulation.....	61
Wall Mount Sensors.....	62
Hotel - ELV Dual Motion Sensor	62

About Schneider Electric


Schneider Electric is a global energy technology leader, driving efficiency and sustainability by electrifying, automating, and digitalising industries, businesses, and homes.

Our technologies enable buildings, data centres, factories, infrastructure, and grids to operate as open, interconnected ecosystems, enhancing performance, resilience, and sustainability. Our portfolio includes intelligent devices, software-defined architectures, AI-powered systems, digital services, and expert advisory.

With 160,000 employees and one million partners in over 100 countries, Schneider Electric is consistently ranked amongst the world's most sustainable companies

Our business offerings

Span the entire spectrum from Plant-to-Plug.



Easy9 Philosophy


Easy on eyes



Easy on mind



Easy to sell



Easy to install



Safeguard your peace of mind

Get maximum electrical protection with **Easy9**



Miniature Circuit Breaker (MCB)

For circuit protection against Overload and Short Circuit Current Fault

- Conforms to IS/IEC 60898-1
- Breaking Capacity 6kA, 10kA
- Green Compliance: RoHS, REACH
- Energy Limiting Class 3
- Trip Free Mechanism

- Fast Tripping Mechanism
- Suitable for Positive Isolation
- Line Load Reversibility
- Bi-connect Terminals

- Degree of Protection IP 20
- Operating Voltage 240V / 415V
- Frequency 50Hz



Easy9 - C Curve 6kA



[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	1 mod		2 mod		3 mod		4 mod	
Package Size	12 Nos.		6 Nos.		4 Nos.		3 Nos.	
6	EZ9F76106	253	EZ9F76206	943	EZ9F76306	1465	-	-
10	EZ9F76110	253	EZ9F76210	943	EZ9F76310	1465	-	-
16	EZ9F76116	253	EZ9F76216	943	EZ9F76316	1465	EZ9F76416	2083
20	EZ9F76120	253	EZ9F76220	943	EZ9F76320	1465	EZ9F76420	2083
25	EZ9F76125	253	EZ9F76225	943	EZ9F76325	1465	EZ9F76425	2083
32	EZ9F76132	253	EZ9F76232	943	EZ9F76332	1465	EZ9F76432	2083
40	EZ9F76140	579	EZ9F76240	1254	EZ9F76340	2121	EZ9F76440	2839

Easy9 - C Curve 10kA

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	1 mod		2 mod		3 mod		4 mod	
Package Size	12 Nos.		6 Nos.		4 Nos.		3 Nos.	
6	EZ9F71106	334	-	-	EZ9F71306	1841	-	-
10	EZ9F71110	334	EZ9F71210	1156	EZ9F71310	1841	-	-
16	EZ9F71116	334	EZ9F71216	1156	EZ9F71316	1841	EZ9F71416	2500
20	EZ9F71120	334	EZ9F71220	1156	EZ9F71320	1841	EZ9F71420	2500
25	EZ9F71125	334	EZ9F71225	1156	EZ9F71325	1841	EZ9F71425	2500
32	EZ9F71132	334	EZ9F71232	1156	EZ9F71332	1841	EZ9F71432	2500
40	-	-	EZ9F71240	1699	EZ9F71340	2640	EZ9F71440	3223
63	EZ9F71163	876	EZ9F71263	1905	EZ9F71363	2827	EZ9F71463	3421

Easy9 - B Curve 10kA

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]
Module Width**	1 mod		2 mod	
Package Size	12 Nos.		6 Nos.	
6	EZ9F21106	307	-	-
10	EZ9F21110	307	-	-
16	EZ9F21116	307	-	-
20	EZ9F21120	307	-	-
25	EZ9F21125	307	-	-
32	EZ9F21132	307	EZ9F21232	1577
40	-	-	EZ9F21240	1661

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Price on Request

**18mm/module

*Bold references are MTO reference.

Shield your devices and your loved ones too

Get maximum electrical protection
with **Easy9**



Residual Current Circuit Breaker (RCCB) - AC Type

For protection against Risk of Shock / Electrocution and Risk of Fire in case of Earth Leakage Current

- CE Marked Conforms to IS 12640-1, IEC 61008-1
- Green Compliance: RoHS, REACH
- Operating voltage 240 / 415V
- Operating Frequency 50Hz



[In] Rated Current (A)	Earth Leakage Sensitivity (mA)	2 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**		2 Mod		4 Mod	
Package Size		6 Nos.		3 Nos.	
25	30	EZ9R35225	3775	EZ9R35425	5116
	100	EZ9R55225	4009	EZ9R55425	5209
	300	EZ9R65225	4085	EZ9R65425	5310
40	30	EZ9R35240	3917	EZ9R35440	5028
	100	EZ9R55240	4197	EZ9R55440	5310
	300	EZ9R65240	4162	EZ9R65440	5316
63	30	EZ9R35263	5243	EZ9R35463	5290
	100	EZ9R55263	5504	EZ9R55463	5664
	300	EZ9R65263	5445	EZ9R65463	5615

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Price on Request

**18mm/module

Isolator

- CE Marked Conforms to IEC 60947-3
- For isolation of electrical circuits for maintenance or repair by ensuring there is no residual voltage or current present in the isolated section
- Utilisation category - AC 22
- Green Compliance: RoHS, REACH
- Suitable for Positive Isolation
- Line Load Reversibility
- Laser Printing
- Bi-connect Terminals
- Degree of Protection IP 20
- Operating Voltage 240V / 415V
- Frequency 50Hz



[In] Rated Current (A)	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**		2 Mod	3 Mod		4 Mod	
Package Size		6 Nos.	4 Nos.		3 Nos.	
40	EZ9S66240	630	EZ9S66340	1339	EZ9S66440	1505
63	EZ9S66263	840	EZ9S66363	1499	EZ9S66463	1532
80	-	-	-	-	EZ9S66480	1961

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Price on Request

**18mm/module

*Bold references are MTO reference.

Surge Protection Device

For Protection of Devices against Lightning & Switching Surges


- Conforms to IEC 61643 - 11
- In conformance with standards IEC 61643-11
- For protection against Indirect lightning and Switching surges
- Inbuilt health Indicator
- Always use a Back-up MCB with your SPD




Surge Arresters - Type 2

[Imax] Rated Current (kA)	1P+ N Reference	Unit MRP [₹]	3P+N Reference	Unit MRP [₹]
Module Width**	2 Mod		4 Mod	
Package Size	6 Nos.		3 Nos.	
20kA	EZ9L33620	4332	EZ9L33720	7330
45kA	-	-	EZ9L33745	10996

Network: single phase
Earthing system: TT or TN-S



Network: three phase
Earthing system: TT or TN-S



Backup MCB Selection Chart

[Imax] Rated Current (kA)	1P+ N Reference	Backup MCB	3P+N Reference	Backup MCB
20kA	EZ9L33620	EZ9F71120	EZ9L33720	EZ9F71420
45kA	-	-	EZ9L33745	EZ9F71463

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Price on Request

**18mm/module

*Bold references are MTO reference.

Timers & Time Switches

Analog Time Switches



- 24H, 7D Programmable switch Voltage Rating: 230V AC +10%, -15%
- Memory: Upto 56 Switching Operations
- Back up of program: Operating reserve for 100, 200 Hours
- Overall dimensions: 5 modules
- Minimum time between two switching operations: 15, 30 min
- Accuracy: $\leq \pm 1$ s/day at +20°C

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IH 24H 16 A 15 mts interval 1 channel	1	15336	6338
IH 24H 16 A 30 mts interval 1 channel	1	CCT15365	6913
IH 7 day 16 A 1 channel- Max 21 On and 21 Off cycles	3	CCT15367	9896
IH 24H 16 A 30 mts 1 channel without reserve	3	CCT16364	5615

Digital Time Switches



- 7D, 24H Programmable switch. Voltage Rating: 230V AC +10%, -15%
- Consumption: 1 channel - max. 4VA; 2 channels - max. 7VA
- Memory: Upto 56 Switching Operations
- Back up of program & time by lithium battery: Operating reserve: 6 Years
- Overall dimensions: 5 modules
- Cable length: 100m
- Minimum time between two switching operations: 1 min

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IHP 1C w (24h/7d) programmable time switch	2.5	CCT15441	13622
IHP+ 1C (24h/7d) SMARTw programmable time switch	2.5	CCT15551	16805
IHP 2C w (24h/7d) programmable time switch	2.5	CCT15443	17572
IHP DCF (24h/7d) SMART programmable time switch	2.5	CCT15858	27662
IHP+ 2C (24h/7d) SMARTw programmable time switch	2.5	CCT15553	19441

Timers



- Switching capacity 16 A, max
- Delay range from 30 sec to 20 min
- Capacity for lighted pushbutton 150 mA
- Electric distribution busbar compatibility
- Output power capacity CCT15232-2300W
- Output power capacity CCT15223-3600W

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
MINs - electronic timer - 0.5 to 20 min	1	CCT15232	7695
MINs - electronic timer - 0.5 to 20 min with switch Off Warning	1	CCT15233	9881
MINs - electronic timer - 0.5 to 20 min with switch Off Warning and Impulse relay function	1	CCT15234	9288

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Price on Request

**18mm/module

*Bold references are MTO reference.

W.E.F. January 15th, 2026

Timers & Time Switches

Twilight switch



- Includes wall mounted cell
- Adjustable brightness threshold 2 to 2000 Lux
- 2 LEDs to signal the sensor status and the output status
- Test button: To check the product and load cabling
- Switching capacity: 16Amp
- Screwless Terminals compatible with rigid and flexible wires
- Consumption 6 VA
- Size 45mm

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IC2000 outdoor (2 - 2000 lux) twilight switch	1	CCT15369	16229
Analogue indoor light sensor cell	-	CCT15262	8008
Wall mounted Analogue outdoor light sensor cell	-	CCT15263	12413
IC100 (2 - 100 lux) twilight switch	1	CCT15482	13652
IC2000 indoor (2 - 2000 lux) twilight switch	1	CCT15285	12167
IC2000p+ (2 - 2000 lux) programmable twilight switch	2.5	CCT15483	28199
IC100kp+ 1C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15494	34106
IC100kp+ 2C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15495	41987
IC Astro 2C SMART programmable twilight switch	2.5	CCT15245	29476
IC Astro 1C SMART programmable twilight switch	2.5	CCT15225	24803

Time switch accessories

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
Programming kit for IHP / IC	1	CCT15860	12974

Thermostat

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
THP1+ 1C (24h/7d) programmable thermostat	2.5	CCT15834	29513

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Price on Request

**18mm/module

*Bold references are MTO reference.

Easy9 Distribution Boards



IK-08
tested

IP-30
Single door
IP-43
Double door



Features

- Clean and attractive colour and finish (White RAL 9003)
- Unique design of door knob for easy operation
- Conforms to IS 8623
- High quality powder coating for long life and high reliability under the toughest of conditions
- Optimized wiring space for a clean installation
- Suitable for surface and flush mounting
- Cement Spill protector helps avoid entry of dust and cement particles
- Reversible door
- Independent centre plate
- 45° angled hole for easy installation and 1 key hole for easy alignment
- Removable top and bottom gland plates
- Unique 5-hole mounting for single-person fixing
- Conforming to international standards: Tested as per IEC 61439-3 at NABL accredited laboratories and IP tested at CPRI
- Combi-head screws for tool flexibility

Easy9 Distribution Boards

Metal Enclosures



Description	Module Cutout Width**	Single Door (IP30) Reference	Unit MRP [₹]
2 way Enclosure	2	EZ9EMES02	694
4 way Enclosure	4	EZ9EMES04	784

Metal Clad P&S Units



Description	Module Cutout Width**	Single Door (IP30) Reference	Unit MRP [₹]
EZ9 Metal P&S Unit 20A 1P+N+E	2	EZ9EMS220	2250
EZ9 Metal P&S Unit 30A 3P+E	3	EZ9EMS330	5153

Phase Selector DBs



Description	Module Cutout Width**	Double Door (IP43) Reference	Unit MRP [₹]
Easy9 DB 4Way phase selector vertical	8 + 4 x 3	EZ9EPVD04N	9080
Easy9 DB 6Way phase selector vertical	8 + 6 x 3	EZ9EPVD06N	9673
Easy9 DB 8Way phase selector vertical	8 + 8 x 3	EZ9EPVD08N	10442

Phase Selector Switch



Description	Reference	Unit MRP [₹]
Easy9 DB 40A selector switch	EZ9EPS40SN	8266
Easy9 DB 63A selector switch	EZ9EPS63SN	9673

SPN DBs



Description	Total Module Cutout Width** (Incomer + Outgoing)**	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
Easy9 SPN DB 4 way	2 + 2	-	-	EZ9ESND04	2243
Easy9 SPN DB 6 way	2 + 4	-	-	EZ9ESND06	2325
Easy9 SPN DB 8 way	2 + 6	EZ9ESNS08	1666	EZ9ESND08	2550
Easy9 SPN DB 10 way	2 + 8	-	-	EZ9ESND10	2767
Easy9 SPN DB 12 way	2 + 10	-	-	EZ9ESND12	3041
Easy9 SPN DB 16 way	2 + 14	-	-	EZ9ESND16	4480

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Bold references are MTO reference.

Easy9 Distribution Boards

TPN DBs



Description	Total Module Cutout Width** (Incomer + Outgoing)	Double DoorMetal (IP43) Reference	Unit MRP [₹]
Easy9 TPN DB 4 way - 4 Mod Incomer	4 + 4 x 3	EZ9ETND04E	4513
Easy9 TPN DB 4 way	8 + 4 x 3	EZ9ETND04	5209
Easy9 TPN DB 6 way	8 + 6 x 3	EZ9ETND06	6490
Easy9 TPN DB 8 way	8 + 8 x 3	EZ9ETND08	8193
Easy9 TPN DB 12 way	8 + 12 x 3	EZ9ETND12	12547

VTPN DBs Modular Incomer



Description	Total Module Cutout Width** (Incomer + Outgoing)	Double DoorMetal (IP43) Reference	Unit MRP [₹]
Easy9 VTPN DB 4 Ways Modular i/c	12+12	EZ9EVM04	9601
Easy9 VTPN DB 8 Ways Modular i/c	12+24	EZ9EVM08	13814
Easy9 VTPN DB 12 Ways Modular i/c	12+36	EZ9EVM12	17391

VTPN DBs MCCB Incomer



Description	Total Module Cutout Width** (Incomer + Outgoing)	Double DoorMetal (IP43) Reference	Unit MRP [₹]
Easy9 VTPN DB 4 Ways CVS i-c 100A	100A MCCB+ 12	EZ9EVN04L	12025
Easy9 VTPN DB 8 Ways CVS i-c 100A	100A MCCB+ 24	EZ9EVN08L	15734
Easy9 VTPN DB 12 Ways CVS i-c 100A	100A MCCB+ 36	EZ9EVN12L	19420
Easy9 VTPN DB 4 Ways CVS i/c 160A	160A MCCB+ 12	EZ9EVN04M	13232
Easy9 VTPN DB 8 Ways CVS i/c 160A	160A MCCB+ 24	EZ9EVN08M	17665
Easy9 VTPN DB 12 Ways CVS i/c 160A	160A MCCB+ 36	EZ9EVN12M	22064
Easy9 VTPN DB 8 Ways CVS i/c 250A	250A MCCB+ 24	EZ9EVN08H	17846
Easy9 VTPN DB 12 Ways CVS i/c 250A	250A MCCB+ 36	EZ9EVN12H	22266

Accessories

Description	Type	Reference	Unit MRP [₹]
Easy9 Door Bracket-Set of 5 SSP152	Door Bracket	EZ9EBRACKET	424
Easy9 Std Door Knob-Set of 5 SSP144 GRY	Door Knob	EZ9EDOORKNOB	2566

Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

*Bold references are MTO reference.

Wander Plugs



PKE16M423



PKE16M723



81383

- Conforms to IEC 60309-1 & IEC 60309-2
- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKE16M423	678
		2P + E	PKX16M423	1383
	380...415	3P + E	PKE16M434	866
		3P + N + E	PKE16M435	903
32	200...250	2P + E	PKE32M423	1066
		3P + E	PKE32M434	1250
	380...415	3P + N + E	PKE32M435	1221
		IP67		
16	200...250	2P + E	PKE16M723	1481
		2P + E	PKX16M723	2201
	380...415	3P + E	PKE16M734	1689
		3P + N + E	PKE16M735	1805
32	200...250	2P + E	PKE32M723	2116
		3P + E	PKE32M734	2282
	380...415	3P + N + E	PKE32M735	2278
		PK (63A & 125A available in IP67 only)		
63	200...250	2P + E	81378	5998
		3P + E	81382	5717
	380...415	3P + N + E	81383	5672
125	380...415	3P + E	81394	17491
		3P + N + E	81395	17491

Note: * Fast Connection

Small Wall Mounted Sockets



PKF16W423



PKF16W723



PKF32W735

- Conforms to IEC 60309-1 & IEC 60309-2
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
IP44				
16	200...250	2P + E	PKF16W423	1198
	380...415	3P + E	PKF16W434	1390
		3P + N + E	PKF16W435	1518
32	200...250	2P + E	PKF32W423	1566
	380...415	3P + E	PKF32W434	1879
		3P + N + E	PKF32W435	1985
IP67				
16	200...250	2P + E	PKF16W723	1903
	380...415	3P + E	PKF16W734	2391
		3P + N + E	PKF16W735	2472
32	200...250	2P + E	PKF32W723	2382
	380...415	3P + E	PKF32W734	3478
		3P + N + E	PKF32W735	4613

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Wall Mounted Sockets



81178



81183

- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 125A
- External impact strength: IK08
- Glow wire test: 850°C
- Available only in IP67

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
63	200...250	2P + E	81178	7388
		3P + E	81182 ●	8139
	380...415	3P + N + E	81183	7714
125	380...415	3P + E	81194	26647
		3P + N + E	81195	26777

Wander Sockets



PKF16M423



81483



PKF32M735

- PK PratiKa Screw Connect: same orientation of clamp's screws.
- PK PratiKa: 16A & 32A; IP44 & IP67
- External impact strength: IK08
- Glow wire test: 850 °C
- Conforms to IEC 60309-1 & IEC 60309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP ₹
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16M423 	948
		2P + E	PKY16M423	1044
	380...415	3P + E	PKF16M434	1093
		3P + N + E	PKF16M435	1193
32	200...250	2P + E	PKF32M423 	1303
		3P + E	PKF32M434	1582
	380...415	3P + N + E	PKF32M435 	1592
		IP67		
16	200...250	2P + E	PKF16M723	1755
		2P + E	PKY16M723 	2135
	380...415	3P + E	PKF16M734	2201
		3P + N + E	PKF16M735	2299
32	380...415	2P + E	PKF32M723	2413
		3P + E	PKF32M734	2670
		3P + N + E	PKF32M735	2695
		PK (63A & 125A available in IP67 only)		
63	200...250	2P + E	81478	6533
	380...415	3P + E	81482	6590
		3P + N + E	81483	6633
125	380...415	3P + E	81494	20622
		3P + N + E	81495	21026

Also Available on Request:

- Patented FAST connect Plugs & Sockets - innovative cabling system that enables connection without stripping the conductor and with absolutely no screws required
- Extra Low Voltage Plugs & Sockets down to 50V

Please contact nearest Schneider Electric Sales Office or Customer Care for Reference and Prices

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Panel Mounted Sockets - Angled



PKF16F423



PKF32F723



81283

- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16F423	777
		2P + E	PKY16F423	791
	380...415	3P + E	PKF16F434	1093
		3P + N + E	PKF16F435	1166
32	200...250	2P + E	PKF32F423	1290
		3P + E	PKF32F434	1512
	380...415	3P + N + E	PKF32F435	1491
		IP67		
16	200...250	2P + E	PKF16F723	1368
		2P + E	PKY16F723	1673
	380...415	3P + E	PKF16F734	1573
		3P + N + E	PKF16F735	1592
32	200...250	2P + E	PKF32F723	1798
		3P + E	PKF32F734	2101
	380...415	3P + N + E	PKF32F735	2115
		PK (63A & 125A available in IP67 only)		
63	200...250	2P + E	81278	5898
		3P + E	81282	5908
	380...415	3P + N + E	81283	5967
		3P + E	81294	19899
125	380...415	3P + N + E	81295	19805

Panel Mounted Sockets - Straight



PKF16G423



PKF16G723



81683

- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP ₹
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16G423	831
		2P + E	PKY16G423	1231
	380...415	3P + E	PKF16G434	1448
		3P + N + E	PKF16G435	1250
32	200...250	2P + E	PKF32G423	1318
	380...415	3P + E	PKF32G434	1518
		3P + N + E	PKF32G435	1645
IP67				
16	200...250	2P + E	PKF16G723	1390
		2P + E	PKY16G723	1566
	380...415	3P + E	PKF16G734	1912
		3P + N + E	PKF16G735	1592
32	200...250	2P + E	PKF32G723	1773
	380...415	3P + E	PKF32G734	1994
		3P + N + E	PKF32G735	2069
PK (63A & 125A available in IP67 only)				
63	380...415	3P + E	81682	5966
		3P + N + E	81683	5966
125		3P + N + E	81695	19995

*Fast Connection

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Sockets with Interlock Switches - for guaranteed safety of operation

- Allows closure of main switch only when the plug is fully inserted in socket - when complete mechanical & electrical connection has occurred
- Plug removal is possible only when the switch is in "off" position

Wall Mounted Sockets with Interlock Switch Unika (w/o protection)



83047



83081

- Switch designed for use in AC 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 32A
- External impact strength: IK08
- Available in IP44 / IP65 versions
- Glow wire test: 750°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
IP44				
16	200...250	2P + E	83031	9970
	380...415	3P + N + E	83036	14072
32	200...250	2P + E	83042 	12820
	380...415	3P + E	83046	20950
		3P + N + E	83047	15107
IP65				
16	200...250	2P + E	83081	10315
	380...415	3P + E	83085	14206
		3P + N + E	83086	14494
32	200...250	2P + E	83092	13519
	380...415	3P + N + E	83097	16232

Socket with Interlock Switch & DIN Rail Isoblock (4.5 modules)



82754



83796

- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 4.5 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
16	200...250	2P + E	82754 ☒	12242
	380...415	3P + N + E	82759	18900
32	200...250	2P + E	83791 ☒	14494
	380...415	3P + N + E	83796	17267

Socket with Interlock Switch & DIN Rail Isoblock (6 modules)



82766

- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 6 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
32	200...250	2P + E	82766	19304
63	380...415	3P + E	82782	26011
		3P + N + E	82783	25845

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

ELECTRA Metal Clad Plugs & Sockets are specially designed incorporating the latest safety, quality and user friendly features.

Construction

- The casting is made from non-corroding die-cast aluminum alloy combining exceptional compactness with high strength
- The design/construction eliminates the possibility of mismatch in fitting of plugs in corresponding sockets
- The floating contacts in the sockets are self aligning and facilitates smooth plugging in without undue pressure (These can be easily removed for wiring)
- A provision for pilot pin facilitates mechanical interlocking in case of 63A ratings

Human Safety

Specially designed shroud to avoid accidental finger contact with plug-pins while inserting/removing the plug
Similarly, the contact tubes in sockets are deeply recessed to avoid human contact

- The earthing pins ensure that earth connection is made first and broken last, being longer than conducting pins
- The visible earth terminals facilitate easy checking of earth connection
- The cable grip to the plug is made very strong by providing a compression gland and by protecting it at the point of entry by a strong rubber guard

Applications

Industrial, Commercial & Domestic portable equipments like Hand/Power Tools, Industrial Ovens, Welding Sets, Mobile Generators, Furnaces, Ships, Office Machines, Refrigerators, Coolers, Air-Conditioners, Overhead Cranes, Chilling Cabinets, Tile Polishers and Sewing Machines

Plug



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AP10 ☒	316
20	2P	250	30	AP20 ☒	333
20	3P	440	30	BP20 ☒	443
30	3P	440	20	BP30 ☒	806
63	3P+N+E	440	4	CP63 ☒	3644

Socket



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AS10 ☒	333
20	2P	250	30	AS20 ☒	355
20	3P	440	30	BS20 ☒	497
30	3P	440	20	BS30 ☒	853
63	3P+N+E	440	4	CS63 ☒	4082

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Complete range of switches & sockets suitable for both indoor & outdoor applications like Kitchens, Swimming Pools, Landscape Gardens, Exterior Walls and Other Environmentally Challenged Locations.



56SW116LE-GY



56SW216LE-GY



56SW332LE-GY

Description	IP Rating	Reference	Unit MRP [₹]
Surface Switches			
Single Pole Switches Less Enclosure			
1 Pole 250V 10A	IP66	56SW110LE-GY	4396
1 Pole 250V 16A	IP66	56SW116LE-GY	4079
1 Pole 250V 20A	IP66	56SW120LE-GY	6176
1 Pole 250V 32A	IP66	56SW132LE-GY	7365
Double Pole Switches Less Enclosure			
2 Pole 500V 16A	IP66	56SW216LE-GY	7115
2 Pole 500V 20A	IP66	56SW220LE-GY	7115
2 Pole 500V 32A	IP66	56SW232LE-GY	9442
2 Pole 500V 50A	IP66	56SW250LE-GY	11027
Triple Pole Switches Less Enclosure			
3 Pole 500V 10A	IP66	56SW310LE-GY	6581
3 Pole 500V 16A	IP66	56SW316LE-GY	6865
3 Pole 500V 20A	IP66	56SW320LE-GY	7227
3 Pole 500V 32A	IP66	56SW332LE-GY	8347
3 Pole 500V 50A	IP66	56SW350LE-GY	9722
3 Pole 500V 63A	IP66	56SW363LE-GY	11285
Four Pole Switches Less Enclosure			
4 Pole 500V 20A	IP66	56SW420LE-GY	9542



66CV563-RG



66P563-EO

Description	IP Rating	Reference	Unit MRP [₹]
IP66 Industrial Combination Switch Sockets with Enclosure			
Single Pole Switches Less Enclosure			
500V, 63A with 4 pole switch and 63A 5 Pin Socket	IP66	66CV563-RG	127903
Plug Top 5 Pin 500V 63A	IP66	66P563-EO	38390

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.



56SO316RP-LE-GY-EX



56SO432LE-GY



56SO532LE-GY

Description	IP Rating	Reference	Unit MRP [₹]
Surface Socket Outlets			
3 Pin Sockets Less Enclosure			
3 Pin 250V 16A Indian Standard	IP66	56SO316RP-LE-GY-EX	4106
3 Pin 250V 20A Round Pin	IP66	56SO320LE-GY	5960
3 Pin 250V 32A Round Pin	IP66	56SO332LE-GY	6639
4 Pin Sockets Less Enclosure			
4 Pin 500V 20A Round Pin	IP66	56SO420LE-GY	8903
4 Pin 500V 32A Round Pin	IP66	56SO432LE-GY	10645
4 Pin 500V 50A Round Pin	IP66	56SO450LE-GY	16379
5 Pin Sockets Less Enclosure			
5 Pin 500V 10A Round Pin	IP66	56SO510LE-GY	9620
5 Pin 500V 20A Round Pin	IP66	56SO520LE-GY	9529
5 Pin 500V 32A Round Pin	IP66	56SO532LE-GY	11316
5 Pin 500V 40A Round Pin	IP66	56SO540LE-GY	16484
5 Pin 500V 50A Round Pin	IP66	56SO550LE-GY	16923

*Alternate reference 56SO440-GY (coming soon)



56PA420-EO



56PA532-EO



56CVI520-GY

Description	IP Rating	Reference	Unit MRP [₹]
Plugs			
3 Pin Angle Plugs			
3 pin 250V 16A Round Pin	IP66	56PA316RP-GY-EX	3088
3 Pin 250V 20A Round Pin	IP66	56PA320-EO	6176
3 Pin 250V 32A Round Pin	IP66	56PA332-EO	7135
4 Pin Angle Plugs			
4 Pin 500V 20A Round Pin	IP66	56PA420-EO	7599
4 Pin 500V 32A Round Pin	IP66	56PA432-EO	7910
4 Pin 500V 40A Round Pin	IP66	56PA440-EO	13156
4 Pin 500V 50A Round Pin	IP66	56PA450-EO	9386
5 Pin Angle Plugs			
5 Pin 500V 10A Round Pin	IP66	56PA510-EO	7469
5 Pin 500V 20A Round Pin	IP66	56PA520-EO	7469
5 Pin 500V 32A Round Pin	IP66	56PA532-EO	8547
5 Pin 500V 40A Round Pin	IP66	56PA540-EO	9126
5 Pin 500V 50A Round Pin	IP66	56PA550-EO	9343
Combination Switch Socket Outlet			
IP66 Interlocked Switch Socket with Enclosure			
4 Pin 500V 20A Round Pin	IP66	56CVI420-GY	32648
5 Pin 500V 20A Round Pin	IP66	56CVI520-GY	29536
5 Pin 500V 32A Round Pin	IP66	56CVI532-GY	29806

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

56 Series



56DB2-GY



56CB4N-GY

Description	IP Rating	Reference	Unit MRP [₹]
Adaptable Enclosures with Gear Tray			
2 Gangpoints, 198X101X140mm	IP66	56DB2-GY	8149
Junction Boxes			
3 Gangpoints, 300X101X90mm	IP66	56JB3-GY	12214
4 Gangpoints, 204X198X90mm	IP66	56JB4-GY	11466

Description	Module Width	Reference	Unit MRP [₹]
Switchgear Cover Assembly			
For 1,2,3 Pole MCB with 4 Pole RCD (max. 4M Width)	4	56CB4N-GY	6769



56FA2-GY



56E2-GY



56E1-GY

Description	No. of Gangs	Reference	Unit MRP [₹]
Flush Surrounds			
Flush Surround	2	56FA2-GY	3335
Flush Surround	3	56FA3-GY	5251
Mounting Enclosures (Back Boxes)			
101X101X63mm	1	56E1-GY	1437
198X101X63mm	2	56E2-GY	3686

Please contact Customer Care Center for Stockable and Non stockable status of references.
 *Bold references are MTO reference.

SWITCH TO STYLE



Perfect solutions for the perfect you



Anti-Bacterial
Range

LIVIA
Life. Style.



Miluz ZeTa



Opale



Unica Pure



ZENcelo



Avatar On



- **Sleek Design** - 2.7mm thin plate with curved body to minimize dust accumulation
- **Stylish Looks** - Soft white texture with glossy finish
- **Robust & Strong** - Innovative honeycomb designed grid plate for extra rigidity
- **Reliable** - High grade heat-resistant polycarbonate and laser marked wiring diagrams.
- **Easy to Install** - Snap-In / Snap-Out front loading modules and Bigger terminal holes
- **Green & Eco Friendly** - RoHS compliant range



P1001



P1081



P1002



P1025



P2005NS



P2106



P3012



P3200



P7003



P7003_PG



P6005



P5001



P3301



P3301_PG



P8010



P8010_PG

Description	Reference for White	Unit MRP [₹]	Reference for Pristine Grey	Unit MRP [₹]
Switches				
10AX 1 way switch	P1001	145	P1001_PG	211
10AX 1 way switch with Indicator lamp	P1081	314	P1081_PG	429
10AX 2 way switch	P1002	246	P1002_PG	305
16AX 1 way switch	P1101	268	P1101_PG	329
16AX 1 way switch with Indicator lamp	P1181	373	P1181_PG	443
16AX 1 way switch (2M)	P1121	416	P1121_PG	546
16AX 2 way switch	P1102	365	P1102_PG	502
20A 1 way switch (1M) with indicator lamp	P11201	343	P11201_PG	438
20A DP switch with Indicator lamp	P1120	614	P1120_PG	844
32A DP switch with Indicator lamp	P1132	898	P1132_PG	1110
Bell Push				
10A Bell Push switch	P1005	275	P1005_PG	375
10A Bell Push switch (2M)	P1025	394	P1025_PG	551
10A bell push switch with Indicator	P1085	335	P1085_PG	455
10A bell push switch with Indicator (2M)	P1086	440	P1086_PG	603
Sockets				
6A 3Pin socket Outlet with shutter (BIS)	P2005NS	289	P2005NS_PG	356
10A/16A 3-pin Socket Outlet with Shutter	P2106	435	P2106_PG	527
Fan Regulators & Dimmers				
Step type fan regulator (1M)	P3100	872	P3100_PG	1060
Step type fan regulator (2M)	P3200	1007	P3200_PG	1258
Dimmer 400W (1M)	P3004	1629	P3004_PG	2147
Dimmer 1000W (2M)	P3012	2424	P3012_PG	2658
USB Charger				
USB Charger	P7002	2132	P7002_PG	2478
Livia - A+C Type USB Charger (1M)	P7003	3210	P7003_PG*	3864
Accessories				
RJ 11 Telephone outlet with shutter	P4011	250	P4011_PG	345
RJ 45 Cat 5e Data outlet with shutter	P4045	849	P4045_PG	1018
RJ 45 Cat6 Data outlet with shutter	P4046	945	P4046_PG	1204
TV socket	P4500	238	P4500_PG	330
Blank off unit (1M)	P0001	65	P0001_PG	84
Foot Lamp with LED	P7001	1026	P7001_PG	1222
Cord Outlet	-	-	P4550_PG	372
LED Phase Indicator	P5001	416	-	-
Door Chime 2M	P3301	1155	P3301_PG	1326
10A Mini MCB	P8010	591	P8010_PG	693
16A Mini MCB	P8016	591	P8016_PG	693
20A Mini MCB	P8020	591	P8020_PG	693
25A Mini MCB	P8025	591	P8025_PG	693
32A Mini MCB	P8032	591	P8032_PG	693

* Available till stocks lasts

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.



P6002



P6004



P6011



P6011_PG

New

Description	Reference for White	Unit MRP [₹]	Reference for Pristine Grey	Unit MRP [₹]
Motor Starter Switch				
25A Motor Starter switch	P1186MS	1533	P1186MS_PG	2077
Hotel Series				
DND Switch	P6002	363	P6002_PG	414
MMR Switch	P6004	363	P6004_PG	414
DND & MMR Indicator	P6013	1024	P6013_PG	1318
20A Key Card Switch - Electronic (3M)	P6005	5436	P6005_PG	7247
Shaver Socket	P6011	3600	P6011_PG	4320



P0703




P0704



P0706_PG

Description	Reference for White	Unit MRP [₹]	Reference for Pristine Grey	Unit MRP [₹]
Cover Plates				
1-2M grid & 1M cover frame	P0701	168	P0701_PG	220
1-2M grid & 2M cover frame	P0702	168	P0702_PG	205
3M grid & 3M cover frame	P0703	212	P0703_PG	241
4M grid & 4M cover frame	P0704	245	P0704_PG	299
6M grid & 6M cover frame	P0706	312	P0706_PG	392
8M grid & 8M cover frame - linear	P0708	411	P0708_PG	492
8M grid & 8M cover frame - square	P0709	490	P0709_PG	668
9 M Grid & Cover Plate	P07010	460	P07010_PG	619
12M Grid & Cover Plate	P0712	601	P0712_PG	714
16M Grid & cover frame	P07016	715	P07016_PG	843
18M Grid and cover Plate	P0718	881	P0718_PG	1164



P0706_CM



P0704_FS

New

Description	Antique Bronze	Unit MRP [₹]	Frosted Silver	Unit MRP [₹]	Champagne Mist	Unit MRP [₹]
Cover Frame						
1-2M grid & 1M cover frame	P0701_AB	220	P0701_FS	220	P0701_CM	220
1-2M grid & 2M cover frame	P0702_AB	205	P0702_FS	205	P0702_CM	205
3M grid & 3M cover frame	P0703_AB	241	P0703_FS	241	P0703_CM	241
4M grid & 4M cover frame	P0704_AB	299	P0704_FS	299	P0704_CM	299
6M grid & 6M cover frame	P0706_AB	392	P0706_FS	392	P0706_CM	392
8M grid & 8M cover frame - linear	P0708_AB	492	P0708_FS	492	P0708_CM	492
8M grid & 8M cover frame - square	P0709_AB	668	P0709_FS	668	P0709_CM	668
9 M Grid & Cover Plate	P07010_AB	619	P07010_FS	619	P07010_CM	619
12M Grid & Cover Plate	P0712_AB	714	P0712_FS	714	P0712_CM	714
16M Grid & cover frame	P07016_AB	843	P07016_FS	843	P07016_CM	843
18M Grid and cover Plate	P0718_AB	1164	P0718_FS	1164	P0718_CM	1164


Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.



Miluz ZeTa

Little things, big impact



Glossy White
+Glossy White switch




Matte Anthracite
+Matt Anthracite Switch



Metallic
Champagne Gold
+Anthracite switch



Metallic
Warm Grey
+Metallic Warm Grey
Switch



Metallic Silver Grey
+Anthracite switch



Metallic Bronze
+Anthracite switch

A Smarter Way to Live:

- Unique 'see-saw' design offering a 'crisp click' experience
- Sleek cover frame shows off a simple yet elegant design
- 6 curated color frames with 3 switch color options

Durability and Safety:

- The durable copper contact offers enhanced durability and lifespan
- No single pin insertion – offers utmost safety

Effortless Installation:

- Slotted screws – to facilitate easy & quick installation
- Easy universal alignment – Vertical & Horizontal mounting to optimize space and add flexibility
- Keyhole feature on grid plates enables faster installation

Seamless Connectivity:

- Seamless compatibility with Wiser™

Sustainability:

- RoHS, REACH, PEP, EoLI compliance for the highest Environmental Data standards
- Brown paper packaging for better ecological impact

Now Miluz ZeTa comes with the 10 years of warranty



MZSW101M1W_WH



MZSWI202MDP_WH



MZSW101M1W_AN



MZSW101M2W_AN



MZSW101M1W_WG



MZSWI202MDP_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Switches									
10A 1 Way Switch	MZSW101M1W_WH	150	20	MZSW101M1W_AN	180	20	MZSW101M1W_WG	180	20
10A 1 Way Switch (2M)	MZSW102M1W_WH	341	10	MZSW102M1W_AN	410	10	MZSW102M1W_WG	410	10
10A 1 Way Switch with Indicator	MZSWI101M1W_WH	331	20	MZSWI101M1W_AN	397	20	MZSWI101M1W_WG	397	20
10A 1W Switch with Ind (2M)	MZSWI102M1W_WH	403	10	MZSWI102M1W_AN	484	10	MZSWI102M1W_WG	484	10
10A 2 Way Switch	MZSW101M2W_WH	274	20	MZSW101M2W_AN	329	20	MZSW101M2W_WG	329	20
16A 1 Way Switch	MZSW161M1W_WH	300	20	MZSW161M1W_AN	360	20	MZSW161M1W_WG	360	20
16A 1 Way Switch (2M)	MZSW162M1W_WH	517	10	MZSW162M1W_AN	621	10	MZSW162M1W_WG	621	10
16A 1 Way Switch with Indicator	MZSWI161M1W_WH	409	20	MZSWI161M1W_AN	490	20	MZSWI161M1W_WG	490	20
16A 1W Switch with Indicator (2M)	MZSWI162M1W_WH	569	10	MZSWI162M1W_AN	683	10	MZSWI162M1W_WG	683	10
16A 2Way Switch	MZSW161M2W_WH	466	20	MZSW161M2W_AN	559	20	MZSW161M2W_WG	559	20
20A DP Switch with Indicator (2M)	MZSWI202MDP_WH	703	10	MZSWI202MDP_AN	843	10	MZSWI202MDP_WG	843	10
32A DP Switch with Indicator (2M)	MZSWI322MDP_WH	1160	10	MZSWI322MDP_AN	1392	10	MZSWI322MDP_WG	1392	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.



MZSWI202MDP_WG



MZMOTSTR2M_AN



MZMOTSTR2M_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Motor Starter Switch									
25A Motor Starter Switch	MZMOTSTR2M_WH	1650	10	MZMOTSTR2M_AN	1980	10	MZMOTSTR2M_WG	1980	10



MZBP1M_WH



MZBP1M_AN



MZBP2M_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Bell Push Switch									
6A Bell Push	MZBP1M_WH	290	20	MZBP1M_AN	348	20	MZBP1M_WG	348	20
6A Bell Push (2M)	MZBP2M_WH	434	10	MZBP2M_AN	521	10	MZBP2M_WG	521	10
6A Bell Push with Indicator	MZBPI1M_WH	372	20	MZBPI1M_AN	447	20	MZBPI1M_WG	447	20
6A Bell Push with Indicator (2M)	MZBPI2M_WH	507	10	MZBPI2M_AN	608	10	MZBPI2M_WG	608	10



MZSO6162M3P_WH



MZSO62M3P_AN



MZSO62M3P_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Sockets									
6A/16A 3P Socket with Shutter	MZSO6162M3P_WH	428	10	MZSO6162M3P_AN	524	10	MZSO6162M3P_WG	524	10
6A 3 Pin Socket with Shutter	MZSO62M3P_WH	259	10	MZSO62M3P_AN	319	10	MZSO62M3P_WG	319	10



MZFR4STP1M_WH



MZFR5STP2M_AN



MZDMR1M_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Fan Regulators & Dimmers									
4-Step Fan Regulator (1M)	MZFR4STP1M_WH	1001	20	MZFR4STP1M_AN	1201	20	MZFR4STP1M_WG	1201	20
5-Step Fan Regulator (2M)	MZFR5STP2M_WH	1192	10	MZFR5STP2M_AN	1431	10	MZFR5STP2M_WG	1431	10
400W Dimmer (1M)	MZDMR1M_WH	1448	10	MZDMR1M_AN	1737	10	MZDMR1M_WG	1737	10



MZUSBAC2MPDH_WH



MZUSBAC1M_AN



MZUSBAC1M_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
USB Charger									
2.1A USB Charger (1M)	MZUSBA1M_WH	2298	10	MZUSBA1M_AN	2758	10	MZUSBA1M_WG	2758	10
1M 12W A+C Type USB Charger	MZUSBAC1M_WH	3186	20	MZUSBAC1M_AN	3823	20	MZUSBAC1M_WG	3823	20
A+C USB Charger PD HziI 2M	MZUSBAC2MPDH_WH	4513	10	MZUSBAC2MPDH_AN	5416	10	MZUSBAC2MPDH_WG	5416	10

*Prices will be shared on request

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.



MZRJ111M_WH



MZHDMI1M_WH



MZBLANK1M_AN



MZTV1M_AN



MZRJ111M_WG



MZTV1M_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Accessories									
RJ11 Tel Shuttered 1M	MZRJ111M_WH	277	10	MZRJ111M_AN	332	10	MZRJ111M_WG	332	10
RJ45 Cat6 Outlet Shuttered 1M	MZRJ451M_WH	1011	10	MZRJ451M_AN	1214	10	MZRJ451M_WG	1214	10
TV Socket 1M	MZTV1M_WH	261	10	MZTV1M_AN	313	10	MZTV1M_WG	313	10
Preterminated HDMI socket 1M	MZHDMI1M_WH	1756	10	MZHDMI1M_AN	2108	10	MZHDMI1M_WG	2108	10
Door Chime 2M	MZDRCHM2M_WH	1703	10	MZDRCHM2M_AN	2044	10	MZDRCHM2M_WG	2044	10
Blank Off Unit (1M)	MZBLANK1M_WH	66	20	MZBLANK1M_AN	79	20	MZBLANK1M_WG	79	20
LED PhaseInd (Red)	MZPHSIND1M_RD	373	10	-	-	-	-	-	-
IP Cover 2M, Grey	MZIPCVR2M_GY*	613	-	-	-	-	-	-	-
IP Cover 3M, Grey	MZIPCVR3M_GY*	875	-	-	-	-	-	-	-



MZKECRDSW2M_WH



MZDMSW2M_WH



MZKECRDSW2M_AN



MZDMSW2M_AN



MZKECRDSW2M_WG



MZDMSW2M_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Hotel Series									
Electronic Keycard Switch 2M	MZKECRDSW2M_WH	5536	4	MZKECRDSW2M_AN	6643	4	MZKECRDSW2M_WG	6643	4
DND MMR Switch (2M)	MZDMSW2M_WH	958	10	MZDMSW2M_AN	1150	10	MZDMSW2M_WG	1150	10
110V Shaver Socket Horizontal	MZSHVRSO3M_WH	4835	1	MZSHVRSO3M_AN	5802	1	MZSHVRSO3M_WG	5802	1
DND MMR Indicator	MZDMI1M_NA	745	10	-	-	-	-	-	-



MZSWSO62M_WH



MZAQI2M_AN



MZVSP1M_WG



MZFTLMP2M_AN

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Innovative Functions									
6A Switched Socket 2M	MZSWSO62M_WH	466	10	MZSWSO62M_AN	575	10	MZSWSO62M_WG	575	10
Air Quality Indicator, 2M	MZAQI2M_WH*	12272	-	MZAQI2M_AN*	13285	-	MZAQI2M_WG*	13285	-
Voltage Surge Protector 1M	MZVSP1M_WH	2651	10	MZVSP1M_AN	3181	10	MZVSP1M_WG	3181	10
Foot lamp 2M	MZFTLMP2M_WH	1150	10	MZFTLMP2M_WG	1271	10	MZFTLMP2M_AN	1271	10
Foot lamp with Motion Sensor 2M	MZFTLMPSEN2M_WH*	4258	-	MZFTLMPSEN2M_AN*	5110	-	MZFTLMPSEN2M_WG*	5110	-



MZMM161P_WH



MZMM161P_AN



MZMM161P_WG

Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
MCB									
16 A MCB SP 1 M C curve	MZMM161P_WH	905	10	MZMM161P_AN	1086	10	MZMM161P_WG	1086	10
20 A MCB SP 1 M C curve	MZMM201P_WH	905	10	MZMM201P_AN	1086	10	MZMM201P_WG	1086	10
32 A MCB SP 1 M C curve	MZMM321P_WH	905	10	MZMM321P_AN	1086	10	MZMM321P_WG	1086	10

*Prices will be shared on request

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.



MZCP1M_WH



MZCP6M_AN



MZCP4M_WG


Description	Reference for White	Unit MRP [₹]	Box Qty.	Reference for Anthracite	Unit MRP [₹]	Box Qty.	Reference for Warm Grey	Unit MRP [₹]	Box Qty.
Cover Plates									
1M or 2M Grid & 1M Cover Frame	MZCP1M_WH	186	20	MZCP1M_AN	233	20	MZCP1M_WG	233	20
1M or 2M Grid & 2M Cover Frame	MZCP2M_WH	186	20	MZCP2M_AN	233	20	MZCP2M_WG	233	20
3M Grid & 3M Cover Frame	MZCP3M_WH	235	10	MZCP3M_AN	294	10	MZCP3M_WG	294	10
3M Uni Grid & 3M Cover Frame	MZCP3MU_WH	257	10	MZCP3MU_AN	321	10	MZCP3MU_WG	321	10
4M Grid & 4M Cover Frame	MZCP4M_WH	273	14	MZCP4M_AN	341	14	MZCP4M_WG	341	14
6M Grid & 6M Cover Frame	MZCP6M_WH	364	5	MZCP6M_AN	455	5	MZCP6M_WG	455	5
8M Grid & 8M Cover Frame Linear	MZCP8MH_WH	460	5	MZCP8MH_AN	576	5	MZCP8MH_WG	576	5
8M Grid & 8M Cover Frame Square	MZCP8MS_WH	621	5	MZCP8MS_AN	776	5	MZCP8MS_WG	776	5
9M Cover Frame + 8M Grid	MZCP9M_WH	589	5	MZCP9M_AN	736	5	MZCP9M_WG	736	5
12M Grid & 12M Cover Frame	MZCP12M_WH	749	5	MZCP12M_AN	936	5	MZCP12M_WG	936	5
16M Cover Frame & Grid	MZCP16M_WH	899	5	MZCP16M_AN	1124	5	MZCP16M_WG	1124	5
18M Grid & 18M Cover Frame	MZCP18M_WH	1038	5	MZCP18M_AN	1298	5	MZCP18M_WG	1298	5



MZCP3MU_CG



MZCP2M_SG




MZCP8M_BZ

Description	Reference for Champagne Gold	Unit MRP [₹]	Box Qty.	Reference for Silver Grey	Unit MRP [₹]	Box Qty.	Reference for Bronze	Unit MRP [₹]	Box Qty.
Cover Plates									
1M or 2M Grid & 1M Cover Frame	MZCP1M_CG	233	20	MZCP1M_SG	233	20	MZCP1M_BZ	233	20
1M or 2M Grid & 2M Cover Frame	MZCP2M_CG	233	20	MZCP2M_SG	233	20	MZCP2M_BZ	233	20
3M Grid & 3M Cover Frame	MZCP3M_CG	294	10	MZCP3M_SG	294	10	MZCP3M_BZ	294	10
3M Uni Grid & 3M Cover Frame	MZCP3MU_CG	321	10	MZCP3MU_SG	321	10	MZCP3MU_BZ	321	10
4M Grid & 4M Cover Frame	MZCP4M_CG	341	14	MZCP4M_SG	341	14	MZCP4M_BZ	341	14
6M Grid & 6M Cover Frame	MZCP6M_CG	455	5	MZCP6M_SG	455	5	MZCP6M_BZ	455	5
8M Grid & 8M Cover Frame Linear	MZCP8MH_CG	576	5	MZCP8MH_SG	576	5	MZCP8MH_BZ	576	5
8M Grid & 8M Cover Frame Square	MZCP8MS_CG	776	5	MZCP8MS_SG	776	5	MZCP8MS_BZ	776	5
9M Cover Frame + 8M Grid	MZCP9M_CG	736	5	MZCP9M_SG	736	5	MZCP9M_BZ	736	5
12M Grid & 12M Cover Frame	MZCP12M_CG	936	5	MZCP12M_SG	936	5	MZCP12M_BZ	936	5
16M Cover Frame & Grid	MZCP16M_CG	1124	5	MZCP16M_SG	1124	5	MZCP16M_BZ	1124	5
18M Grid & 18M Cover Frame	MZCP18M_CG	1298	5	MZCP18M_SG	1298	5	MZCP18M_BZ	1298	5

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.


Wiring Diagram Miluz ZeTa



> Air Quality Indicator


MZAQI2M_WH, MZAQI2M_AN, MZAQI2M_WG

Universal LED Dimmer



> Dimmer

MZDMRUNI1M_WH, MZDMRUNI1M_AN,
MZDMRUNI1M_WG



> Door Chime

MZDRCHM2M_WH, MZDRCHM2M_AN, MZDRCHM2M_WG

10 Years Warranty T&C

- Schneider Electric shall, at its sole discretion, repair or replace switches upto 16A (without LED indicator/lamp) and or 6A & 16A sockets in white color only if the Product is found to be having manufacturing defect (means defects solely as a result of faulty material and/or workmanship during manufacturing of Product) within 10 years from the date of manufacture of Product or from the date of invoice of Product, whichever is earlier.
- For all other wiring accessories, the warranty shall be 18 months starting from the date of delivery or 24 months from the date of manufacturing, whichever is earlier
- The warranty defines Schneider Electric's overall sole liability which does not include any other liability whatsoever including without limitation consequential losses or damages or re-installation costs arising from or in relation to the defective products.
- Schneider Electric reserves the right to change and/or improve the design of its Products without prior notice
- In any event whatsoever, if same Product with a similar design is not available, the Product will be replaced with an equivalent model available at that time at sole discretion of Schneider Electric.
- ***This warranty for the above products shall be rendered null & void in case of the following:***
 - a. If the original Schneider Electric mounting boxes have not been used to mount the plates & accessories.
 - b. If any attempt has been made to rectify, dismantle, tamper, or alter the product by any third party or by the customer himself.
 - c. If any damage resulting from the use of any cleaning chemicals on the Product which can adversely affect the product material (Like Acetone, Thinner, turpentine Oil etc.)
 - d. If the products are not installed as per the appropriate design specifications
- Warranty facilitations as per the standard process where customer to contact Customer Care Center (Email, Toll Free, chat) with relevant details & Log the complaint.

Opale - Switches with Satin Finish



- **Patented Smooth Satin Finish** - Scratch Resistant, Easy to Clean & Prevents light reflection off surface
- **Safe to Use** - High grade flame retardant polycarbonate material & Child Proof sockets with unique shutter design
- **Hassle Free Operation** - 'Soft sound' switches with Gold plated Data Socket contacts for better connection
- **Easy to Install** - Snap-In / Snap-Out front loading modules and terminals with indented screws
- **Green & Eco Friendly** - RoHS compliant range



X1001WH



X1286WH



X1186WH



X1005WH



X1085WH



X2005WHNS



X2106WH



X3200WHCM



X3104WH



X7003WH



X5001

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack
Switches						
6AX 1 way switch	X1001WH	262	20	AAKY1001	332	20
6AX 1 way switch with Indicator lamp	X1081WH	491	20	-	-	-
6AX 2 way switch	X1002WH	367	20	-	-	-
16AX 1 way switch	X1101WH	420	20	AAKY1101	531	20
16AX 1 way switch with Indicator lamp	X1181WH	600	20	AAKY1181	702	20
16AX 2 way switch	X1102WH	566	20	-	-	-
20A DP switch with Indicator (2M)	X1286WH	992	10	-	-	-
32A DP switch (2M)	AAKX1232	1491	10	-	-	-
Motor Starter Switch						
25A Motor Starter switch	X1186WH	2809	10	-	-	-
Bell Push						
6A Bell Push	X1005WH	411	20	-	-	-
6A Bell Push (2M)	X1025WH	588	10	-	-	-
6A Bell Push with Indicator	X1085WH	632	20	-	-	-
Sockets						
6A 3-Pin Socket Outlet with Shutter (BIS)	X2005WHNS	447	10	AAXY2005NS	540	10
6A/16A 3-Pin Socket Outlet with Shutter	X2106WH	690	10	AAKY2106	821	10
Fan Regulators & Dimmers						
Step Fan Regulator (1M)	X3100CMWH	1167	10	AAXY3100CM	1454	10
Step Type Fan Regulator (2M)	X3200WHCM	1588	5	AAXY3200CM	1992	5
Dimmer 400W (1M)	X3104WH	1471	10	-	-	-
Dimmer 400W (2M)	X3004WH	2288	5	-	-	-
USB Chargers						
2 Gang USB Charger - 2.1A (2M)	X7003WH	4345	15	-	-	-
Accessories						
RJ11 Telephone outlet with shutter	X4011WH	374	10	-	-	-
RJ45 Data Outlet with shutter	X4045WH	1288	20	-	-	-
TV Socket	X4500WH	350	10	-	-	-
RJ45 Cover for Key Stone Type	X4050WH	519	10	-	-	-
Buzzer	X3300WH	1679	2	-	-	-
Blank off unit (1M)	X0001WH	97	10	-	-	-
Neon Phase Indicator (Red)	X5001	595	20	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Opale - Switches with Satin Finish



AAKX6006



AAKX6005

Description	Reference	Unit MRP [₹]	Pack
Hotel Series*			
Key Tag Switch (Mechanical Type 20 A)	AAKX6005	2162	1
Shaver Socket	AAKX6006	9538	1

*Available in white colour only



X0703



X0704



X0708

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack
Cover Plates						
1-2 M Grid & 1 M Cover Frame	X0701	238	10	AAKY0801	314	10
1-2 M Grid & 2 M Cover Frame	X0702	252	10	-	-	-
3 M Grid & 3 M Cover Frame	X0703	298	10	AAKY0803	363	10
4 M Grid & 4 M Cover Frame	X0704	350	10	-	-	-
6 M Grid & 6 M Cover Frame	X0706	488	5	AAKY0806	583	5
8 M Grid & 8 M Cover Frame - Horizontal	X0708	634	5	-	-	-
8 M Grid & 8 M Cover Frame - Square	X0709	757	5	-	-	-
12 M Grid & 12 M Cover Frame	X0712	898	5	-	-	-
18 M Grid & 18 M Cover Frame	AAKX0718	1171	5	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

W.E.F. January 15th, 2026

Unica Pure - Irresistibly Beautiful



Wood




Glass



Metal Rhodium
Black



Sandy Beige



Polar White



Volcanic Grey



Pearl Black



Pewter Grey



Oak

Irresistibly Beautiful

- Authentic finishes - developed from the high quality natural material
- Ingenious Design - Demarcated dolly depicting clear on/off mode of the switch
- Modish Colors - perfectly gel with neutral, accent wall colors and blends perfectly with any decor

Irresistibly Safe & Sturdy

- Self Piercing Terminal - ensuring completely safe, robust and fast installation
- Facile & Guarded Technology - reduces tension in the switch rocker & increases the longevity of the switch
- Plated metal with Plastic over molded Gridplate - Robust, rigid & shock proof gridplate, ensuring durable installation on the metal box

Irresistibly Easy

- Key Hole Feature - Angular and linear adjustments of the gridplate can be easily achieved
- Revolutionary Ease of Mounting with Indicators & Markings

Irresistibly Sustainable

- Green Premium - Complies to HIGHEST INTERNATIONAL STANDARD of Green
- Certification for manufactured products (RoHS, REACH, PEP, EoL) and is 100% Recyclable

Irresistibly Innovative

- Future Ready - Features of Voice & Mobile control to fit with smart homes

Irresistibly Versatile


- One Stop Shop - Extensive range covering residential, office, commercial or hospitality
- **Intermediate switches to control multiple 2way switches**

Unica Pure switches with six patented technologies




Life Guarded Sockets

Eliminate possibility of Single Pin Insertion making it extra safe for children



Facile & Guarded Technology

Reduces tension in the switch rocker & increases the longevity of the switch




Key Hole Feature

Angular and linear adjustments of the gridplate can be easily achieved



Adjoining (V) Feature Technology

Ensuring perfect alignment of switches



Self-piercing Terminal

Ensuring completely safe, robust and fast installation

Unica Pure - Irresistibly Beautiful



UNS61SW1M_WE




UNS161SWL1M_WE



UNS162MSWL1M_WE



UNS10SW1M_WE



UNS162SW2M_WE



UNSMTSTART2M_WE



UNS616SK2M_WE



UNSSWSO62M_GY



UNSUSBAC2MPDH_WE



UNSACUSB1P1M_WE



UNS5STFAN2M_WE



UNSHDMI_WE



UNSCPTVDIG1M_WE

Description	Reference for Polar White	Unit MRP [₹]	Pack	Reference for Volcanic Grey	Unit MRP [₹]	Pack
6A Switches						
6AX 1 Way Switch	UNS61SW1M_WE	236	20	UNS61SW1M_GY	273	20
6AX 1 Way Switch With Indicator	UNS61SWL1M_WE	422	20	UNS61SWL1M_GY	483	20
6AX 2 Way Switch	UNS62SW1M_WE	339	10	UNS62SW1M_GY	379	10
10A Intermediate Switches						
10AX Intermediate Switch	UNS10SW1M_WE	1546	1	UNS10SW1M_GY	1865	1
16AX Switches						
16AX 1 Way Switch	UNS161SW1M_WE	391	20	UNS161SW1M_GY	456	20
16AX 1 Way Switch With Indicator	UNS161SWL1M_WE	468	20	UNS161SWL1M_GY	544	20
16AX 2 Way Switch, Polar White	UNS162SW1M_WE	522	10	UNS162SW1M_GY	614	10
16A Master Switch, 2 Way, With Locator & Label	UNS162MSWL1M_WE	1213	20	UNS162MSWL1M_GY	1434	1
16Ax 2 Way 2M Switch	UNS162SW2M_WE	528	10	UNS162SW2M_GY	627	10
16AX~20A 1Way switch with Neon indicator	UNS201SWL1M_WE	464	10	UNS201SWL1M_GY	548	10
Double Pole Switches						
20A Double Pole Switch With Indicator	UNS20DP2M_WE	938	10	UNS20DP2M_GY	1105	1
32A Double Pole Switch With Indicator	UNS32DP2M_WE	1409	10	UNS32DP2M_GY	1687	10
Motor Starter Switch						
Motor Starter	UNSMTSTART2M_WE	2138	10	UNSMTSTART2M_GY	2529	10
Bell Switches						
6A Bellpress, 1M	UNS6BP1M_WE	346	20	UNS6BP1M_GY	406	20
6A Bellpress With Indicator, 1M	UNS6BPL1M_WE	479	20	UNS6BPL1M_GY	573	1
6A Bellpress, 2M, Polar White	UNS6BP2M_WE	478	10	UNS6BP2M_GY	563	1
6A Bellpress With Indicator, 2M	UNS6BPL2M_WE	590	10	UNS6BPL2M_GY	693	1
6A Sockets						
6A 3PIN Sockets outlet with Shutter (BIS)	UNS6SK3P2MNS_WE	495	10	UNS6SK3P2MNS_GY	547	10
6A Switched Socket 2M	UNSSWSO62M_WE	723	10	UNSSWSO62M_GY	796	10
6/16A Sockets						
6/16A Socket	UNS616SK2M_WE	582	10	UNS616SK2M_GY	723	10
USB Chargers						
2.1A 5V USB Charger, 2 Module	UNS21USB2P2M_WE	3596	10	UNS21USB2P2M_GY	4250	1
2.1A 5V USB Charger, 1 Module	UNS21USB1P1M_WE	2472	20	UNS21USB1P1M_GY	2932	20
2.4A 5V A+C USB Charger, 1 Module	UNSACUSB1P1M_WE	3807	10	UNSACUSB1P1M_GY	4281	10
USB A+C 21W PDH 2M WE	UNSUSBAC2MPDH_WE	6027	10	UNSUSBAC2MPDH_GY	6630	10
Blank Plates						
Single Module Blank Plate	UNSBANK1M_WE	85	20	UNSBANK1M_GY	95	20
Fan Regulators						
4 Steps 360 Deg Fan Regulator, 1M	UNS4STFAN1M_WE	1025	20	UNS4STFAN1M_GY	1187	20
5 Steps 360 Deg Fan Regulator, 2M	UNS5STFAN2M_WE	1631	10	UNS5STFAN2M_GY	1841	10
Emergency Light Indicator						
Emergency Light Module*	UNSEMERGENCY2M_WE	12742	1	-	-	-
Network, Connectivity & Media Series						
RJ 11 (WITH Shutter)	UNSRJ11_1M_WE	330	20	UNSRJ11_1M_GY	388	20
RJ 45 (WITH Shutter), Cat 6	UNSRJ45_1M_WE	1201	20	UNSRJ45_1M_GY	1391	20
TV Socket Coaxial	UNSTVCOAX1M_WE	346	20	UNSTVCOAX1M_GY	410	20
Volume Control	UNSVOLCTRL2M_WE	2763	10	UNSVOLCTRL2M_GY	3294	10
HDMI	UNSHDMI_WE	2368	20	UNSHDMI_GY	2671	20
TV Socket Digital (F-Connector)	UNSCPTVDIG1M_WE	392	1	-	-	-
PIR Motion Sensor*	UNSPIR_WE	11461	4	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Unica Pure - Irresistibly Beautiful



UNSEKCSW_WE



UNSCURTAINSW2M_WE



UNSSHAVER_WE



UNSPIR_WE



UNSSKTLT2M_WE



UNSPHASEG1M



UNSPHASER1M

Description	Reference for Polar White	Unit MRP [₹]	Pack	Reference for Volcanic Grey	Unit MRP [₹]	Pack
Hotel Series*						
Cord Outlet	UNSCORD1M_WE	460	20	UNSCORD1M_GY	511	20
DND / MMR Indicator*	UNSDM1M	3763	20	-	-	-
DND/MMR Indicator v.2	UNSDM1M_WE	1880		UNSDM1M_GY	2148	-
DND Switch	UNSDNDSW1M_WE	636	10	UNSDNDSW1M_GY	776	10
MMR Switch	UNSMMSRW1M_WE	636	10	UNSMMSRW1M_GY	776	10
SW DND MMR with interlock	UNSDNDMMRSW2M_WE	1060	10	UNSDNDMMRSW2M_GY	1271	10
Electronic Keycard Switch, White	UNSEKCSW_WE	8462	5	UNSEKCSW_GY	9781	5
Electronic Keycard Switch, Sandy Beige	UNSEKCSW_CL	8839	5	UNSEKCSW_CD	8721	5
Curtain Control Switch	UNSCURTAINSW2M_WE	1163	10	UNSCURTAINSW2M_GY	1348	10
Shaver Socket	UNSSHAVER_WE	8834	1	UNSSHAVER_GY	9634	1
Skirt Light with LED, 2M	UNSSKTLT2M_WE	1550	10	UNSSKTLT2M_GY	1814	10
Door Chime 230V AC 2M	UNSICHIME2M_WE	1619	-	UNSICHIME2M_GY	1776	-

Description	Reference	Unit MRP [₹]	Pack
LED Phase Indicator			
LED Phase Indicator, Red	UNSPHASER1M	570	20
LED Phase Indicator, Green	UNSPHASEG1M	570	20
LED Phase Indicator, Yellow	UNSPHASEY1M	570	20

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Unica Pure - Irresistibly Beautiful



UNPGP2M



UNPGP6M

Description	Reference for Gridplate	Unit MRP [₹]	Pack
Cover Plates			
2 Module Gridplate (Fixing Frame) Only	UNPGP2M	192	4
3 Module Gridplate (Fixing Frame) Only	UNPGP3M	234	9
4 Module Gridplate (Fixing Frame) Only	UNPGP4M	270	8
6 Module Gridplate (Fixing Frame) Only	UNPGP6M	367	9
8 Module Gridplate (Fixing Frame) Only, Linear	UNPGP8ML	378	9
8 Module Gridplate (Fixing Frame) Only, Square	UNPGP8MSQ	484	6
12 Module Gridplate (Fixing Frame) Only	UNPGP12M	565	6



UNPSP2M_WD



UNPSP6M_WD


Description	Reference for Oak Wood	Unit MRP [₹]	Pack
Cover Plates			
1 Module Wood Cover Frame Only	UNPSP1M_WD	2756	6
2 Module Wood Cover Frame Only	UNPSP2M_WD	2929	6
3 Module Wood Cover Frame Only	UNPSP3M_WD	3626	6
4 Module Wood Cover Frame Only	UNPSP4M_WD	4196	6
6 Module Wood Cover Frame Only	UNPSP6M_WD	5987	3
8 Module Wood Cover Frame Only, Linear	UNPSP8ML_WD	7276	3
8 Module Wood Cover Frame Only, Square	UNPSP8MSQ_WD	8679	6
12 Module Wood Cover Frame Only	UNPSP12M_WD	11604	6



UNPSP2M_GW



UNPSP6M_GW



UNPSP2M_GB



UNPSP6M_GB

Description	Reference for Aqua Glass	Unit MRP [₹]	Pack	Reference for Pearl Black Glass	Unit MRP [₹]	Pack
Cover Plates						
1 Module Aqua Glass Cover Frame Only	UNPSP1M_GW	1524	6	UNPSP1M_GB	1804	6
2 Module Aqua Glass Cover Frame Only	UNPSP2M_GW	1714	6	UNPSP2M_GB	2029	6
3 Module Aqua Glass Cover Frame Only	UNPSP3M_GW	1930	6	UNPSP3M_GB	2206	6
4 Module Aqua Glass Cover Frame Only	UNPSP4M_GW	2017	6	UNPSP4M_GB	2391	6
6 Module Aqua Glass Cover Frame Only	UNPSP6M_GW	3644	3	UNPSP6M_GB	4258	3
8M Aqua Glass Cover Frame Only, Linear	UNPSP8ML_GW	4141	3	UNPSP8ML_GB	4878	3
8M Aqua Glass Cover Frame Only, Square	UNPSP8MSQ_GW	5245	6	UNPSP8MSQ_GB	6181	6
12 Module Aqua Glass Cover Frame Only	UNPSP12M_GW	6536	6	UNPSP12M_GB	7692	6

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.


Unica Pure - Irresistibly Beautiful



UNPSP2M_ML



UNPSP6M_ML



UNPSP2M_MD



UNPSP6M_MD

Description	Reference for Pewter Grey Metal	Unit MRP [₹]	Pack	Reference for Black Metal	Unit MRP [₹]	Pack
Cover Plates						
1 Module Pw Grey Metal Cover Frame Only	UNPSP1M_ML	2723	6	UNPSP1M_MD	2723	6
2 Module Pw Grey Metal Cover Frame Only	UNPSP2M_ML	3022	6	UNPSP2M_MD	3022	6
3 Module Pw Grey Metal Cover Frame Only	UNPSP3M_ML	3440	6	UNPSP3M_MD	3440	6
4 Module Pw Grey Metal Cover Frame Only	UNPSP4M_ML	3616	6	UNPSP4M_MD	3616	6
6 Module Pw Grey Metal Cover Frame Only	UNPSP6M_ML	6403	3	UNPSP6M_MD	6403	3
8Module Pw Grey Metal CF Only, Linear	UNPSP8ML_ML	7214	3	UNPSP8ML_MD	7214	3
8 Module Pw Grey Metal CF Only, Suare	UNPSP8MSQ_ML	9163	6	UNPSP8MSQ_MD	9163	6
12Module Pw Grey Metal Cover Frame Only	UNPSP12M_ML	11367	6	UNPSP12M_MD	11367	6



UNSCP2M_WE



UNSCP6M_WE



UNSCP2M_GY



UNSCP6M_GY



UNSCP2M_CD



UNSCP6M_CD



UNSCP2M_CL




UNSCP6M_CL

Description	Reference for Molded Polar White	Unit MRP [₹]	Pack	Reference for Molded Volcanic Grey	Unit MRP [₹]	Pack	Reference for Painted Mocha Brown	Unit MRP [₹]	Pack	Reference for Painted Sandy Biege	Unit MRP [₹]	Pack
Cover Plates												
1 Module Plastic Surround and Gridplate	UNSCP1M_WE	267	20	UNSCP1M_GY	379	20	UNSCP1M_CD	511	20	UNSCP1M_CL	520	20
2 Module Plastic Surround and Gridplate	UNSCP2M_WE	298	20	UNSCP2M_GY	425	20	UNSCP2M_CD	570	20	UNSCP2M_CL	590	20
3 Module Plastic Surround and Gridplate	UNSCP3M_WE	340	10	UNSCP3M_GY	484	10	UNSCP3M_CD	664	10	UNSCP3M_CL	662	10
4 Module Plastic Surround and Gridplate	UNSCP4M_WE	359	14	UNSCP4M_GY	517	14	UNSCP4M_CD	694	14	UNSCP4M_CL	694	14
6 Module Plastic Surround and Gridplate	UNSCP6M_WE	626	5	UNSCP6M_GY	893	5	UNSCP6M_CD	1195	5	UNSCP6M_CL	1236	5
8 Module Plastic Surround and Gridplate, Linear	UNSCP8ML_WE	705	5	UNSCP8ML_GY	997	5	UNSCP8ML_CD	1348	5	UNSCP8ML_CL	1373	5
8 Module Plastic Surround and Gridplate, Square	UNSCP8MSQ_WE	911	10	UNSCP8MSQ_GY	1382	10	UNSCP8MSQ_CD	1706	10	UNSCP8MSQ_CL	1706	5
9 Module Plastic Surround and Gridplate	UNSCP9M_WE	1144	5	UNSCP9M_GY	1786	5	-	-	-	-	-	-
12 Module Plastic Surround and Gridplate	UNSCP12M_WE	1274	5	UNSCP12M_GY	2240	5	UNSCP12M_CD	2156	5	UNSCP12M_CL	2153	5
16 Module Plastic Surround and Gridplate	UNSCP16M_WE	1568	5	UNSCP16M_GY	2705	5	UNSCP16M_CD	2919	5	UNSCP16M_CL	2919	5
18 Module Plastic Surround and Gridplate	UNSCP18M_WE	1625	1	UNSCP18M_GY	2888	1	UNSCP18M_CD	3128	1	UNSCP18M_CL	3128	1


Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.


Wiring Diagram Unica Pure



> 10AX Intermediate Switch
UNS10SW1M_WE, UNS10SW1M_GY




> 20A Double Pole Switch With Indicator
UNS20DP2M_WE, UNS20DP2M_GY




> 32A Double Pole Switch With Indicator
UNS32DP2M_WE, UNS32DP2M_GY

Wiring Diagram Unica Pure




> Curtain Control Switch
UNSCURTAINSW2M_WE

1. Normal Operation




> PIR Motion Sensor*
UNSPIR_WE

2. Two sensors control one load




> PIR Motion Sensor*
UNSPIR_WE

3. One sensors control staircase timer (set time knob to 1s)




> PIR Motion Sensor*
UNSPIR_WE

Wiring Diagram Unica Pure




> DND/MMR Indicator v.2 > Do Not Disturb Switch
> Make My Room Switch > DND Switch
> MMR Switch

UNSDM1M_WE, UNSDM1M_GY, UNSDNDSW1M_WE,
UNSDNDSW1M_GY, UNSMMRSW1M_WE, UNSMMRSW1M_GY



> Unica Pure Key Card

UNSEKCSW_WE, UNSEKCSW_GY,
UNSEKCSW_CL, UNSEKCSW_CD



> SW DNDMMR with interlock

UNSDNDMMRSW2M_WE & UNSDNDMMRSW2M_GY

ZENcelo India - The Revolutionary Full-Flat Switch



- **World's First and only Full-Flat Mechanical Switch**
- **Patented Iso-Motion Technology** - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Safe to Use** - Electric arc encapsulated switches and Data Sockets with patented integrated shutter
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range
- **Dust Proof Cover**
- **All Dark Grey references covered with electrostatic protective film**
- **Intermediate switches to control multiple 2way switches**
- **16AX~20A 1 Way 2G Switch (1M) - IN8444/16: Single: switch to control two loads**



Description	Reference for White	Unit MRP [₹]	Pack	Reference for Dark Grey	Unit MRP [₹]	Pack
Switches						
6AX 1 Way switch	IN8401	451	10	IN8401(BZ)	565	10
6AX 1 Way switch (2M)	IN8421	810	10	IN8421(BZ)	959	10
6AX 2 Way switch	IN8402	565	10	IN8402(BZ)	679	10
6AX 1 Way switch with Neon	IN8481	725	10	IN8481(BZ)	868	10
16AX~20A 1 Way switch	IN8401/16	689	10	IN8401/16(BZ)	839	10
16AX~20A 1 Way switch (2M)	IN8421/16	1071	10	-	-	-
16AX~20A 1 Way switch with Neon	IN8481/16	989	10	IN8481/16(BZ)	1171	10
16AX~20A 1 Way switch with Neon (2M)	IN8482/16	1266	10	IN8482/16(BZ)	1504	10
16AX~20A 2 Way switch	IN8402/16	978	10	IN8402/16(BZ)	1268	10
16AX~20A 2 Way switch (2M)	IN8422/16	1171	10	IN8422/16(BZ)	1511	10
16AX~20A 1 Way 2G switch (1M)	IN8444/16	1126	10	IN8444/16(BZ)	1371	10
10AX Intermediate switch	IN8430/IM	1835	10	-	-	-
6A Momentary Switch	IN8487	907	10	IN8487_BZ	1070	-
20A DP Switch with Neon (2M)	IN8486/20	1508	5	IN8486/20(BZ)	2012	5
32A DP Switch with Neon (2M)	IN8486/32	2347	5	IN8486/32(BZ)	2873	5
Motor Starter Switch						
25A Motor Starter switch (2M)	IN8425MS	3933	10	IN8425MS(BZ)	4205	10
Bell Push						
6A Bell Push switch	IN8405	641	10	IN8405(BZ)	792	10
6A Bell Push switch (2M)	IN8425	1041	10	IN8425(BZ)	1262	10
6A Bell Push switch with Neon	IN8485	941	10	IN8485(BZ)	1109	10
6A Bell Push switch with Neon (2M)	IN8486	1101	10	IN8486(BZ)	1389	10
Sockets						
6A 3 PIN Socket Outlet with Shutter (BIS)	IN8426UNS	745	10	IN8426UNS_BZ	902	10
6A/16A 3 Pin Socket with Shutter	IN8426/16	1109	10	IN8426/16(BZ)	1358	10
Fan Regulators & Dimmers						
Fan Control (5 Speeds)	IN84SFR	2712	5	IN84SFR(BZ)	3255	5
Full Flat 500W Dimmer Module (1 Gang)	IN8404D	2464	10	IN8404D(BZ)	2918	10
USB Chargers						
1 Gang USB Charger - 2.1A (1M)	IN8431USB_WE	4296	10	IN8431USB_BZ	4929	10
2.4A 5V A+C USB Charger (1M)	IN8431ACUSB_WE	4749	10	IN8431ACUSB_BZ	5443	10
Accessories						
RJ11 Telephone Outlet with shutter (1 Gang)	IN8431RJS4	733	10	IN8431RJS4(BZ)	903	10
RJ45 Cat6 Data Outlet with shutter	IN8431RJ6	2590	10	IN8431RJ6(BZ)	3163	10
TV Socket	IN8431TV	560	10	IN8431TV(BZ)	721	10
Foot Lamp with White LED (2M)	IN8490FLW	5223	10	-	-	-
Foot Lamp with Yellow LED (2M)	IN8490FLY	5093	10	-	-	-
Blank off unit (1M)	IN8430X	168	10	IN8430X(BZ)	207	10
Door Chime 230VAC 2M	INCHIME8488	2521	-	INCHIME8488_BZ	2820	-
Hotel Series						
Do Not Disturb Panel	INH8451	3962	10	INH8451(BZ)	4479	10
Make My Room Panel	INH8454	3703	10	INH8454(BZ)	4133	10
Do Not Disturb Switch	INH8452	1967	10	INH8452(BZ)	2171	10
Do Not Disturb Switch (2M)	-	0	-	INH8453(BZ)	2434	10
Make My Room Switch	INH8455	1922	10	INH8455(BZ)	2289	10

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

ZENcelo India - The Revolutionary Full-Flat Switch



IN8403C



IN8406C



IN8402C(BZ)



IN8404C(SZ)



IN84012C(SA)


Description	Reference for White	Unit MRP [₹]	Pack	Reference for Dark Grey	Unit MRP [₹]	Pack	Reference for Silver Bronze	Unit MRP [₹]	Pack	Reference for Satin Silver	Unit MRP [₹]	Pack
Cover Plates												
1M Grid & 1M Cover Frame	IN8401C	436	10	IN8401C(BZ)	532	10	IN8401C(SZ)	1250	10	IN8401C(SA)	1332	10
2M Grid & 2M Cover Frame	IN8402C	457	10	IN8402C(BZ)	558	10	IN8402C(SZ)	1237	10	IN8402C(SA)	1357	10
3M Grid & 3M Cover Frame	IN8403C	538	10	IN8403C(BZ)	658	10	IN8403C(SZ)	1521	10	IN8403C(SA)	1668	10
4M Grid & 4M Cover Frame	IN8404C	587	10	IN8404C(BZ)	773	10	IN8404C(SZ)	1827	10	IN8404C(SA)	2006	10
6M Grid & 6M Cover Frame	IN8406C	895	5	IN8406C(BZ)	1098	5	IN8406C(SZ)	2509	5	IN8406C(SA)	2779	5
8M Grid & 8M Cover Frame - Horizontal	IN8408HC	1074	5	IN8408HC(BZ)	1313	5	IN8408HC(SZ)	3422	5	IN8408HC(SA)	3755	5
8M Grid & 8M Cover Frame - Square	IN8408SC	1432	5	IN8408SC(BZ)	2025	5	-	-	-	IN8408SC(SA)	4559	5
9M Grid & 9M Cover Frame	IN8409C	1971	5	-	-	-	IN8409C(SZ)	5745	5	-	-	-
12M Grid & 12M Cover Frame	IN84012C	2375	5	IN84012C(BZ)	2990	5	IN84012C(SZ)	7725	5	IN84012C(SA)	8478	5
18M Grid & 18M Cover Frame	IN84018C	3350	5	IN84018C(BZ)	4426	5	IN84018C(SZ)	10225	5	IN84018C(SA)	11223	5

Please contact Customer Care Center for Stockable and Non stockable status of references.


*Bold references are MTO reference.

W.E.F. January 15th, 2026


Wiring Diagram ZENcelo




> 16A Electronic Key Card Time Delay
E8431EKT-OS, E8431EKT>SZ-OS




> 10AX Intermediate Switch
IN8430/IM, IN8430/IM (BZ)



> 16AX~20A 1 Way 2G Switch (1M)
IN8444/16, IN8444/16 (BZ)




> 20A DP Switch with Neon (2M)
IN8486/20, IN8486/20 (BZ)




> SW DNDMMR White with interlock 2M
INH8456_WE & INH8456_BZ

Wiring Diagram ZENcelo




> 32A DP Switch with Neon (2M)

IN8486/32, IN8486/32 (BZ)



> Do Not Disturb Panel > Make My Room Panel > Do Not Disturb Switch > Make My Room Switch

INH8451, INH8451 (BZ), INH8454, INH8454 (BZ),
INH8452, INH8452 (BZ), INH8455, INH8455 (BZ)



> Do Not Disturb Panel > Make My Room Panel > Do Not Disturb Switch (2M) > Make My Room Switch

INH8451, INH8451 (BZ), INH8454, INH8454 (BZ)
INH8453 (BZ), INH8455, INH8455 (BZ)

AvatarOn - It's also a Switch



White
(WE)



Wine Gold
(WG)



Dark Grey
(DG)



Dark Wood
(WD)



Gold Hairline
(GH)



Light Wood
(LW)



Award-winning Designs: In 2017, AvatarOn gained international recognition for its innovative design and quality excellence and was awarded the iF Design Award

Ingenious Beauty

- The ground-breaking AvatarOn series is a true marriage of aesthetics and practicality, making it a perfect choice for all home or office designs.

Safe and Reliable

- Our patented "Slim Rocker, Sure Click" SS technology not only gives AvatarOn a greater thinness overall, but also a near-zero contact jitter that reduces sparks, thus ensuring a safe and reliable use.

Customisable Covers for True Adaptability

- AvatarOn switches are available in an array of replaceable covers for full customisation and integration into any home decor. The customised pattern covers of AvatarOn provides you with an extra canvas to showcase your creativity in a subtle yet apparent way.

Modern Look

- The stylish and streamlined design of AvatarOn switch covers are finished in white, soft wood, dark wood and gold hairline materials for a classic look and universal elegance.

Tech-chic Design that Shines

- The AvatarOn soft LED locators merges seamlessly with its sleek giant dolly, creating a stylish and streamlined design and glow with a soft luminescent in the dark, indicating the exact location of each switch at night.

Multifunctional Accessories for Every Day Conveniences



E8331L1_WE_G8



E8331L1_WD_G8



E8331L1LED_WE_G8



E8331L1LED_WD_G8



E8331L2_WE_G8



E8331L2_WD_G8



E8332L1_WE_G8



E8332L1_WD_G8



E8332L2_WE_G8



E8332L2_WD_G8

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
16A Switches (Base + Cover Plate)				
16AX 250V 1 Gang 1 Way Switch	White	E8331L1_WE_G8	654	1
	Wine Gold	E8331L1_WG_G8	983	10
	Dark Grey	E8331L1_DG_G8	983	1
	Metal Gold Hairline	E8331L1_GH_G8	987	10
	Light Wood	E8331L1_LW_G8	1064	10
	Dark Wood	E8331L1_WD_G8	987	10
16AX 250V 1 Gang 1 Way Switch with LED Indicator	White	E8331L1LED_WE_G8	983	1
	Wine Gold	E8331L1LED_WG_G8	1470	10
	Dark Grey	E8331L1LED_DG_G8	1470	1
	Metal Gold Hairline	E8331L1LED_GH_G8	1477	10
	Light Wood	E8331L1LED_LW_G8	1736	10
	Dark Wood	E8331L1LED_WD_G8	1477	10
16AX 250V 1 Gang 2 Way Switch	White	E8331L2_WE_G8	676	1
	Wine Gold	E8331L2_WG_G8	1049	10
	Dark Grey	E8331L2_DG_G8	1049	1
	Metal Gold Hairline	E8331L2_GH_G8	1054	10
	Light Wood	E8331L2_LW_G8	1136	10
	Dark Wood	E8331L2_WD_G8	1054	10
16AX 250V 1 Gang 2 Way Switch with LED Indicator	White	E8331L2LED_WE_G8	1049	10
	Wine Gold	E8331L2LED_WG_G8	1575	10
	Dark Grey	E8331L2LED_DG_G8	1575	1
	Metal Gold Hairline	E8331L2LED_GH_G8	1583	10
	Light Wood	E8331L2LED_LW_G8	1860	10
	Dark Wood	E8331L2LED_WD_G8	1791	10
16AX 250V 2 Gang 1 Way Switch	White	E8332L1_WE_G8	1020	1
	Wine Gold	E8332L1_WG_G8	1531	10
	Dark Grey	E8332L1_DG_G8	1531	1
	Metal Gold Hairline	E8332L1_GH_G8	1546	10
	Light Wood	E8332L1_LW_G8	1612	10
	Dark Wood	E8332L1_WD_G8	1546	10
16AX 250V 2 Gang 1 Way Switch with LED Indicator	White	E8332L1LED_WE_G8	1531	1
	Wine Gold	E8332L1LED_WG_G8	2298	10
	Dark Grey	E8332L1LED_DG_G8	2298	1
	Metal Gold Hairline	E8332L1LED_GH_G8	2321	10
	Light Wood	E8332L1LED_LW_G8	2739	10
	Dark Wood	E8332L1LED_WD_G8	2321	10
16AX 250V 2 Gang 2 Way Switch	White	E8332L2_WE_G8	1242	1
	Wine Gold	E8332L2_WG_G8	1863	10
	Dark Grey	E8332L2_DG_G8	1863	1
	Metal Gold Hairline	E8332L2_GH_G8	1880	10
	Light Wood	E8332L2_LW_G8	2220	10
	Dark Wood	E8332L2_WD_G8	1880	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

AvatarOn - It's also a Switch

Product Description		Color	Product Ref. No.	Unit MRP [₹]	Pack
16A Switches (Base + Cover Plate)					
	E8332L2LED_WE_G8		E8332L2LED_WD_G8		
	E8333L1LED_WE_G8		E8333L1LED_WD_G8		
	E8333L2_WE_G8		E8333L2_WD_G8		
	E8333L2LED_WE_G8		E8333L2LED_WD_G8		
	E8334L1_WE_G8		E8334L1_WD_G8		
	E8334L1LED_WE_G8		E8334L1LED_WD_G8		
	E8334L2_WE_G8		E8334L2_WD_G8		
	E8334L2LED_WE_G8				

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. January 15th, 2026

AvatarOn - It's also a Switch



E8331M_WE_G8



E8331PRL1_WD_G8



E8332PRL1_WE_G8



E8332PRL1_WD_G8



E8331D20N_WE_G8



E8331D20N_WD_G8



E8331D32N_WE_G8



E8332D20N_WD_G8



E8331D32N_WD_G8



E8331D45N_WD_G8

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
16A Intermediate Switches				
16AX 250V 1 Gang Intermediate Switch	White	E8331M_WE_G8	2251	1
	Wine Gold	E8331M_WG_G8	3376	1
	Dark Grey	E8331M_DG_G8	3376	1
10A Momentary Switches				
10A 250V 1 Gang Momentary Switch	Dark Wood	E8331PRL1_WD_G8	1203	10
10A 250V 2 Gang Momentary Switch	White	E8332PRL1_WE_G8	1010	10
	Wine Gold	E8332PRL1_WG_G8	1512	10
	Dark Grey	E8332PRL1_DG_G8	1512	1
	Metal Gold Hairline	E8332PRL1_GH_G8	1512	10
	Dark Wood	E8332PRL1_WD_G8	1512	10
Double Pole Switches				
20A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D20N_WE_G8	1732	10
	Wine Gold	E8331D20N_WG_G8	2594	10
	Dark Grey	E8331D20N_DG_G8	2594	1
	Metal Gold Hairline	E8331D20N_GH_G8	2619	10
	Light Wood	E8331D20N_LW_G8	2548	10
	Dark Wood	E8331D20N_WD_G8	2619	10
20A 250V 2 Gang Double Pole Switch with LED Indicator	White	E8332D20N_WE_G8	2205	10
	Wine Gold	E8332D20N_WG_G8	3114	10
	Dark Grey	E8332D20N_DG_G8	3114	1
	Metal Gold Hairline	E8332D20N_GH_G8	3144	10
	Dark Wood	E8332D20N_WD_G8	3144	10
32A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D32N_WE_G8	2297	10
	Wine Gold	E8331D32N_WG_G8	3445	10
	Dark Grey	E8331D32N_DG_G8	3445	1
	Metal Gold Hairline	E8331D32N_GH_G8	3477	10
	Light Wood	E8331D32N_LW_G8	3477	10
45A 250V 1 Gang Double Pole Switch with LED Indicator	Dark Wood	E8331D32N_WD_G8	3477	10
	Wine Gold	E8331D45N_WG_G8	4307	10
	Dark Grey	E8331D45N_DG_G8	4385	1
	Metal Gold Hairline	E8331D45N_GH_G8	4427	10
	Dark Wood	E8331D45N_WD_G8	4150	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

AvatarOn - It's also a Switch

		Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
Bell Push Switch						
 E8331BPL1_WE_G8	 E8331BPL1_WD_G8	10A 250V Door Bell Push Switch	White	E8331BPL1_WE_G8	733	1
			Wine Gold	E8331BPL1_WG_G8	1102	10
			Dark Grey	E8331BPL1_DG_G8	1097	1
			Metal Gold Hairline	E8331BPL1_GH_G8	1113	10
			Light Wood	E8331BPL1_LW_G8	1123	10
			Dark Wood	E8331BPL1_WD_G8	1113	10
Sockets						
 E8315_6_NS_WE	 E8315_6_NS_WD	6A 2/3 Pin Switched Socket	White	E8315_6_NS_WE	1459	8
			Wine Gold	E8315_6_NS_WG	1890	8
			Dark Grey	E8315_6_NS_DG	1855	1
			Metal Gold Hairline	E8315_6_NS_GH	1873	8
			Light Wood	E8315_6_NS_LW	1944	8
			Dark Wood	E8315_6_NS_WD	1873	8
 E8331FR350_WE_G8	 E8331FR350_WD_G8	6/16A Switched Socket	White	E8315_16_WE	1831	8
			Wine Gold	E8315_16_WG	2328	8
			Dark Grey	E8315_16_DG	2328	1
			Metal Gold Hairline	E8315_16_GH	2395	8
			Light Wood	E8315_16_LW	2440	8
			Dark Wood	E8315_16_WD	2351	8
Fan Regulators						
 E8331_WE	 E8331_WD	5 Steps 360 Deg Fan Regulator	White	E8331FR350_WE_G8	3476	1
			Wine Gold	E8331FR350_WG_G8	4582	1
			Dark Grey	E8331FR350_DG_G8	4582	1
			Metal Gold Hairline	E8331FR350_GH_G8	4582	1
			Light Wood	E8331FR350_LW_G8	4890	1
			Dark Wood	E8331FR350_WD_G8	4582	1
Switch & Socket Covers (Additional)						
 E8331KH_WE	 E8332_WD	1 Gang Switch Cover	White	E8331_WE	199	1
			Wine Gold	E8331_WG	551	1
			Metal Gold Hairline	E8331_GH	667	1
			Dark Wood	E8331_WD	551	1
 E8331KH_WE	 E8332_WD	1 Gang Switch Cover with Keyholder	White	E8331KH_WE	462	1
			White	E8332_WE	300	1
			Wine Gold	E8332_WG	752	1
			Metal Gold Hairline	E8332_GH	752	1
			Light Wood	E8332_LW	755	1
 E8332_WE	 E8333_WE	2 Gang Switch Cover	Dark Wood	E8332_WD	752	1
			White	E8333_WE	464	1
			Wine Gold	E8333_WG	1105	1
			Metal Gold Hairline	E8333_GH	1105	1
			Light Wood	E8333_LW	1084	1

Please contact Customer Care Center for Stockable and Non stockable status of references.
 *Bold references are MTO reference.

W.E.F. January 15th, 2026

AvatarOn - It's also a Switch



E8334_WE



E8334_WD



E8315C_6_NC_WE



E8315C_6_NC_WD



E8332USB_WE_G8



E8315C_16_WD




E8332ACQUSB_WE




E8332USB_WD_G8



E8331_26_WE



E8331_36_WE



E8331_46_WE



E8330TX_WE

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
4G Switch Cover	White	E8334_WE	726	1
	Wine Gold	E8334_WG	1356	1
	Dark Grey	E8334_DG	1295	1
	Metal Gold Hairline	E8334_GH	1506	1
	Light Wood	E8334_LW	1480	1
	Dark Wood	E8334_WD	1356	1
6A 2/3 Pin Switched Socket Cover	White	E8315C_6_NC_WE	518	12
	Wine Gold	E8315C_6_NC_WG	878	12
	Dark Grey	E8315C_6_NC_DG	878	1
	Metal Gold Hairline	E8315C_6_NC_GH	878	12
	Light Wood	E8315C_6_NC_LW	1014	12
	Dark Wood	E8315C_6_NC_WD	878	12
16A 2/3 Pin Switched Socket Cover	Wine Gold	E8315C_16_WG	918	12
	Dark Grey	E8315C_16_DG	918	1
	Metal Gold Hairline	E8315C_16_GH	1019	12
	Light Wood	E8315C_16_LW	1011	12
USB Chargers	Dark Wood	E8315C_16_WD	1019	12
	White	E8332USB_WE_G8	8716	1
	Wine Gold	E8332USB_WG_G8	13075	1
	Dark Grey	E8332USB_DG_G8	13075	1
	Metal Gold Hairline	E8332USB_GH_G8	13075	1
	Light Wood	E8332USB_LW_G8	15496	1
2 x 2.1A USB Charger with Mobile Holder (2.1A with 2 outputs used simultaneously)	Dark Wood	E8332USB_WD_G8	13075	1
	Metal Gold Hairline	E8332ACQUSB_GH	7933	-
	Light Wood	E8332ACQUSB_LW	8503	-
	Dark Wood	E8332ACQUSB_WD	7933	-
	White	E8332ACQUSB_WE	6413	-
	Wine Gold	E8332ACQUSB_WG	7933	-
Blacket/Frame (to ensure alignment of switches on 2/3/4 Gang metal box)				
2 Gang Blacket/Frame	White	E8331_26_WE	329	1
	Wine Gold	E8331_26_WG	431	1
	Dark Grey	E8331_26_DG	410	1
3 Gang Blacket/Frame	White	E8331_36_WE	362	1
	Wine Gold	E8331_36_WG	507	1
	Dark Grey	E8331_36_DG	484	1
4 Gang Blacket/ Frame	White	E8331_46_WE	387	1
	Wine Gold	E8331_46_WG	544	1
	Dark Grey	E8331_46_DG	519	1
Blank Plates				
1 Gang Blank Plate	White	E8330X_WE	442	1
	Wine Gold	E8330X_WG	664	1
	Dark Grey	E8330X_DG	664	1
	Metal Gold Hairline	E8330X_GH	695	1
	Dark Wood	E8330X_WD	695	1
2 Gang Blank Plate	White	E8330TX_WE	617	10
	Wine Gold	E8330TX_WG	958	10
	Dark Grey	E8330TX_DG	958	1
	Metal Gold Hairline	E8330TX_GH	1606	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

AvatarOn - It's also a Switch



E8331BPDMW_WE_G8



E8331KPB_WE



E8332C_WE_G8



E8332C_WD_G8



E83T727V_WE



E83T727V_WD



E8331RJS4_WE



E8331RJS4_WD

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
Hotel Series				
DND, PCU, PW Indicator with Bell Switch (Do Not Disturb, Please Clean Up, Please Wait)	White	E8331BPDMW_WE_G8	6347	1
	Wine Gold	E8331BPDMW_WG_G8	9520	10
	Dark Grey	E8331BPDMW_DG_G8	9520	1
	White	E8333DMWS_WE_G8	6041	1
16AX 3 Gang Switch with PCU, DND, PW Sym (Do Not Disturb, Please Clean Up, Please Wait)	Wine Gold	E8333DMWS_WG_G8	8814	10
	Dark Grey	E8333DMWS_DG_G8	9233	1
	Dark Wood	E8333DMWS_WD_G8	9405	10
	White	E8331EKT_WE	11299	1
250V 16A Electronic Keycard Switch	Wine Gold	E8331EKT_WG	16950	1
	Dark Grey	E8331EKT_DG	16949	1
	Dark Wood	E8331EKT_WD	17756	1
Panic Button with Key Reset	White	E8331KPB_WE	2064	1
	Wine Gold	E8331KPB_WG	3033	1
	Dark Grey	E8331KPB_DG	2607	1
10A 2 Gang Mechanical Curtain Switch	White	E8332C_WE_G8	1315	1
	Wine Gold	E8332C_WG_G8	1973	10
	Dark Grey	E8332C_DG_G8	1973	1
	Metal Gold Hairline	E8332C_GH_G8	1973	10
	Light Wood	E8332C_LW_G8	2193	10
	Dark Wood	E8332C_WD_G8	1973	10
115/240V 20VA Universal Version Shaver	White	E83T727V_WE	6271	1
	Wine Gold	E83T727V_WG	10157	1
	Dark Grey	E83T727V_DG	10643	1
	Metal Gold Hairline	E83T727V_GH	10643	1
	Dark Wood	E83T727V_WD	11149	1
Connection Units				
13A 250V 1 Gang Fused Connection with DP Switch and Neon	Wine Gold	E8331DFSGN_WG	5563	10
25A 250V 1 Gang Connection Unit	Metal Gold Hairline	E8331TB_GH	2472	10
Telecom, Network, Connectivity & Media Series				
1 Gang Telephone Socket, Shuttered Wallplate	White	E8331RJS4_WE	977	1
	Wine Gold	E8331RJS4_WG	1629	1
	Dark Grey	E8331RJS4_DG	1629	1
	Metal Gold Hairline	E8331RJS4_GH	1629	1
	Light Wood	E8331RJS4_GH	1629	1
	Dark Wood	E8331RJS4_WD	1629	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

W.E.F. January 15th, 2026

AvatarOn - It's also a Switch



E8332RJS4_WE



E8331RJS5_WE



E8332RJS5_WE



E8331RJS6_WE



E8332RJS6_WE



E8331TV_WE



E8331TVSF_WE



E8332TDRJS5_WE



E8332TVRJS5_WE



E8332HDUSB_WE



E8332HDHD_WE



E8331RJS_WE



E8332RJS_WE

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
2G Tel Socket, Shuttered Wallplate	White	E8332RJS4_WE	2397	1
	Wine Gold	E8332RJS4_WG	3600	1
1 Gang RJ45 Data Cat5E, Shuttered	White	E8331RJS5_WE	1527	1
	Wine Gold	E8331RJS5_WG	2664	1
	Dark Grey	E8331RJS5_DG	2542	1
	Metal Gold Hairline	E8331RJS5_GH	2542	1
	Dark Wood	E8331RJS5_WD	2664	1
	White	E8332RJS5_WE	2792	1
2 Gang RJ45 Data Cat5E, Shuttered	Wine Gold	E8332RJS5_WG	4656	1
	Dark Grey	E8332RJS5_DG	4444	1
	Metal Gold Hairline	E8332RJS5_GH	4444	10
1 Gang RJ45 Data Cat6, Shuttered	White	E8331RJS6_WE	1825	1
	Wine Gold	E8331RJS6_WG	2736	1
	Dark Grey	E8331RJS6_DG	2736	1
2 Gang RJ45 Data Cat6, Shuttered	White	E8332RJS6_WE	3419	1
	Wine Gold	E8332RJS6_WG	5130	1
	Dark Grey	E8332RJS6_DG	5130	1
1 Gang TV Socket, 75Ω, Through-Connect	White	E8331TV_WE	770	1
	Wine Gold	E8331TV_WG	1283	1
	Dark Grey	E8331TV_DG	1283	1
	Metal Gold Hairline	E8331TV_GH	1283	10
	Dark Wood	E8331TV_WD	1283	1
	White	E8331TVSF_WE	851	10
1 Gang TV Socket, Slave 5-1000	Wine Gold	E8331TVSF_WG	1426	0
	Dark Grey	E8331TVSF_DG	1359	1
	White	E8332TDRJS5_WE	2397	1
1 Gang Tel + RJ45 Data Cat5E, Shuttered	Wine Gold	E8332TDRJS5_WG	3997	1
	Dark Grey	E8332TDRJS5_DG	3816	1
	Metal Gold Hairline	E8332TDRJS5_GH	3816	1
	Dark Wood	E8332TDRJS5_WD	3997	1
	White	E8332TVRJS5_WE	2973	1
1 Gang TV+ RJ45 Data Cat5E, Shuttered	Wine Gold	E8332TVRJS5_WG	4961	1
	Dark Grey	E8332TVRJS5_DG	4734	1
	Metal Gold Hairline	E8332TVRJS5_GH	4734	1
	Dark Wood	E8332TVRJS5_WD	5512	1
	White	E8332TVRJS6_WE	2973	1
1 Gang TV+ RJ45 Data Cat6, Shuttered	Wine Gold	E8332TVRJS6_WG	4961	1
	Dark Grey	E8332TVRJS6_DG	4734	1
	White	E8332HDUSB_WE	6336	1
HDMI + USB Socket	Wine Gold	E8332HDUSB_WG	10559	8
	Dark Grey	E8332HDUSB_DG	10078	1
2 Gang HDMI+HDMI, Keystone on Wallplate	White	E8332HDHD_WE	3475	1
Volume Control, 5W, 8Ohm	Wine Gold	E8331VC_WG	4187	10
	Dark Grey	E8331VC_DG	4187	1
1 Gang S Keystone Wallplate (w/o Mod)	White	E8331RJS_WE	770	10
	Wine Gold	E8331RJS_WG	1155	10
	Dark Grey	E8331RJS_DG	1155	1
	White	E8332RJS_WE	1408	10
2 Gang S Keystone Wallplate (w/o Mod)	Wine Gold	E8332RJS_WG	2111	10
	Dark Grey	E8332RJS_DG	2111	1

Please contact Customer Care Center for Stockable and Non stockable status of references.
*Bold references are MTO reference.

W.E.F. January 15th, 2026

Kavacha - Weather Protected Series



CSW110-GY-EX



A3031WBP_WE

- Pleasing looks with **IP56 protection**
- Large press switch
- Co-moulded sealing with no risk of gasket damage
- Chemical resistant & UV stabilised

Description	Reference	Unit MRP [₹]	Pack
Kavacha IP56 Surface Mount Switches			
Switches with Looping Terminal			
10A 1 Gang 2 Way Switch	CSW110-GY-EX	4397	1
10A 1 Gang 2 Way Bell Press Return Switch	CSW110BPR-GY-EX	4827	1
Kavacha Heavy Duty Isolator Switches			
35A Triple Pole	WHT35-GY-EX	9376	1
63A Triple Pole	WHT63-GY-EX	12075	1
Kavacha IP56 Surface Mount Combined Switched Socket Outlets			
Combination Switch Socket Outlets			
16A Single Pole Switched Socket Outlet	CSC316RP_GY	4872	1
Kavacha IP56 Surface Mount Socket Outlets			
16A Socket Outlet	CSO316RP-GY-EX	3442	1
Kavacha Full-Time Weatherproof Cover			
Full-Time Weatherproof Single Gang Socket Cover (Transparent) IP55	E223R_TR	1246	1
Weatherproof Bell Press Grey	A3031WBP_GY	1903	1
Weatherproof Bell Press White	A3031WBP_WE	1663	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

W.E.F. January 15th, 2026

Metal Boxes



- **Weld free design** to minimize corrosion and rusting without compromising on strength
- Mounting clip and earth pin designed for **easier installation** and to **avoid loss during transportation**
- Removable side plates and optimized knock outs and for **easier wiring**
- Completely tested & validated as per **IS 14772**

Description	Reference	Unit MRP [₹]	Pack
Metal Boxes for Indian Format Ranges (Livia, Opale, Clipsal X, Unica Pure & ZENcelo India)			
0.8 mm thickness			
Metal Box 1 & 2 modules	ME0102	117	20
Metal Box 3 modules	ME0103	153	20
Metal Box 4 modules	ME0104	176	20
1 mm thickness			
Metal Box 1 & 2 modules	MR1102	131	20
Metal Box 3 modules	MR1103	173	20
Metal Box 4 modules	MR1104	199	20
Metal Box 6 modules	MR1106	271	10
Metal Box 8 modules - Horizontal	MR1108	351	10
Metal Box 8 modules - Square	MR1109	351	10
Metal Box 12 module	MR1112	451	5
Metal Box 18 modules	MR1118	536	5

Description	Reference	Unit MRP [₹]	Pack
Metal Boxes for BS Format Ranges (AvatarON) - New & Improved Design			
Use Bracket/Frame to ensure alignment of switches on 2/3/4 Gang Metal Box (refer to AvatarOn section for references)			
1 mm thickness			
2 GANG GI Metal Boxes	MM1102	329	20
3 GANG GI Metal Boxes	MM1103	466	20
4 GANG GI Metal Boxes	MM1104	603	20

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

W.E.F. January 15th, 2026

Smart Home Energy Management System



The Future of Homes

It's Time to
Get **Wiser**



Smart Home **Energy Management** System

With the rise of the Internet of Things (IoT), automation has simplified our lives and made our homes smarter. Smart homes, the foundation of smart cities, offer a more secure lifestyle by automating functions and providing greater control over living spaces.

Introducing **Wiser**, the next leap in Home Energy Management. Schneider Electric's vision for a sustainable, connected home of the future enables every device to be easily controlled and personalized through the Wiser Home Application.

Wiser offers an intuitive system with tools to control electricity usage and optimize energy needs without sacrificing comfort. It goes beyond convenience and security, empowering smarter, more sustainable living. Wiser homes focus on people, adding a new dimension to Stylish, Smart, Sustainable and Safe.

Together, we are creating the homes of the future by connecting electricity with digital solutions to help you achieve your sustainability goals.

Home Automation Possibilities



Semi Home Automation

- Lighting Control
- Fan Control
- HVAC Control
- Curtain Control
- Dimming – 10-100%
- Voice, App Control



Full Home Automation

- Mood Creation
- Geo-Fencing
- Digital Door-Lock Integration
- Sensor Based Automation
- Air Quality Management



Safety

- Appliance Protection
- Arc Fault Protection
- Thermal Protection



Home Energy Management

- Energy Monitoring
- Energy Efficiency Features
- Prosumer Management
- NEL Integration



AI / Machine Learning

- Lifestyle Recommendations
- Energy Saving Tips
- Appliance Management Tips



Wiser: One System. Infinite Control.

Make your home **Smart** and **Sustainable** with **Wiser**



Wiser™
Next-gen smart home and energy management solutions.

Enhance comfort and optimize energy usage, easily!
Live Smart, Be Energy Wise.

SE Ref.	Description of reference	Unit MRP [₹]
CS16A1MSW_WE*	16A 1M Connected Switch, White	7200
CS16A1MSW_GY*	16A 1M Connected Switch, Grey	9450
CD4SFR2M_WE*	4 Step Connected Fan Regulator, White	7500
CD4SFR2M_GY*	4 Step Connected Fan Regulator, Grey	9700
ENMOD1P*	Energy Monitoring Device, Single Phase	On Request
ENMOD3P*	Energy Monitoring Device, Three Phase	On Request
CCIRC1M*	IR Controller- Wi-Fi	On Request
CR2CHRLYPG*	5A 2 Channel Relay Puck- Wi-Fi	On Request
CDWRLY1CH16A*	16A 1 Channel Connected Relay Puck- Wi-Fi	On Request
B1GTEWY*	Multi-Protocol Gateway	On Request
IH100WFVDP*	Smart Doorbell	On Request
IH14000100*	4 Channel Automation Relay	On Request
IH1200010F*	Fan Speed Controller	On Request
IH12000020*	2 Channel Dimmer Controller	On Request
IH101ZW2IR*	ZW_IR Controller	On Request
IH11000200*	2 Channel Curtain Controller	On Request
IH101ZWIFI*	Automation Gateway	On Request

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

Surface and Flush Mount Occupancy Sensors



PIR, Ultrasonic Sensors & High Frequency sensor suitable for both Surface & Flush Mount

Description	Reference	Unit MRP [₹]
Surface Mount Single-Load 360 degrees PIR	CSS54E_WE	4099
Flush/Surface Mount Single-Load 360 degrees PIR	SAE-UE-MS-CSAWE	4944
ARGUS Presence Dual-Tech PIR & Ultrasonic Sensor - 1ch	CCT551011	16263
ARGUS Presence Dual-Tech PIR & Ultrasonic Sensor - 2ch	CCT551012	17472
ARGUS IR Remote Controller Dual-Tech	CCT556011	23596
ARGUS Presence High Frequency High Bay Sensor - 2ch	CCT551023	19121
ARGUS IR Remote Controller HF	CCT556023	21631
ARGUS Presence Wide Sense - 2ch	CCT551003	16190
INFRASCAN OUTDOOR 3WIRE 10A	750WPR-GY	25305
INFRASCAN INDOOR 3WIRE 10A	751R-WE	14682
INFRASCAN 360 DEGREE 3WIRE	753R-WE	12381



PIR Flush Mount Sensors

Description	Reference	Unit MRP [₹]
ARGUS Standard min 360° False ceiling indoor movement detector	CCT570005	5786
ARGUS Standard 360° False ceiling indoor movement detector - 2ch	CCT570003	8494
Flush Mount Dual load 360 degrees standalone sensor	SAE-UE-MS-CDBWE	9864



Dimmable Sensors with Light Regulation

Dali Dimmable Sensor

Description	Reference	Unit MRP [₹]
ARGUS Presence Master with IR, DALI	MTN5510-1519	17472

Please contact Customer Care Center for Stockable and Non stockable status of references.

*Bold references are MTO reference.

W.E.F. January 15th, 2026

Wall Mount Sensors



BS Standard & Outdoor IP55 Sensor

Description	Reference	Unit MRP [₹]
Neo C-Metro 200 degrees wall mount sensor, grey colour	E3751MS3C_GS	7881
Zencelo 110 degrees wall mount sensor, white colour	E84751MS3B_WE	7980
Zencelo 90 degrees wall mount sensor, white colour	E84751MS3A_WE	6085
Argus 110 Electronic outdoor movement detector, angle of detection 110 degrees, max. range 12 mtrs, IP55 protection	MTN565119	8518
Argus 220 Electronic movement detector for outdoor ceiling mounting angle of detection 220 degrees, max. range 12 mtrs, IP55 protection	MTN565219	13143

Hotel - ELV Dual Motion Sensor

Description	Reference	Unit MRP [₹]
ELV DUAL TECH MOTION SENSOR	SAE_UE_MS_CULV_WE	10806

Please contact Customer Care Center for Stockable and Non stockable status of references.
 *Bold references are MTO reference.



Schneider Electric India Pvt. Ltd.

Corporate Office: 15th Floor, DT-4 Downtown, DLF Phase 3, Sector 25A, Gurugram, Haryana - 122002

Ahmedabad

Schneider Electric India (P) Ltd.
1506-1507, 15th Floor Shapth-5
Opp.Karnavati Club, SG Highway,
Ahmedabad, Gujarat - 380015
Tel.: 079-66826701

Bengaluru

Schneider Electric India (P) Ltd.
No. 3/1, JP Techno Park
Mezzanine Floor, Millers Tank Bund
Road, Vasanth Nagar
Bengaluru - 560052
Tel.: 080-71481351

Bhubaneswar

Schneider Electric India (P) Ltd.
Workloop Co-Working in the property
Office No. 316, Esplanade One Mall
Rasulgarh, Bhubaneswar - 751010

Chennai

Schneider Electric India (P) Ltd.
No: 29, 2nd Floor,
Bannari Amman Towers, B-Block
Dr. Radhakrishnan Road, Mylapore
Chennai - 600 004
Tel.:044-71912000

Cochin

Schneider Electric India (P) Ltd.
Alapatt Properties Private Limited
(Trade Name: Centre A)
Main Door Number: 66/4971
(Old Door Number: 40/6584-H)
7th Floor Alapatt Heritage Building
MG Road Kochi - 682035

Coimbatore

Schneider Electric India Pvt. Ltd.
Mikro Grafeio Services Pvt Ltd.,
Elysium Tower, #21, A.T.T
Colony, Near Honda Office,
Coimbatore, Tamil Nadu - 641018

Hyderabad

Schneider Electric Pvt. Ltd.
4B-4th Floor, Gumidelli Towers,
Prakash Nagar, Begumpet,
Hyderabad - 500016

Indore

Schneider Electric India (P) Ltd.
219, Dhan Trident Building
Vijay Nagar, A.B.Road
Indore - 452001

Jaipur

Schneider Electric India (P) Ltd.
Jaipur Business Centre 309
3rd Floor, Sangam Tower 190
Church Road, Jaipur - 302001
Tel.: 0141-2374810

Kolkata

Schneider Electric (I) Pvt. Ltd.
BN3, Salt Lake, Sector V,
Kolkata - 700091

Lucknow

Schneider Electric India (P) Ltd.
Summit, Plot No. TCG 3/3
6th Floor, 604A/B/C, Vibhuti Khand
Gomti Nagar, Lucknow
Uttar Pradesh - 226010
Tel.: 0522-3500334

Ludhiana

Schneider Electric India (P) Ltd.
SCO 23, 2nd Floor,
Chandigarh Road, Sector 32
Ludhiana, Punjab -141010
Tel.: 0161- 5203011

Mohali

Schneider Electric India (P) Ltd.
2nd Floor, Tower-A
Bestech Business Tower
Mega Information & Technology Park
Industrial Plot No.1, Phase IX
(Expansion), Mohali - 160059
Tel.: 0172-7198200

Mumbai

Schneider Electric India Pvt. Ltd.
L&T Business Park, Tower B,
7th Floor, TC-II, Gate No.5,
Saki Vihar Road, Powai,
Mumbai - 400072

Nagpur

Schneider Electric India (P) Ltd.
6, Vasant Vihar Complex
W.H.C Road, Shankar Nagar
Nagpur - 440010
Tel.: 0712-2558581

Nashik

Schneider Electric India (P) Ltd.
401, 4th Floor, Rishi Raj Towers
Jehan Circle, Gangapur Road
Nashik - 422013
Tel.: 0253-2344333

New Delhi

Schneider Electric India (P) Ltd.
C-56, Mayapuri Industrial Area, Phase-2
New Delhi - 110064
Tel.: 011-61317400

Pune

Schneider Electric India (P) Ltd.
Amar Caliber, CTS No 911, BMCC Road,
OFF F.C. Road, Deccan Gymkhana,
Shivaji Nagar, Pune - 411007
Tel.: 020-67492500

Vadodara

Schneider Electric India (P) Ltd.
Notus IT Park, 10th Floor, Block-D
Sarabhai Campus, Vadiwadi
Vadodara, Gujarat - 390017

Vishakhapatnam

Schneider Electric India (P) Ltd.
D.N.10-1-43, 1st Floor
Ratnam's Business Centre,
Siripuram Fort, C.B.M.Compound
Visakhapatnam - 530016
Tel.: 0891-6675500

Customer Care Centre

Monday-Saturday, 9 a.m. to 8 p.m.
Toll-free numbers: 1800 419 4272, 1800 103 0011
Email: customerccare.in@schneider-electric.com

For more information, visit our website at: www.se.com/in

- All Prices are in Indian Rupees
- Prices are subject to change without prior notice
- Product evolution is a continuous process and Schneider Electric reserves the right to modify/withdraw any product at any time without prior notice
- Prices charged will be as prevailing on the date of dispatch
- Invoice Amount = (MRP – less Applicable discount) + Applicable GST %
- Tax incidence on invoices is basis applicable GST rates
- Invoice amount not to exceed MRP
- Product pictures shown are for illustration purpose only; actual product may vary
- Kindly refer product datasheet for detailed specification

Distributor