


LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated
Industrial Cables
Flamegard - Flame Retardant Low Smoke
(FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant
(HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables

Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)


Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables

(HSN Code : 8544)



Residential & Commercial



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

List Price wef. 04 Feb 2026

FINOULTRA



FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES			
FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UP TO 1100V AS PER IS 17048: 2018			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10452	0.75	1,895	20
10453	1.0	2,425	20
10454	1.5	3,655	12
10455	2.5	5,890	12
10456	4.0	8,785	8
10457	6.0	13,135	4

Flame Retardant (FR) PVC Insulated Industrial Cables

GOLD PACK



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES			
FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,785	20
10303	1.0	2,455	20
10304	1.5	3,605	12
10305	2.5	5,750	12
10306	4.0	8,440	8
10307	6.0	12,640	4

Flame Retardant (FR) PVC Insulated Industrial Cables



SILVER PACK

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,755	20
10303	1.0	2,210	20
10304	1.5	3,295	12
10305	2.5	5,325	12
10306	4.0	8,150	8
10307	6.0	12,300	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10312016	0.75	3,355	8
10313	1.0	4,360	8
10314	1.5	6,365	6
10315	2.5	10,330	4
10306016	4.0	16,085	4
10307016	6.0	24,170	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.0	1,125	30
10314	1.5	1,640	24
10315	2.5	2,665	24
10316	4.0	4,145	12
10317	6.0	6,225	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red,Yellow, Blue, Black & Green.

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 300 PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 300 m coil (Rs.)	No. of Coils packed in a Master Carton
10312017	0.75	5,590	8
10313017	1.0	7,265	8
10314017	1.5	10,610	6
10315017	2.5	17,215	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 200 PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 200 m coil (Rs.)	No. of Coils packed in a Master Carton
10306015	4.0	17,870	4
10307015	6.0	26,855	4

Flamegard

Flame Retardant

Low Smoke(FR-LSH)



FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10112013	0.75	1,795	20
10113	1.0	2,330	20
10114	1.5	3,380	12
10115	2.5	5,420	12
10106	4.0	8,435	8
10107	6.0	12,615	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10112016	0.75	3,390	8
10113016	1.0	4,400	8
10114016	1.5	6,430	6
10115016	2.5	10,430	4
10106016	4.0	16,200	4
10107016	6.0	24,345	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

List Price wef. 04 Feb 2026



Halogen Free Flame Retardant (HFFR) Industrial Cables



HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE FINOGREEN SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES
IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,840	20
10403	1.0	2,370	20
10404	1.5	3,460	12
10405	2.5	5,585	12
10406	4.0	8,630	8
10407	6.0	12,915	4



Flexible Cables

List Price wef. 04 Feb 2026

FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	1,280.00	1,310
14002	0.75	1,860.00	1,905
14003	1.00	2,380.00	2,440
14104	1.50	3,530.00	3,620
14105	2.50	5,735.00	5,880
14206	4.00	8,875.00	9,095

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	13,320.00	13,655
14208	10	22,885.00	23,455
14209	16	35,990.00	36,890
14210	25	56,265.00	57,670
14211	35	78,595.00	80,560
14212	50	111,435.00	114,220
14513	70	162,470.00	166,530
14514	95*	214,855.00	220,225
14515	120*	275,985.00	282,885
14516	150*	341,795.00	350,340
14517	185*	422,495.00	433,055
14518	240*	555,550.00	569,440

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE							
FINOLEX PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010							
TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17002	0.50	3,140	3285	17102	1.5	7,650	7840
17002	0.75	4,390	4555	17102	2.5	12,470	12780
17002	1.00	5,515	5685	17202	4	19,560	20050

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathedwith PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17003	0.50	4,395	4550	17103	1.5	10,910	11185
17003	0.75	6,105	6270	17103	2.5	17,640	18080
17003	1.00	7,770	7965	17203	4	28,060	28760

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17004	0.50	5,655	5,825	17104	1.5	14,395	14,755
17004	0.75	7,890	8,085	17104	2.5	23,555	24,145
17004	1.00	10,045	10,295	17204	4	36,985	37,910

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colourand Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17006	0.50	8,440	8670	17106	1.5	22,000	22550
17006	0.75	11,980	12280	17106	2.5	35,390	36275
17006	1.00	15,745	16140	17206	4	55,790	57185

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	9,955	10205	17108	1.50	25,045	25670
17008	0.75	14,000	14350	17108	2.50	41,415	42450
17008	1.00	17,890	18335	17208	4.00	64,705	66325

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	11,010	11285	17108	1.50	28,915	29640
17008	0.75	15,655	16045	17108	2.50	46,585	47750
17008	1.00	20,190	20695	17208	4.00	73,870	75715

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17010	0.50	13,790	14,135	17110	1.50	35,865	36760
17010	0.75	19,730	20,225	17110	2.50	58,380	59840
17010	1.00	25,230	25,860	17210	4.00	91,815	94110

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17012	0.50	16,225	16,630	17112	1.50	42,760	43830
17012	0.75	23,495	24,080	17112	2.50	69,320	71055
17012	1.00	30,065	30,815	17212	4.00	109,775	112520

FOURTEEN CORES (4+10)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17014	0.50	18,130	18,585	17114	1.50	49,790	51035
17014	0.75	26,210	26,865	17114	2.50	80,565	82580
17014	1.00	34,830	35,700	17214	4.00	127,635	130825

SIXTEEN CORES (8+11)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17016	0.50	21,045	21,570	17116	1.50	55,935	57335
17016	0.75	29,985	30,735	17116	2.50	91,830	94125
17016	1.00	38,885	39,855	17216	4.00	145,995	149645

NINETEEN CORES (1+6+12)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17019	0.50	24,780	25,400	17119	1.5	66,195	67850
17019	0.75	36,230	37,135	17119	2.5	108,290	110995
17019	1.00	46,030	47,180	17219	4	172,625	176940

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17203074	6	41,815	42,860	17203124	50*	346,885	355555
17203084	10	71,235	73,015	17503134	70*	492,715	505035
17203094	16*	111,400	114,185	17503144	95*	650,310	666570
17203104	25*	172,585	176,900	17503154	120*	868,740	890460
17203114	35*	242,265	248,320				

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17204074	6	54,745	56,115	17204124	50*	456,940	468365
17204084	10	93,775	96,120	17504134	70*	653,085	669410
17204094	16*	145,770	149,415	17504144	95*	863,105	884685
17204104	25*	228,945	234,670	17504154	120*	1,128,535	1156750
17204114	35*	320,655	328,670				

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

Finolex



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

COAXIAL CABLES - JELLY



COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	2,290	6,985
RG 6 CU	3,200	9,760
RG 11 CU	7,465	22,768

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethylene Foam Insulation, With Laminated Aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,805	5,505
RG 11 CCS	3,655	11,148

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

Type	90 m coil
	List Price (Rs.)
RG 6 CCS Eco Lite	1,225

Finolex Coaxial Cables with copper clad steel conductor (RG CCS Eco Lite), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	4,100	12505

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.



CCTV Cable

Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	4,140
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	14,030
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	4,555
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	15,436
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	5,135
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	17,402
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	2,345
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	4,610
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	2,645
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	5,220
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,665
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	5,265
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	3,010
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	5,960

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	1,130	31050103	10 pair	10,080
31050023	2 pair	2,025	31050203	20 pair	19,060
31050033	3 pair	2,960	31050503	50 pair	47,355
31050043	4 pair	3,915	31051001	100 pair	91,835
31050053	5 pair	4,890			

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	755	31040103	10 pair	6,940
31040023	2 pair	1,400	31040203	20 pair	12,970
31040033	3 pair	2,040	31040503	50 pair	32,455
31040043	4 pair	2,635	31041001	100 pair	60,895
31040053	5 pair	3,250			

Standard Length of coif is 90 Meters. | Standard Length of the drum is 500m +/-10%


A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

List Price wef. 04 Feb 2026



LAN Cable


Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	12,785
32255042	0.5x4P UTP CAT-6 LAN *YLW * 305M	305 Mtr	16,125
32245042	0.5x4P UTP CAT-6 LAN *GRY * 305M	305 Mtr	16,125
32275042	0.5x4P UTP CAT-6 LAN *BLU * 305M	305 Mtr	16,125
32265042	0.5x4P UTP CAT-6 LAN *GRN * 305M	305 Mtr	16,125
32925048	0.5x4 Pair CAT-5 (E) CCA LAN Cable	305 Mtr	7,600
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	5,005
32955048	0.5x4P UTP CAT-6 CCA LAN 305 Mtr	305 Mtr	10,520
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	21,890
32245044	0.5 x4P CAT6 LAN GRY 100M X 2	100 Mtr	5,020
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	18,830
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	24,725
32245142	4P CAT6 LITE LAN GRY 305M X 2	305 Mtr	15,311
32255142	4P CAT6 LITE LAN YLW 305M X 2	305 Mtr	15,311
32265142	4P CAT6 LITE LAN GRN 305M X 2	305 Mtr	15,311
32275142	4P CAT6 LITE LAN BLU 305M X 2	305 Mtr	15,311



Speaker Cable

List Price wef. 04 Feb 2026

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	2,580
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	3,755
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	4,595
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	6,910
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	10,800
60329024	Speaker Cable 2.5 SQMM (Transperant)100M	6	100 Mtr	11,505
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	645
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	940
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	1,150
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,725



Agriculture



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



3 CORE FLAT CABLE							
FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13713041	1.5	11210	13803101	25	168495		
13713051	2.5	17575	13803111	35	234205		
13703061	4	26735	13803121*	50	Prices for these sizes can be given on request.		
13803071	6	39540	13803131*	70			
13803081	10	68280	13803141*	95			
13803091	16	107770					
FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13863049	1.5	11770	13823069	4	28070		
13863059	2.5	18455					
FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13823079	6	41515	13823109	25	176920		
13823089	10	71695	13823119	35	245915		
13823099	16	113160					
3 CORE FLAT CCA CABLES							
FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	21555	13853109	36	354/.36	84195
13853089	14	140/.36	35930	13853119	50	594/.36	116880
13853099	23	226/.36	57130				

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us.

We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires

List Price wef. 04 Feb 2026




PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	720	1000	6
13000602	0.60	720	500	6
13000701	0.70	980	1000	6
13000702	0.70	980	500	6
13000801	0.80	1,350	1000	6
13000802	0.80	1,350	500	6
13000901	0.90	1,665	1000	5
13000902	0.90	1,665	500	6
13001001	1.00	2,020	1000	5
13001002	1.00	2,020	500	6
13001101	1.10	2,435	1000	4
13001102	1.10	2,435	500	6
13001201	1.20	2,870	1000	4
13001202	1.20	2,870	500	6
13001301	1.30	3,350	1000	3
13001302	1.30	3,350	500	6
13001402	1.40	3,895	500	5
13001502	1.50	4,465	500	5
13001602	1.60	5,065	500	4
13001702	1.70	5,685	500	4
13001802	1.80	6,405	500	4
13001902	1.90	7,075	500	3
13002002	2.00	7,910	500	3
13002102	2.10	8,675	500	3
13002202	2.20	9,495	500	2
13002302	2.30	10,365	500	2
13002402	2.40	11,280	500	2
13002502	2.50	12,255	500	2
13002602	2.60	13,230	500	2
13002702	2.70	14,265	500	2
13002804	2.80*	15,225	250	2
13003004	3.00*	17,455	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request.
Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.

Finolex



Automobile / Solar Power



High thermal rating
to withstand
extreme temperatures



Excellent
resistant to
heat pressure



Long life &
highly durable
cables

Auto Battery Cables

List Price wef. 04 Feb 2026



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	8,920	35,680
22210	354/.3	25	13,955	55,805
22211	495/.3	35	19,505	78,020
22212	703/.3	50	27,660	110,635
22513	360/.5	70	40,385	161,540
22514	475/.5.*	95	53,375	213,500
22515	608/.5.*	120	68,590	274,360
22516	750/.5.*	150	84,950	339,795
22517	925/.5.*	185	105,045	420,185
22518	1221/.5.*	240	138,180	552,725

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	1045	4,175

1050 CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILECABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	305	1,210
2302	24/.21	0.75	455	1,815
2303	32/.21	1.00	605	2,415
2304	30/.26	1.50	890	3,555
2305	50/.26	2.50	1,480	5,910
2306	56/.31	4.00	2,460	9,805
2307	84/.31	6.00	3,650	14,585

Solar Cables

List Price wef. 04 Feb 2026



SOLAR DC CABLE		
FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.		
**Product Code	Material Description	List Price per 100m (Rs.)
16905018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M RED	5,620
16995018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M Black	5,620
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	8,285
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	8,285
16907016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	12,195
16997016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	12,195

Solar Nova		
**Product Code	Material Description	List Price per 100m (Rs.)
16985014	ATC 2.5 SOLAR NOVA EBEAM100MBLK	5,450
16986014	ATC 4.0 SOLAR NOVA EBEAM 100MBLK	7,975
16987014	ATC 6.0 SOLAR NOVA EBEAM 100M BLK	12,060
	ATC 10.0 SOLAR NOVA EBEAM 100M BLK	22,350

NOTES

- Prices
GST extra as applicable.
- Printing
Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
- Delivery
F.O.R. any station in India by road transport.
- Product Code
The full product code is of 8 digits. For example :
22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m
22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.
a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor,
225 represents Auto Cable IS specifications for 0.5 conductor.
b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.
c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.
d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.

Visit us at: www.finolex.com | [f](#) /Finolexcables | [t](#) /Finolexcables | [i](#) /Finolex.Cables



For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 26575639 | Bengaluru: 7022979589 |
Bhubaneswar: 0674-2971922 / 2971188 | Chennai: 044-28269322 /
28231514 | Chandigarh: 0172-4064047 | Cochin: 9388689870 |
Coimbatore: 0422-2330997 | Dharwad: 8382748440 | Goa: 8322782003 /
2782065 | Gurgaon: 9896763770 | Guwahati: 9864027312 / 8135029423
| Indore: 7314911723 | Jaipur: 9829111411 | Kolkata: 033-24192494 /
24192495 | Lucknow: 052-24035031 | Mumbai: 022-22820062 | New
Delhi: 011-23324748 / 23353100 | Patna: 9934107999 | Pune:
020-27506200 | Raipur: 7008336581 | Ranchi: 8101383841 |
Secunderabad: 040-27811161 | Uttarakhand: 9760045003 | Vadodara:
9879555568 | Vijayawada: 9848043967

Sample card available on request

All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.
In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation.
When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.