



PRICE LIST
MAR 12, 2026

**SAFETY
MEIN
SAMJHOTA
NAHIN.**



ROUND CONDUIT (PVC) PIPES & FITTINGS

Precision Round Conduit PVC Pipes & Fittings

are manufactured from a specially formulated polyvinyl chloride (PVC) to meet the most stringent Indian and international standards. Our products are made of extra super high impact material which make them safe to use in harsh environments.

The products are manufactured in accordance with IS 9537 - Part 3, BS EN 61386-21 for PVC conduits, IS 3419 : 1988 and BS 4607 for PVC fittings.

Applications

Channelising concealed and surface wiring
Telecommunication and cable ducting

DIMENSIONS OF ROUND CONDUIT PVC PIPES IS 9537- PART 3

Nominal Size (mm)	Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Inside Diameter (Min.) (mm)		
			Light	Medium	Heavy
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2
63	63	-0.6	57.0	-	-
#SPECIAL SIZES					
19	19	-0.3	16.5	16.0	15.1

Features

					
Various Diameters & Grades	Fire Retardant & Corrosion Free	Easy and Quick Installation	Thermal Resistant (-5° C to +60° C)	Durable & Impact Resistant	Laser Engraved Pipe

- Light, medium and heavy mechanical stress, to suit various applications and site conditions
- Wide range of component maximises application
- Precision circular boxes and adaptable boxes are provided with M4 brass insert with a load suspension capacity of 3 Kgs at +60° C



ROUND CONDUIT PVC PIPES (SOCKETED)

HSN: 39172310

IS:9537



Part 3



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
LMS (LIGHT MECHANICAL STRESS)						
# 1	PRCS 19L	19	100 x 3m	300	-	23.75
# 2	PRCS 19LNI	19	40 x 3m	-	120	23.75
3	PRCS 20L	20	100 x 3m	300	-	25.50
4	PRCS 20LNI	20	40 x 3m	-	120	25.50
5	PRCS 25L	25	100 x 3m	300	-	35.25
6	PRCS 25LNI	25	25 x 3m	-	75	35.25
7	PRCS 32L	32	50 x 3m	150	-	49.25
8	PRCS 32LNI	32	10 x 3m	-	30	49.25
9	PRCS 40L	40	25 x 3m	75	-	78.50
10	PRCS 40LNI	40	5 x 3m	-	15	78.50
11	PRCS 50L	50	20 x 3m	60	-	112.00
12	PRCS 50LNI	50	5 x 3m	-	15	112.00
13	PRCS 63L	63	18 x 3m	54	-	170.25


MMS (MEDIUM MECHANICAL STRESS)						
# 14	PRCS 19M	19	100 x 3m	300	-	27.25
# 15	PRCS 19MNI	19	40 x 3m	-	120	27.25
16	PRCS 20M	20	100 x 3m	300	-	28.50
17	PRCS 20MNI	20	40 x 3m	-	120	28.50
18	PRCS 25M	25	100 x 3m	300	-	40.25
19	PRCS 25MNI	25	25 x 3m	-	75	40.25
20	PRCS 32M	32	50 x 3m	150	-	60.25
21	PRCS 32MNI	32	10 x 3m	-	30	60.25
22	PRCS 40M	40	25 x 3m	75	-	86.50
23	PRCS 40MNI	40	5 x 3m	-	15	86.50
24	PRCS 50M	50	20 x 3m	60	-	130.75
25	PRCS 50MNI	50	5 x 3m	-	15	130.75

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
HMS (HEAVY MECHANICAL STRESS)						
# 26	PRCS 19H	19	100 x 3m	300	-	36.75
# 27	PRCS 19HNI	19	40 x 3m	-	120	36.75
28	PRCS 20H	20	100 x 3m	300	-	39.25
29	PRCS 20HNI	20	40 x 3m	-	120	39.25
30	PRCS 25H	25	50 x 3m	150	-	50.00
31	PRCS 25HNI	25	25 x 3m	-	75	50.00
32	PRCS 32H	32	50 x 3m	150	-	78.50
33	PRCS 32HNI	32	10 x 3m	-	30	78.50
34	PRCS 40H	40	25 x 3m	75	-	102.75
35	PRCS 40HNI	40	5 x 3m	-	15	102.75
36	PRCS 50H	50	20 x 3m	60	-	155.50
37	PRCS 50HNI	50	5 x 3m	-	15	155.50



ROUND CONDUIT PVC PIPES (SOCKETED)

FRLS | CE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
MMS (MEDIUM MECHANICAL STRESS)						
38	PFRL 20MS	20	50 X 3m	150	-	30.00
39	PFRL 20MSNI	20	50 X 3m	-	150	30.00
40	PFRL 25MS	25	50 X 3m	150	-	42.50
41	PFRL 25MSNI	25	50 X 3m	-	150	42.50
HMS (HEAVY MECHANICAL STRESS)						
42	PFRL 20HS	20	50 X 3m	150	-	41.00
43	PFRL 20HSNI	20	50 X 3m	-	150	41.00
44	PFRL 25HS	25	50 X 3m	150	-	52.50
45	PFRL 25HSNI	25	50 X 3m	-	150	52.50

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
# 46	PRCS19SPL	19x1mm	100 X 3m	300	-	18.50
# 47	PRCS19SPLNI	19x1mm	40 X 3m	-	120	18.50
# 48	PRCS20SPL	20x1mm	100 X 3m	300	-	20.50
# 49	PRCS20SPLNI	20x1mm	40 X 3m	-	120	20.50
# 50	PRCS25SPL	25x1mm	100 X 3m	300	-	25.25
# 51	PRCS25SPLNI	25x1mm	25 X 3m	-	75	25.25

Special Size

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000

CIRCULAR BOX WITHOUT LID



TERMINAL - 1 WAY CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
52	PRCB 191	19	20	600	20.50
53	PRCB 201	20	20	600	21.00
54	PRCB 251	25	15	450	26.25
55	PRCB 321	32	10	160	48.75
56	PRCB 401	40	10	160	58.75
57	PRCB 501	50	5	80	105.75



INTERSECTION - 4 WAY CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
76	PRCB 194	19	20	400	25.50
77	PRCB 204	20	20	400	26.00
78	PRCB 254	25	15	240	36.00
79	PRCB 324	32	10	160	55.50
80	PRCB 404	40	10	160	76.00
81	PRCB 504	50	5	80	134.25



ANGLE - 2 WAY CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
58	PRCB 192A	19	20	400	21.00
59	PRCB 202A	20	20	400	21.50
60	PRCB 252A	25	15	300	26.50
61	PRCB 322A	32	10	160	51.25
62	PRCB 402A	40	10	160	63.75
63	PRCB 502A	50	5	80	114.50



TERMINAL - 1 WAY DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
82	PRCB 191D	19	10	280	33.75
83	PRCB 201D	20	10	280	35.25
84	PRCB 251D	25	10	280	42.00
85	PRCB 321D	32	10	280	49.00



ANGLE - 2 WAY DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
86	PRCB 192AD	19	10	280	35.75
87	PRCB 202AD	20	10	280	36.25
88	PRCB 252AD	25	10	280	43.75
89	PRCB 322AD	32	10	220	53.00



THROUGH - 2 WAY CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
64	PRCB 192S	19	20	400	21.00
65	PRCB 202S	20	20	400	21.50
66	PRCB 252S	25	15	300	26.50
67	PRCB 322S	32	10	160	51.25
68	PRCB 402S	40	10	160	63.75
69	PRCB 502S	50	5	80	114.50



THROUGH - 2 WAY DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
90	PRCB 192SD	19	10	200	35.75
91	PRCB 202SD	20	10	200	36.25
92	PRCB 252SD	25	10	200	43.75
93	PRCB 322SD	32	10	200	53.00



TEE - 3 WAY CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
70	PRCB 193	19	20	400	23.50
71	PRCB 203	20	20	400	24.75
72	PRCB 253	25	15	300	31.75
73	PRCB 323	32	10	160	52.75
74	PRCB 403	40	10	160	67.00
75	PRCB 503	50	5	80	123.00



TEE - 3 WAY DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
94	PRCB 193D	19	10	220	40.25
95	PRCB 203D	20	10	220	41.00
96	PRCB 253D	25	10	220	51.25
97	PRCB 323D	32	10	160	56.75

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000

CIRCULAR BOX WITHOUT LID

IS:3419



1988



INTERSECTION - 4 WAY

DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
98	PRCB 194D	19	10	220	40.75
99	PRCB 204D	20	10	220	42.00
100	PRCB 254D	25	10	220	54.25
101	PRCB 324D	32	10	160	58.75

BRANCH - 2 WAY (U)

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
102	PRCB 19U	19	20	400	36.25
103	PRCB 20U	20	20	400	36.75
104	PRCB 25U	25	20	400	49.50

BRANCH - 3 WAY (Y)

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
105	PRCB 19Y	19	20	400	39.25
106	PRCB 20Y	20	20	320	41.00
107	PRCB 25Y	25	15	300	54.00

BRANCH - 4 WAY (H)

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
108	PRCB 19H	19	15	300	41.25
109	PRCB 20H	20	15	300	42.50
110	PRCB 25H	25	15	300	57.75

BACK OUTLET - 1 WAY

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
111	PRCB 201 BO	20	20	400	36.00
112	PRCB 251 BO	25	15	300	51.25

BACK OUTLET THROUGH - 2 WAY

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
113	PRCB 202S BO	20	20	400	36.50
114	PRCB 252S BO	25	15	300	54.00

BACK OUTLET ANGLE - 2 WAY

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
115	PRCB 202A BO	20	20	400	36.50
116	PRCB 252A BO	25	15	300	54.00

BACK OUTLET TEE - 3 WAY

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
117	PRCB 203 BO	20	20	400	41.00
118	PRCB 253 BO	25	15	300	58.25

WITH SCREW

CIRCULAR LID



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
»119	PRCL65	65	100	2000	6.75
120	PRCL80	80	100	2000	12.75
121	PRCL85	85	100	2000	12.75
122	PRCL90	90	100	1800	14.25
123	PRCL93	93	25	750	14.25
124	PRCL110	110	50	900	22.25

WITHOUT SCREW

CIRCULAR LID



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
»125	PRCL65WS	65	100	2000	5.50
126	PRCL80WS	80	100	2000	12.25
127	PRCL85WS	85	100	2000	12.25
128	PRCL90WS	90	100	1800	13.75
129	PRCL93WS	93	25	750	13.75
130	PRCL110WS	110	50	900	21.75

» 65 - For 19/20/25mm JB, DJB & 32 DJB ✕ 80 - For 32/40mm JB ~ 93 - For 50mm JB

CIRCULAR BOX WITH LID & SCREW

TERMINAL - 1 WAY

CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
131	PRCB 191L	19	20	600	28.00
132	PRCB 201L	20	20	600	28.50
133	PRCB 251L	25	15	450	34.00
134	PRCB 321L	32	10	160	62.50
135	PRCB 401L	40	10	160	72.25
136	PRCB 501L	50	5	80	121.00

Also available in Red and Green.

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000



ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
137	PRCB 192AL	19	20	400	28.50
138	PRCB 202AL	20	20	400	29.25
139	PRCB 252AL	25	15	300	34.25
140	PRCB 322AL	32	10	160	64.75
141	PRCB 402AL	40	10	160	77.50
142	PRCB 502AL	50	5	80	129.75

THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
143	PRCB 192SL	19	20	400	28.50
144	PRCB 202SL	20	20	400	29.25
145	PRCB 252SL	25	15	300	34.25
146	PRCB 322SL	32	10	160	64.75
147	PRCB 402SL	40	10	160	77.50
148	PRCB 502SL	50	5	80	129.75

TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
149	PRCB 193L	19	20	400	31.25
150	PRCB 203L	20	20	400	32.25
151	PRCB 253L	25	15	300	39.50
152	PRCB 323L	32	5	110	66.25
153	PRCB 403L	40	5	110	80.25
154	PRCB 503L	50	5	80	138.50

INTERSECTION - 4 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
155	PRCB 194L	19	20	320	33.00
156	PRCB 204L	20	20	320	33.75
157	PRCB 254L	25	15	240	43.75
158	PRCB 324L	32	5	110	69.25
159	PRCB 404L	40	5	110	89.50
160	PRCB 504L	50	5	80	149.50

DEEP CIRCULAR BOX WITH LID & SCREW



TERMINAL - 1 WAY DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
161	PRCB 191DL	19	10	280	41.25
162	PRCB 201DL	20	10	280	42.75
163	PRCB 251DL	25	10	280	50.00
164	PRCB 321DL	32	10	280	67.00

ANGLE - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
165	PRCB 192ADL	19	10	280	43.50
166	PRCB 202ADL	20	10	280	44.00
167	PRCB 252ADL	25	10	280	51.25
168	PRCB 322ADL	32	10	220	69.50

THROUGH - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
169	PRCB 192SDL	19	10	200	43.50
170	PRCB 202SDL	20	10	200	44.00
171	PRCB 252SDL	25	10	200	51.25
172	PRCB 322SDL	32	10	200	69.50

TEE - 3 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
173	PRCB 193DL	19	10	220	48.00
174	PRCB 203DL	20	10	220	48.75
175	PRCB 253DL	25	10	220	59.00
176	PRCB 323DL	32	10	160	70.75

INTERSECTION - 4 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
177	PRCB 194DL	19	10	220	48.50
178	PRCB 204DL	20	10	220	50.00
179	PRCB 254DL	25	10	220	62.00
180	PRCB 324DL	32	10	160	73.75

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000



BRANCH - 2 WAY (U) CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
181	PRCB 19UL	19	20	400	44.00
182	PRCB 20UL	20	20	400	44.50
183	PRCB 25UL	25	20	400	57.25



BRANCH - 3 WAY (Y) CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
184	PRCB 19YL	19	15	300	46.75
185	PRCB 20YL	20	20	320	48.75
186	PRCB 25YL	25	15	300	61.50



BRANCH - 4 WAY (H) CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
187	PRCB 19HL	19	15	300	49.00
188	PRCB 20HL	20	15	300	50.25
189	PRCB 25HL	25	15	300	65.25



BACK OUTLET - 1 WAY CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
190	PRCB 201 BOL	20	20	400	43.75
191	PRCB 251 BOL	25	15	300	59.00



BACK OUTLET THROUGH - 2 WAY CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
192	PRCB 202S BOL	20	15	300	44.25
193	PRCB 252S BOL	25	15	240	61.50



BACK OUTLET ANGLE - 2 WAY CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
194	PRCB 202A BOL	20	15	300	44.25
195	PRCB 252A BOL	25	15	240	61.50



BACK OUTLET TEE - 3 WAY CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
196	PRCB 203 BOL	20	15	300	48.75
197	PRCB 253 BOL	25	15	240	65.75

PP CIRCULAR BOX WITH LID & SCREW



INTERSECTION - 4 WAY (POLYPROPYLENE) CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
198	PPCB194L	19	20	320	38.00
199	PPCB254L	25	15	240	45.50

PP DEEP CIRCULAR BOX WITH LID & SCREW



INTERSECTION - 4 WAY (POLYPROPYLENE) DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
200	PPCB194DL	19	10	220	55.25
201	PPCB254DL	25	10	220	64.50



CIRCULAR EXTENSION RING

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
202	PRER 20	20	50	800	15.00
203	PRER 25	25	40	640	19.50



LOOP IN BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
204	PRLB 19	19 (4 punch)	20	400	21.25
205	PRLB 20	20 (4 punch)	20	400	21.25
206	PRLB 25	25 (2 punch)	20	400	21.25

Also available in Black, Grey and Ivory.

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000



LOOP IN BOX EXTENSION

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
207	PRLB 20E	20	24	384	32.00



COUPLER

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
208	PCR 19	19	100	2000	6.00
209	PCR 20	20	100	2000	6.75
210	PCR 20 L	20 Long	150	2400	7.00
211	PCR 25	25	100	2000	8.75
212	PCR 32	32	60	960	15.25
213	PCR 40	40	30	480	25.75
214	PCR 50	50	20	320	44.00



(PIPE TO FITTING)

REDUCER COUPLER

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
215	PRR1	25>20	250	4000	8.75



(PIPE TO PIPE)

REDUCER COUPLER

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
216	PRR 2520	25 > 20	70	1400	8.75
217	PRR 3220	32 > 20	60	1200	11.25
218	PRR 3225	32 > 25	40	800	15.25
219	PRR 4020	40 > 20	48	960	19.50
220	PRR 4032	40 > 32	32	640	21.25
221	PRR 5032	50 > 32	30	480	25.50
222	PRR 5040	50 > 40	30	480	25.75



SLIP TYPE BEND

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
223	PRBN 19	19	65	1040	9.50
224	PRBN 20	20	65	1040	10.25
225	PRBN 25	25	35	560	16.25
226	PRBN 32	32	20	320	46.50
227	PRBN 40	40	10	160	119.00
228	PRBN 50	50	5	80	164.00

SLIP TYPE LONG BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
229	PRBL 20	20	45	720	15.25
230	PRBL 25	25	20	320	25.00
231	PRBL 32	32	10	160	66.00
232	PRBL 40	40	-	80	151.75
233	PRBL 50	50	-	55	237.75



SPACE BAR SADDLE

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
234	PRBS 19	19	100	2000	8.25
235	PRBS 20	20	100	2000	8.75
236	PRBS 25	25	100	2000	10.75
237	PRBS 32	32	100	1600	18.00
238	PRBS 40	40	80	1280	20.25
239	PRBS 50	50	60	960	24.25
240	PRBS 63	63	-	50	31.25



SADDLE STRAP

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
241	PRSS 19	19	100	2000	5.25
242	PRSS 20	20	100	2000	5.50
243	PRSS 25	25	100	2000	7.00
244	PRSS 32	32	100	1600	8.25
245	PRSS 40	40	80	1280	10.75
246	PRSS 50	50	60	960	14.00

(POLYPROPYLENE)

SELF LOCKING SADDLE CLIP



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
247	PPSC20SL	20	75	450	6.50
248	PPSC25SL	25	50	300	8.25



ROUND 'U' CLIP

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
249	PRUC 20	20	200	4000	9.00
250	PRUC 25	25	100	3000	14.00

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000



END CAP

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
251	PREC 20	20	150	3000	3.50
252	PREC 25	25	100	2000	6.00
253	PREC 32	32	70	1400	7.00
254	PREC 40	40	32	640	13.25
255	PREC 50	50	24	480	18.75



MALE BUSH ADAPTOR

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
256	PMBA 19	19	100	2000	8.75
257	PMBA 20	20	100	2000	9.50
258	PMBA 25	25	100	2000	11.25



FEMALE BUSH ADAPTOR

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
259	PFBA 19	19	100	2000	8.75
260	PFBA 20	20	100	2000	9.50
261	PFBA 25	25	100	2000	12.00
262	PFBA 32	32	75	1200	18.00
263	PFBA 40	40	50	800	24.50
264	PFBA 50	50	25	400	40.75



ROUND ELBOW

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
265	PRE 20	20	125	2500	8.75
266	PRE 25	25	75	1200	12.00
267	PRE 32	32	20	400	16.50
268	PRE 40	40	15	300	25.25
269	PRE 50	50	10	200	40.50



ROUND TEE

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
270	PRT 20	20	50	1500	14.25
271	PRT 25	25	50	800	17.75
272	PRT 32	32	15	300	20.25
273	PRT 40	40	10	200	30.00
274	PRT 50	50	10	160	47.25



INSPECTION ELBOW

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
275	PIE 20	20	20	600	36.75
276	PIE 25	25	20	400	45.75



INSPECTION TEE

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
277	PIT 20	20	20	600	36.25
278	PIT 25	25	20	400	54.00



INSPECTION BEND

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
279	PIB 20	20	20	600	36.50
280	PIB 25	25	20	400	53.50



ADAPTABLE BOX WITH LID

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
281	PAB 75L	3" x 3" x 2"	10	200	78.50
		75x75x50			
282	PAB 110L	4" x 4" x 3"	-	100	153.50
		110x110x75			
283	PAB 160L	6" x 4" x 3"	-	75	310.00
		160x110x75			
284	PAB 160SL	6" x 6" x 3"	-	50	339.25
		160x160x75			
285	PAB 225SL	9" x 9" x 3"	-	20	734.25
		225x225x75			

△ 32/38/40mm Knockout Available ◇ 50mm Knockout Available



(WHITE)

SURFACE SWITCH BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
286	PSB1	3" x 3"	10	300	49.25
287	PSB2	6" x 3"	10	200	84.00

✱ 20mm Knockout Available

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000



(WHITE)

SWITCH BOX LID



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
288	PSBL1 LID	3" x 3"	40	1200	21.50
289	PSBL2 LID	6" x 3"	25	750	29.25

(SWITCH BOX)

FLUSH MOUNTED



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
290	PFSB1	3"x3"x2"	10	200	55.50
291	PFSB2	6"x3"x2"	10	160	74.50

20/25mm Knockout Available

(BLACK)

FAN BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
292	PRFB20	20 Standard	10	220	58.75
293	PRFB25	25 Standard	10	220	58.75
294	PRFB20SL	20 Large	10	140	79.50
295	PRFB25SL	25 Large	10	140	79.50
296	PRFBRD2025	20/25 with Rod	1	28	234.50
297	PRFBRD25	25 with Rod	1	28	234.50



METAL FAN BOX WITH ROD (BROWN)

HSN : 73072900



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
298	PMFB 2025	20/25	2	40	160.75

25mm Four Sockets & 20mm Three Knockouts

METAL FAN BOX WITH ROD (BROWN)

HSN : 73072900



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
299	PMFB 2525	25/25	2	40	147.50

25mm Seven Knockouts

PVC

SOLVENT CEMENT

HSN: 35061000



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK			RATE Pc
		(ml)	Colour	Pc./Box	Pc./Carton	
300	PSC100 ML	100ml	Transparent	24	144	79.75
301	PSC250 ML	250ml	Transparent	24	96	143.75
302	PSC500 ML	500ml	Transparent	12	48	243.75
303	PSC1L	1L	Transparent	6	24	419.25
304	PSC5L	5L	Transparent	-	6	1740.00

PVC ELECTRICAL INSULATION TAPE

HSN : 85469090



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		W(mm)xL(Mtr)	Pc./Box	Pc./Carton	
305	PPIT 18	18 x 6	30	540	13.00

BENDING SPRING

HSN : 73201019




SR. NO.	PRODUCT CODE	SIZE OD (mm)	COLOUR	STANDARD PACK		RATE Pc
				Pc/Bag	Pc/Carton	
LIGHT GAUGE						
306	PBS20L	20	Black	10	50	265.00
307	PBS25L	25	Black	5	30	351.50
MEDIUM GAUGE						
308	PBS20M	20	Silver	10	50	265.00
309	PBS25M	25	Silver	5	30	351.50
HEAVY GAUGE						
310	PBS20H	20	Gold	10	50	265.00
311	PBS25H	25	Gold	5	30	351.50

Suitable for 19mm LMS and 19mm MMS conduits also.

ALL WEATHER BOXES

Precision All Weather Boxes are manufactured from high quality impact resistant Engineering Thermoplastics (Polycarbonate / ABS). The material itself is self-extinguishing and our specially developed formulation gives it special ability to withstand high temperatures. The product passes stringent IP 67 standard requirements which makes it suitable to use indoor and outdoor in harsh environment. Our specially made design gives it highest level of safety from unwanted ingress of oil / water / any other solid waste.



Applications

Enclosure boxes for electrical installations
Suitable for Outdoor / Indoor environment

Features

- IP 67 compliance, suitable for Outdoor Installations (CIPET tested)
- Specially formulated Engineering Thermoplastic (Polycarbonate / ABS) gives temperature protection ranging from -40°C to $+90^{\circ}\text{C}$
- Weatherproof, Dust proof and Impact resistant
- Transparent lids ensure enhanced visibility
- Innovative design makes compatible for various types of Switchgears / Electrical components
- Body part with adequate molded markings for easy cable entry location from all sides
- Various sizes available as per individual choice
- Screws supplied are made up of anti-rust SS / Engineering Plastic for corrosion free working and durability as well



ALL WEATHER BOXES

IP 67 HSN: 85381010



ALL WEATHER BOXES OPAQUE LID WITH KNOCKOUT (ABS)

Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
312	PAB 8888OL	88 x 88 x 53	27	222.25
313	PAB 9898OL	98 x 98 x 61	24	245.25
314	PAB 139119OL	139 x 119 x 70	10	239.75
315	PAB 167125OL	167 x 125 x 82	12	295.75
316	PAB 200160OL	200 x 160 x 98	8	464.25

ALL WEATHER BOXES OPAQUE LID WITHOUT KNOCKOUT (ABS)

Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
317	PAB 8383OL	83 x 83 x 65	21	212.75
318	PAB 100100OL	100 x 100 x 65	21	246.50
319	PAB 13080OL	130 x 80 x 65	16	282.75
320	PAB 130130OL	130 x 130 x 80	16	415.50
321	PAB 18080OL	180 x 80 x 90	12	342.25
322	PAB 1801OL	180 x 130 x 75	16	462.50
323	PAB 1802OL	180 x 130 x 100	12	470.25
324	PAB 180180OL	180 x 180 x 100	20	601.75
325	PAB 210190OL	210 x 190 x 100	6	693.25
326	PAB 27080OL	270 x 80 x 90	12	418.25
327	PAB 280190OL	280 x 190 x 130	4	855.50
328	PAB 280280OL	280 x 280 x 130	2	1201.25
329	PAB 380190OL	380 x 190 x 130	3	1107.25
330	PAB 380280OL	380 x 280 x 130	2	1571.00
331	PAB 560380OL	560 x 380 x 180	2	3648.75

ALL WEATHER BOXES TRANSPARENT LID WITHOUT KNOCKOUT (ABS)

Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
332	PAB 18080TL	180 x 80 x 90	12	394.25
333	PAB 27080TL	270 x 80 x 90	12	489.25
334	PAB 180130TL	180 x 130 x 100	12	479.50
335	PAB 180180TL	180 x 180 x 100	20	618.50
336	PAB 210190TL	210 x 190 x 100	6	720.75
337	PAB 280190TL	280 x 190 x 130	4	930.00
338	PAB 280280TL	280 x 280 x 130	2	1257.75
339	PAB 380190TL	380 x 190 x 130	3	1262.25
340	PAB 380280TL	380 x 280 x 130	2	1827.25
341	PAB 560380TL	560 x 380 x 180	2	4153.50

PG GLANDS (PP)

Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
342	PPPG 7GL	7	600	4.75
343	PPPG 9GL	9	320	6.25
344	PPPG 11GL	11	240	6.75
345	PPPG 13.5GL	13.5	300	6.00
346	PPPG 16GL	16	240	7.00
347	PPPG 19GL	19	180	9.75
348	PPPG 21GL	21	120	11.25
349	PPPG 25GL	25	120	14.25



G.I & M.S. CONDUIT PIPES & FITTINGS

Precision G.I & M.S. Conduit Pipes are manufactured from rigorously tested raw material, in accordance with IS 9537 Part- 2. G.I. Conduit Pipes are coated at a hot dipped galvanising plant in which iron or steel is coated with a layer of zinc. This coating makes the conduit safe and durable for industrial installations, coastal line atmosphere & thermal power stations. M.S. Conduit Pipes are treated and coated with paint.

Applications

Channelising electrical surface wiring and cable ducting

DIMENSIONS OF G.I. & M.S. CONDUIT PIPES

Nominal Size (mm)	Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Wall Thickness (mm)	Wall Thickness Tolerance (mm)
20	20	0 -0.3	1.4 - 1.6	±0.2
25	25	0 -0.4	1.4 - 1.6	±0.2
32	32	0 -0.4	1.4 - 1.6	±0.2
40	40	0 -0.4	1.6 - 2.0	+0.2 - 0.4
50	50	0 -0.5	1.6 - 2.0	+0.2 - 0.4

Features



Anti - Rust Coat



Good Finish



Easy to Cut



High Resistance
to Corrosion



G.I. & M.S. CONDUIT PIPES

HSN: 73069090



COLOUR : SILVER

G.I. CONDUIT PIPES



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc./Mtr	Mtr./Bdl.	
350	PGIC 20	20	26 x 3m	78	265.00
351	PGIC 25	25	21 x 3m	63	320.00
352	PGIC 32	32	16 x 3m	48	490.00
353	PGIC 40	40	10 x 3m	30	760.00
354	PGIC 50	50	5 x 3m	15	860.00

COLOUR : BLACK

M.S. CONDUIT PIPES



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc./Mtr	Mtr./Bdl.	
355	PMSC 20	20	26 x 3m	78	170.00
356	PMSC 25	25	21 x 3m	63	210.00
357	PMSC 32	32	16 x 3m	48	300.00
358	PMSC 40	40	10 x 3m	30	500.00
359	PMSC 50	50	5 x 3m	15	650.00

G.I. & M.S. CONDUIT PIPE FITTINGS

HSN: 73269099

CIRCULAR BOX WITH LID AND SCREW



TERMINAL - 1 WAY (SCREW TYPE)

G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
360	PGIB 201	20	20	200	71.00
361	PGIB 251	25	20	200	72.50

THROUGH - 2 WAY (SCREW TYPE)

M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
366	PMSB 202S	20	20	200	64.25
367	PMSB 252S	25	20	200	67.00

TERMINAL - 1 WAY (SCREW TYPE)

M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
362	PMSB 201	20	20	200	64.25
363	PMSB 251	25	20	200	67.00

TEE - 3 WAY (SCREW TYPE)

G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
368	PGIB 203	20	20	200	71.00
369	PGIB 253	25	20	200	72.50

THROUGH - 2 WAY (SCREW TYPE)

G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
364	PGIB 202S	20	20	200	71.00
365	PGIB 252S	25	20	200	72.50

TEE - 3 WAY (SCREW TYPE)

M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
370	PMSB 203	20	20	200	64.25
371	PMSB 253	25	20	200	67.00

G.I. & M.S. CONDUIT PIPE FITTINGS

HSN: 73269099

CIRCULAR BOX WITH LID AND SCREW



INTERSECTION - 4 WAY
(SCREW TYPE)

G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
372	PGIB 204	20	20	200	71.00
373	PGIB 254	25	20	200	72.50

SCREW TYPE

M.S. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
378	PMS 20IBS	20	20	200	61.50
379	PMS 25IBS	25	20	200	64.50

INTERSECTION - 4 WAY
(SCREW TYPE)

M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
374	PMSB 204	20	20	200	64.25
375	PMSB 254	25	20	200	67.00

SCREW TYPE

M.S.NORMAL BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
380	PMS 20NBS	20	12	144	61.25
381	PMS 25NBS	25	12	144	69.00

SCREW TYPE

G.I. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
376	PGI 20IBS	20	20	200	67.75
377	PGI 25IBS	25	20	200	68.75

SCREW TYPE

G.I.NORMAL BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
382	PGI 20NBS	20	12	144	69.50
383	PGI 25NBS	25	12	144	72.75

PVC MINI/MAXI TRUNKING PROFILE & FITTINGS

Precision PVC Mini/Maxi Trunking Profile & Fittings

are manufactured from high impact polyvinyl chloride (PVC) grade material capable of withstanding the most hazardous conditions on-site and exceeds the most stringent requirements of Indian and International standards

The product range brings a whole new world of sophistication and convenience to home, office and commercial establishments and is in accordance with Indian Standard IS 14927 - Part 2 and BS EN 50085 -2-1. Mini Trunking Profile are also available with self-fixing tape for instant and easy installation. Clip on lid provides security while allowing easy maintenance

Precision PVC Maxi Trunking Profile Cable Management System is designed for convenience and safety with compartments for separate wiring applications. Maxi Trunking Profile Fittings are available in moulded and fabricated form, thus adding a sleek touch to your interiors

Applications

To organize and protect cables on surface

Features



Easy and Quick
Installation



Secure &
Elegant Look



Fire Retardant



Various Diameters
& Grades



Durable & Impact
Resistant



Thermal Resistant
(-5° C to +60° C)



PVC MINI / MAXI TRUNKING PROFILE

HSN: 39162019



IVORY/WHITE

PVC MINI TRUNKING PROFILE



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
384	PT2012	20 x 12	100 x 2m	200	24.75
385	PT2512	25 x 12	100 x 2m	200	29.25
386	PT3015	30 x 15	100 x 2m	200	31.25
387	PT3212	32 x 12	100 x 2m	200	36.50
388	PT 3212SPL	32 x 12	100 x 2m	200	30.25
389	PT1616	16 x 16	100 x 2m	200	23.75
390	PT2516	25 x 16	100 x 2m	200	35.25
391	PT 2516SPL	25 x 16	100 x 2m	200	29.25
392	PT3216	32 x 16	100 x 2m	200	32.50
393	PT3816	38 x 16	50 x 2m	100	56.75
394	PT3825	38 x 25	50 x 2m	100	64.25
395	PT3838	38 x 38	25 x 2m	50	85.25
396	PT5016	50 x 16	50 x 2m	100	98.25

WHITE

PVC MAXI TRUNKING PROFILE



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
397	PT5050	50 x 50	20 x 2m	40	166.00
398	PT7550	75 x 50	12 x 2m	24	401.00
399	PT7575	75 x 75	9 x 2m	18	524.75
400	PT10050	100 x 50	10 x 2m	20	653.75
401	PT100100	100 x 100	6 x 2m	12	838.00
402	PT15050	150 x 50	5 x 2m	10	994.50
403	PT150100	150 x 100	4 x 2m	8	1209.75

PVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN: 39174000



COUPLER



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
404	PTC 2012	20 x 12	100	3.50
405	PTC 2512	25 x 12	100	3.25
406	PTC 3212	32 x 12	100	3.25
407	PTC 1616	16 x 16	100	3.50
408	PTC 3816	38 x 16	50	6.00
409	PTC 3825	38 x 25	50	7.00

TEE



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
416	PTT 2012	20 x 12	100	6.00
417	PTT 2512	25 x 12	50	5.50
418	PTT 3212	32 x 12	50	7.00
419	PTT 1616	16 x 16	100	6.00
420	PTT 3816	38 x 16	50	8.50
421	PTT 3825	38 x 25	50	10.25

ELBOW



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
410	PTB 2012	20 x 12	100	5.50
411	PTB 2512	25 x 12	100	3.50
412	PTB 3212	32 x 12	100	6.00
413	PTB 1616	16 x 16	100	3.50
414	PTB 3816	38 x 16	100	7.00
415	PTB 3825	38 x 25	100	8.75

INTERNAL BEND



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
422	PTI 2512	25 x 12	100	2.50
423	PTI 3212	32 x 12	100	3.50
424	PTI 1616	16 x 16	100	3.50
425	PTI 3816	38 x 16	100	6.00
426	PTI 3825	38 x 25	50	7.50

PVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN: 39174000



EXTERNAL BEND

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
427	PTE 2512	25 x 12	100	3.25
428	PTE 3212	32 x 12	100	5.50
429	PTE 1616	16 x 16	100	6.00
430	PTE 3816	38 x 16	100	7.00
431	PTE 3825	38 x 25	50	10.50



4 - WAY

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
432	PTW3212	32 x 12	50	11.25

(POLY PROPYLENE)

JUNCTION LINKER



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
433	PTJL7575	Standard	35	560	17.75

TRUNKING KNOCKOUT SURFACE SWITCH BOX



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
\$ 434	PTSB1	3"x3" (W)	10	300	48.75
\$ 435	PTSB2	6"x3" (W)	10	200	81.00

\$ 16 x 16, 25 x 16 Knockout Available

(W) - White

PVC MINI / MAXI TRUNKING PROFILE FITTINGS (FABRICATED)

HSN: 39174000



ELBOW

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
436	PMTL50	50 x 50	5	95.50
437	PMTL751	75 x 50	5	228.25
438	PMTL752	75 x 75	5	272.50
439	PMTL1001	100 x 50	5	367.50
440	PMTL1002	100 x 100	5	390.50
441	PMTL1501	150 x 50	5	368.75



TEE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
442	PMTT50	50 x 50	5	134.25
443	PMTT751	75 x 50	5	228.25
444	PMTT752	75 x 75	5	272.50
445	PMTT1001	100 x 50	5	282.50
446	PMTT1002	100 x 100	5	390.50
447	PMTT1501	150 x 50	5	368.75



INTERNAL ANGLE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
448	PMTI50	50 x 50	5	95.50
449	PMTI751	75 x 50	5	228.25
450	PMTI752	75 x 75	5	272.50
451	PMTI1001	100 x 50	5	362.50
452	PMTI1002	100 x 100	5	390.50
453	PMTI1501	150 x 50	5	368.75



EXTERNAL ANGLE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
454	PMTE50	50 x 50	5	95.50
455	PMTE751	75 x 50	5	228.25
456	PMTE752	75 x 75	5	272.50
457	PMTE1001	100 x 50	5	362.50
458	PMTE1002	100 x 100	5	390.50
459	PMTE1501	150 x 50	5	368.75



END CAP

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
460	PFTC50	50 x 50	5	27.25
461	PFTC751	75 x 50	5	37.25
462	PFTC752	75 x 75	5	43.25
463	PFTC1001	100 x 50	5	55.25
464	PFTC1002	100 x 100	5	90.50
465	PFTC1501	150 x 50	5	99.75

PVC PANEL TRUNKING

Precision PVC Panel Trunking is manufactured from high impact polyvinyl chloride (PVC) to ensure panel & machinery safety in extreme conditions. These trunkings are ideal to channelise medium, big size panels & various applications where economy, space saving, safety and durability are paramount.

Applications

To conduct, organise and protect cables inside electrical and telecommunication panels, industrial machinery wiring, computer LAN wiring and data centers

Features



Fire Retardant



Thermal Resistant
(-5° C to +60° C)



High Tensile Strength
(390kg/cm²)

- Non - brittle, wrap proof
- Vertical slides and detachable strips facilitates systematic wiring, permits faster connections, additions and fault tracing of wires
- Avoids bunching, taping and provides complete electrical insulation
- Unique cover locking design prevents popping of wires while removing cover
- Elongated slots at bottom allows flexible mounting.



GREY

PVC PANEL TRUNKING


HSN: 85381010

≈ FRLS | C E



STANDARD SLOT

PVC PANEL TRUNKING



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		H x W(mm)	Pc/Mtr	Mtr/Carton	
466	PPT1515	15 x 15	200 x 1m	200	54.50
467	PPT2525	25 x 25	130 x 1m	130	82.50
468	PPT3025	30 x 25	125 x 1m	125	87.75
469	PPT4525	45 x 25	90 x 1m	90	108.25
470	PPT4545	45 x 45	50 x 1m	50	149.00
471	PPT4560	45 x 60	50 x 1m	50	193.00
472	PPT6025	60 x 25	70 x 1m	70	138.25
473	PPT6040	60 x 40	60 x 1m	60	173.00
474	PPT6045	60 x 45	50 x 1m	50	174.25
475	PPT6060	60 x 60	40 x 1m	40	218.25
476	PPT7525	75 x 25	60 x 1m	60	175.50
477	PPT7575	75 x 75	30 x 1m	30	320.50
478	PPT10075	100 x 75	24 x 1m	24	527.00
479	PPT100100	100 x 100	16 x 1m	16	623.25

THIN SLOT

PVC PANEL TRUNKING



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		H x W(mm)	Pc/Mtr	Mtr/Carton	
480	PPT3025TS	30 x 25	125 x 1m	125	92.00
481	PPT4525TS	45 x 25	90 x 1m	90	112.75
482	PPT4545TS	45 x 45	50 x 1m	50	158.25
483	PPT4560TS	45 x 60	50 x 1m	50	195.75
484	PPT6025TS	60 x 25	70 x 1m	70	148.00
485	PPT6040TS	60 x 40	60 x 1m	60	181.75
486	PPT6045TS	60 x 45	50 x 1m	50	183.00
487	PPT6060TS	60 x 60	40 x 1m	40	230.50

TOP COVER

PVC PANEL TRUNKING



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		(mm)	Pc/Mtr	Mtr/Carton	
488	PPT25T	25	100 x 1m	100	34.25
489	PPT40T	40	50 x 1m	50	55.50
490	PPT45T	45	50 x 1m	50	59.25
491	PPT60T	60	50 x 1m	50	90.75
492	PPT75T	75	25 x 1m	25	92.00
493	PPT100T	100	25 x 1m	25	147.00

≈ FRLS: Fire Retardant - Low Smoke

CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

Precision Corrugated Flexible Conduit Pipes & Fittings

come in a wide and comprehensive range of material variants to suit a variety of applications. These conduits are manufactured in variants based on the final application for wiring purposes.

Polypropylene Flexible Conduits are the best solution for applications where resistance to constant flexing and vibration is essential, these conduits display excellent flexibility. Moreover, they are light weight and easy to install which makes them very popular. Temperature resistant from -5°C to $+90^{\circ}\text{C}$.

Steel Wire Reinforced Flexible PVC

Conduits are manufactured with soft polyvinyl chloride (PVC) wall fused to high tensile steel wire in a coiled state. These conduits are unaffected by inorganic acid, alkali & saline water. Most suitable for electrical wiring in buildings, switch boards, panels, machinery, dust collectors, air dusting, exhaust of fumes, shrouds of railway coach wiring and hospital equipments. Temperature resistant from -5°C to $+90^{\circ}\text{C}$.

Galvanised Steel Flexible Conduit

Precision Steel Flexible Conduit Pipes are made from galvanised steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in galvanized zinc coating with spiral corrugated pattern finished surface. Mostly used as low pressure hose in Industrial domestic air conditioning, ventilation systems and as mechanical protection for insulated electrical cables & wires which may be exposed to atmospheric conditions

Galvanised Steel Flexible Conduit With PVC Coating

Precision PVC Coated Steel Flexible Conduit Pipes are made from galvanized steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in poly vinyl coating. They are available in black/grey colour with spiral corrugated pattern finished surface. Most suitable for mechanical protection of cable and wire in tunnels, hospitals, high-rise office blocks and public buildings.



Fire Retardant



Corrosion Free



CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

HSN: 39173100



DIMENSIONS OF CORRUGATED FLEXIBLE CONDUITS

Nominal Diameter (mm)	Maximum Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Minimum Inside Diameter (mm)
10	10	- 0.1	7.0
16	16	- 0.3	10.7
20	20	- 0.3	14.1
25	25	- 0.4	18.3
32	32	- 0.4	24.3
40	40	- 0.4	31.2
50	50	- 0.5	39.6
63	63	- 0.6	52.6

(PP) POLY PROPYLENE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Mtr./Coil	Mtr./Bag	
494	PCFC 10	10	100	1000	13.00
495	PCFC 16	16	50	500	13.00
496	PCFC 20	20	50	500	17.75
497	PCFC 25	25	25	250	25.50
498	PCFC 32	32	25	250	43.25
499	PCFC 40	40	20	100	60.00
500	PCFC 50	50	15	75	89.50
501	PCFC 63	63	10	50	138.50

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES

Nominal Size (mm)	Nominal Size (inch)	OD (mm)	ID (mm)	BENDING radius/mm
16	1/2"	15.5	12.5	40
20	3/4"	22.5	19.5	55
25	1"	28	25.0	60
32	1 1/4"	35.0	32.0	70
40	1 1/2"	42.0	38.0	80
50	2"	54.0	50.0	90

*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm




SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Mtr./Coil	Mtr./Bag	
502	PCCL 10	10	100	1000	19.25
503	PCCL 16	16	50	500	21.00
504	PCCL 20	20	50	500	29.00
505	PCCL 25	25	25	250	39.00
506	PCCL 32	32	25	250	64.00
507	PCCL 40	40	20	100	76.00
508	PCCL 50	50	15	75	104.25
509	PCCL 63	63	10	50	162.50

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES WITH PVC COATING

Nominal Size (mm)	Nominal Size (inch)	OD (mm)	ID (mm)	BENDING radius/mm
16	1/2"	16.5	12.5	40
20	3/4"	23.5	19.5	55
25	1"	29	25.0	60
32	1 1/4"	36.5	32.0	70
40	1 1/2"	44.0	38.0	80
50	2"	57.0	51.0	90

*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm



CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

CORRUGATED FLEXIBLE CONDUIT GLAND

HSN : 39174000

BLACK

GREY



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
510	PFAG 16	16	125	2250	5.75
511	PFAG 20	20	75	1350	7.75
512	PFAG 25	25	50	900	10.25
513	PFAG 32	32	30	540	12.25
514	PFAG 40	40	20	360	18.00
515	PFAG 50	50	5	150	24.25

GALVANIZED STEEL FLEXIBLE CONDUIT PIPE

HSN : 83071000

SILVER



SR. NO.	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (Inch)	STANDARD PACK		RATE
				Mtr./Coil	Mtr./Bag	(Mtr)
531	PGIFC 16	16	1/2"	15	210	52.25
532	PGIFC 20	20	3/4"	15	150	69.75
533	PGIFC 25	25	1"	15	105	106.75
534	PGIFC 32	32	1 1/4"	15	75	127.25
535	PGIFC 40	40	1 1/2"	15	75	142.75
536	PGIFC 50	50	2"	10	50	212.25

STEEL WIRE REINFORCED FLEXIBLE PVC CONDUIT PIPE

HSN : 39172190

GREY



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		ID (mm)	Mtr./Coil	Mtr./Bag	(Mtr)
516	PCWR 10	10	30	300	50.00
517	PCWR 16	16	30	300	65.50
518	PCWR 20	20	30	240	84.75
519	PCWR 25	25	30	210	104.00
520	PCWR 30	30	30	150	134.75
521	PCWR 40	40	30	120	155.75
522	PCWR 50	50	30	90	186.50
523	PCWR 60	60	15	75	261.50

GALVANIZED STEEL FLEXIBLE CONDUIT WITH PVC COATING

HSN : 83071000

BLACK



SR. NO.	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (Inch)	STANDARD PACK		RATE
				Mtr./Coil	Mtr./Bag	(Mtr)
537	PGIFCP 16	16	1/2"	50	250	80.00
538	PGIFCP20	20	3/4"	25	150	107.00
539	PGIFCP 25	25	1"	25	125	162.50
540	PGIFCP 32	32	1 1/4"	15	75	193.50
541	PGIFCP 40	40	1 1/2"	15	75	228.00
542	PGIFCP 50	50	2"	15	60	324.25

STEEL WIRE REINFORCED FLEXIBLE PVC CONDUIT GLAND

HSN : 39174000

GREY



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
524	PFRG 10	10	75	1350	10.25
525	PFRG 16	16	60	1080	11.50
526	PFRG 20	20	45	810	14.50
527	PFRG 25	25	30	540	19.00
528	PFRG 30	30	20	360	23.75
529	PFRG 40	40	15	270	31.50
530	PFRG 50	50	5	150	45.25

CABLE TIES

Precision Cable Ties are manufactured primarily from high-strength nylon, engineered fastening devices designed to securely bundle and organize cables, wires, and other components. Ties feature ratcheting mechanism that allows the strap to lock in place, providing a reliable and tamper - resistant hold. Precision Cables ties are available in various lengths, tensile strength ranges from 78N to 530N depending on size and width. Precision ties are widely used across electrical, automotive, aerospace, and industrial applications.



Applications

Industrial & Manufacturing Securing components during assembly or transit bundling wires, hoses and tubing Automotive Organizing engine bay wiring , Fastening brake lines or fuel hoses Aerospace managing miles of cabling in aircraft Electronics & IT cable management in server racks and data centers.

STANDARD DIMENSIONS & SPECIFICATIONS OF CABLE TIES

Size (mm)	Length (mm)	Thickness (mm)	Tensile Strength			Bundle Diameter	
			Kg.	LBS	Newton	Min.	Max.
100 x 2.5	100	0.95	8	18	78	2	22
150 x 3.0	150	1.1	14	31	137	4	37
150 x 3.6	150	1.1	18	40	177	4	38
200 x 3.6	200	1.15	18	40	177	4	53
200 x 4.8	200	1.15	22	49	216	4	51
250 x 3.6	250	1.15	18	40	177	4	70
250 x 4.8	250	1.4	22	49	216	4	68
300 x 3.6	300	1.15	18	40	177	4	85
350 x 3.6	350	1.3	18	40	177	4	101
350 x 4.8	350	1.3	22	49	216	4	96
400 x 4.8	400	1.3	22	49	216	4	110
400 x 7.6	400	1.5	54	119	530	4	112
450 x 4.8	450	1.3	22	49	216	4	130
500 x 4.8	500	1.4	22	49	216	4	147
100 x 1.8	100	0.9	8	18	78	2	24
300 x 4.8	300	1.23	22	49	216	4	82

* **Tolerance:** Length: 5.0 mm | Width: 0.5 mm | Thickness: 0.2 mm

Features

Precision Cable ties are high mechanical strength and durable Self - locking mechanism easy to use, secure grip Tensile Strenth ranges from 78N to 530N Flame - retardant : UL94 V2/ROHS compliance.



Fire Retardant



Good Finish



Durable & Impact
Resistant



Easy and Quick
Installation

CABLE TIES

HSN: 39173100



CABLE TIES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK			RATE
		OD (mm)	Pc./Bag	Bag/Carton	Total Pc. Per Carton	PC
543	PCT 100 2.5	100 x 2.5	1000	100	1,00,000	0.50
544	PCT 1002.5 1	100 x 2.5	100	600	60,000	0.75
545	PCT 150 3.0	150 x 3.0	100	420	42,000	1.00
546	PCT 150 3.6	150 x 3.6	100	300	30,000	1.00
547	PCT 200 3.6	200 x 3.6	100	250	25,000	1.50
548	PCT 200 4.8	200 x 4.8	100	200	20,000	1.25
549	PCT 250 3.6	250 x 3.6	100	200	20,000	1.75
550	PCT 250 4.8	250 x 4.8	100	140	14,000	1.50
551	PCT 300 3.6	300 x 3.6	100	190	19,000	1.75
552	PCT 350 3.6	350 x 3.6	100	150	15,000	2.50
553	PCT 350 4.8	350 x 4.8	100	100	10,000	2.75
554	PCT 400 4.8	400 x 4.8	100	100	10,000	5.25
555	PCT 400 7.6	400 x 7.6	100	50	5,000	3.25
556	PCT 450 4.8	450 x 4.8	100	90	9,000	3.75
557	PCT 500 4.8	500 x 4.8	100	60	6,000	0.50
558	PCT 100 1.8	100 x 1.8	1000	120	1,20,000	0.50
559	PCT 1001.8 1	100 x 1.8	100	800	80,000	0.50
560	PCT 300 4.8	300 x 4.8	100	120	12,000	2.25



(Black / White)



electrical@precisionpipes.com
www.precisionpipes.com

We Care +91 77150 00015

PRECISION PLASTIC INDUSTRIES PVT. LTD.

19/D, Nand Jyot Industrial Estate, Safed Pool, Andheri - Kurla Road,
Andheri East, Mumbai 400 072, Maharashtra, India.