

**RR KABEL LIMITED**

RRKL/CU-ARM-UAR/LP/05/26

w.e.f. 2nd May, 2026

**PRICE LIST**

**POWER CABLES (COPPER ARMoured / UNARMoured)**

RR KABEL make Power/Control Cables, Solid Copper Conductor upto 6.0 Sq.mm balance Stranded, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 10Cx1.5 sq.mm, 8Cx2.5 sq.mm, 2Cx10.0 sq.mm, 3Cx10.0 Sq.mm, 4Cx6.0 Sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN CODE : 8544)

**Rate Per Meter (INR)**

<b>( UNARMoured CABLES ) ( 2XY )</b>						<b>( ARMoured CABLES ) ( 2XWY / 2XFY )</b>					
No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5
2	193	293	14	1098	1883	2	251	353	14	1179	1947
3	263	415	16	1301	2145	3	319	469	16	1348	2201
4	346	552	19	1546	2537	4	401	605	19	1598	2586
5	451	693	24	1930	3206	5	510	751	24	1999	3258
6	538	813	27	2162	3577	6	616	881	27	2266	3712
7	574	961	30	2566	4240	7	641	1024	30	2526	4464
8	654	1110	37	3325	5085	8	729	1181	37	3277	5214
10	832	1344	44	3888	6061	10	913	1403	44	3827	6090
12	949	1605	61	5689	8343	12	1027	1661	61	5635	8829

Size (Sq.mm)	<b>( UNARMoured CABLES ) ( 2XY )</b>					<b>( ARMoured CABLES ) ( 2XWYaY/2XFYaY ) ( 2XWY / 2XFY )</b>							
	1 Core	2 Core	3 Core	3.5 Core	4 Core	1 Core	2 Core	3 Core	3.5 Core	4 Core	5 Core	6 Core	7 Core
4.0	-	427	623	-	824	-	487	675	-	878	1225	1455	1669
6.0	-	633	928	-	1228	-	693	978	-	1271	1820	2189	2553
10.0	-	1038	1521	-	2037	-	1096	1561	-	2066	2734	-	-
16.0	825	1522	2290	-	3019	953	1550	2319	-	3047	4073	-	-
25.0	1382	2349	3540	4307	4722	1467	2414	3624	4397	4821	7437	-	-
35.0	1918	3487	5138	5882	6805	2003	3565	5229	5987	6918	10250	-	-
50.0	2724	4725	6954	8193	9303	2805	4812	7054	8306	9428	14094	-	-
70.0	3803	7037	10104	11811	13552	3865	7149	10230	11944	13700	22166	-	-
95.0	4926	9419	14179	16438	18760	5159	10062	14325	16596	18926	-	-	-
120.0	6214	11903	17505	20864	23373	6467	12000	17666	21050	23556	-	-	-
150.0	7770	14946	21577	24987	28949	8035	15023	21742	25186	29151	-	-	-
185.0	9576	17933	27322	31958	36238	9883	18597	27537	32190	36470	-	-	-
240.0	12397	22961	35692	41173	47645	12747	23958	35916	41488	47684	-	-	-
300.0	15482	28610	44266	51406	59583	15875	30344	45875	52462	60514	-	-	-
400.0	20631	38185	55181	62852	78390	21097	41278	59329	66416	82647	-	-	-
500.0	25771	-	-	-	-	26269	-	-	-	-	-	-	-
630.0	32464	-	-	-	-	33024	-	-	-	-	-	-	-
800.0	41199	-	-	-	-	41821	-	-	-	-	-	-	-
1000.0	51480	-	-	-	-	52138	-	-	-	-	-	-	-

**Additional to be charged for Special Construction**

A) Tinning	3%	G) HR PVC Insulation	10%	As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the Price List are only for guidelines and as per market convention, it may vary within the prescribed limit of IS:8130-1994, with related classes and tables.
B) Stranding (upto 6.0 Sq.mm)	4%	H) HR PVC Inner Sheath	7.5%	
C) Extruded Inner Sheath	4.0%	I) HR PVC Outer Sheath	7.5%	
D) Round Wire Armouring:		J) FR-LSH Outer Sheath (Power Cables)		
1. 1C x 95.0 Sq.mm & above	9.0%	Upto 6.0 Sq.mm	11.5%	* MOQ will be applicable for all Special Items
2. 12C x 1.5 Sq.mm & above	18%	10.0 Sq.mm & above	6%	
3. 9C x 2.5 Sq.mm & above	18%	K) FR-LSH / LSZH Loading - Control Cables (Inner / Outer Sheath)		
4. 4C x 10.0 Sq.mm & above	18%			
5. 2C x 16.0 & above	18%			
6. 3C x 16.0 & above	18%			
E) Oxygen Index (FR)	4.0%	5C to 10C	7.5%	* The above material will be supplied from our Waghodia Unit.
F) PVC Insulation (as per IS 1554)	7.5%	12C & above	7.5%	

**Terms & Conditions:**

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**RR KABEL LIMITED**
**RRKL/AL-ARM-UAR/LP/05/26**
**w.e.f. 2nd May, 2026**
**PRICE LIST**
**POWER CABLES (AL. ARMoured / UNARMoured)**

RR KABEL make Power Cables, Solid Aluminum conductor upto 10.0 sq.mm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core Cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 2Cx10.0 sq.mm, 3Cx10.0 sq.mm, 4Cx6.0 sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN Code : 8544)

Size (in Sq.mm)	CORES / RATE PER METER (INR)									
	( UNARMoured CABLES ) (A2XY)					( ARMoured CABLES ) ( A2XWaY/ A2XFaY) (A2XWY / A2XFY)				
	1C	2C	3C	3.5C	4C	1C	2C	3C	3.5C	4C
4.0	-	137	186	-	213	-	237	279	-	310
6.0	-	197	250	-	282	-	297	347	-	388
10.0	-	259	311	-	375	-	344	410	-	537
16.0	135	269	361	-	484	238	398	455	-	582
25.0	161	335	477	611	647	296	411	547	642	690
35.0	210	450	680	735	814	370	526	749	829	944
50.0	287	590	833	978	1073	471	711	969	1105	1244
70.0	389	808	1175	1351	1538	598	906	1300	1506	1687
95.0	508	1049	1582	1788	2062	731	1171	1673	1907	2225
120.0	634	1305	1953	2266	2604	876	1443	2047	2390	2722
150.0	793	1632	2455	2741	3241	1043	1766	2536	2788	3289
185.0	972	1991	2996	3428	3988	1265	2156	3137	3527	4144
240.0	1236	2544	3853	4370	5105	1572	2727	4058	4496	5359
300.0	1534	3148	4771	5421	6354	1911	3355	5018	5576	6624
400.0	2029	4154	6284	6934	8373	2467	4397	6369	7075	8517
500.0	2514	5983	8386	9876	11075	2992	6106	8557	10078	11301
630.0	3155	7361	10661	12101	14538	3693	7511	10878	12348	14834
800.0	3983	-	-	-	-	4595	-	-	-	-
1000.0	4975	-	-	-	-	5603	-	-	-	-

**Additional to be charged for Special Construction**

A) Stranding (upto 10.0 Sq.mm)	10%	H) FR-LSH / LSZH Loading - (Inner / Outer Sheath) :								
B) Round Wire Armouring		Size	FR-LSH		LSZH					
			1. 1C x 95.0 & above	30%	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath		
			2. 2C x 16.0 & above	30%	Upto 1C x 16.0		NA	15%	NA	37.50%
			3. 3C x 16.0 & above	30%	1C x 25.0 to 1C x 50.0		NA	15%	NA	30%
			4. 3.5C x 25.0 & above	30%	1C x 70.0 & above		NA	11.50%	NA	26.0%
5. 4C x 10.0 & above	30%	Multicore upto 16.0		15%	11.5%	22.5%	30%			
C) Oxygen Index (FR)	4.0%	Multicore 25.0 to 50.0		11.5%	11.5%	18.0%	22.5%			
D) PVC Insulation (as per IS 1554)	12%	Multicore 70.0 & above		7.5%	7.5%	22.5%	18%			
E) HR PVC Insulation	15%	I) Extruded PVC Inner Sheath :								
F) HR PVC Inner Sheath	7.50%	1. Upto 50.0 Sq.mm.		5%	* MOQ will be applicable for all Special Items					
G) HR PVC Outer Sheath	7.50%	2. 70.0 Sq.mm. & above		2.5%						

**Terms & Conditions:**

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**RR KABEL LIMITED**

RRKL/HT-ALSC/LP/05/26

w.e.f. 2nd May, 2026

**PRICE LIST**
**HT Single Core Power Cables**

RR KABEL make, Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Al Flat / Round Wire Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments.

Size (in Sq.mm)	RATE PER METER (INR)											
	3.3 KV (UE) / 6.6 KV (E)		6.6 KV (UE) / 11 KV (E)		11 KV (UE)		22 KV ( E )		33 KV ( E )		33 KV ( UE )	
	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour
<b>240.0</b>	2086	2421	2184	2529	2475	2876	2553	2953	3069	3544	3515	4058
<b>300.0</b>	2467	2829	2553	2910	2859	3276	2938	3369	3487	4225	3752	4547
<b>400.0</b>	3117	3447	3167	3499	3513	3899	3604	3981	4159	4895	4400	5186
<b>500.0</b>	3739	4148	3763	4187	4132	4840	4218	4945	4810	5630	5013	5871
<b>630.0</b>	4510	5023	4525	5039	4910	5743	5004	5844	5654	6580	5886	6848
<b>800.0</b>	5486	6347	5506	6381	5927	6857	6035	6977	6713	7739	7004	8071
<b>1000.0</b>	6658	7681	6669	7681	7140	8191	7234	8322	7977	9607	8575	10367

**Additional to be charged for Special Construction**

A) FR-LSH PVC Inner Sheath -	11.5%
B) FR-LSH PVC Outer Sheath -	7.5%
C) Oxygen Index -	4.5%

**Terms & Conditions:**

- > The above rates are exclusive of GST & any other statutory levies, which shall be charged extra.
- > Freight will be Extra as applicable

Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist.

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

RR KABEL LIMITED						
RRKL/HT-AL3C/LP/05/26				w.e.f. 2nd May, 2026		
PRICE LIST						
HT 3 Core Power Cables						
RR KABEL make, Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Cores laid up, Inner Sheath of PVC tape, GI Flat Strip Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments.						
Size (in Sq.mm)	3.3 KV (UE) / 6.6 KV (E)	6.6 KV (UE) / 11 KV ( E )	11 KV (UE)	22 KV ( E )	33 KV ( E )	33 KV ( UE )
35.0	-	1778	-	-	-	-
50.0	-	2141	-	-	-	-
70.0	2331	2600	-	-	-	-
95.0	2768	3104	4036	4000	5112	-
120.0	3354	3643	4371	4460	5733	-
150.0	3933	4261	5244	5351	6675	7222
185.0	4638	4997	5773	5892	7352	7926
240.0	5936	6355	6907	7047	8463	8959
300.0	6817	7220	8219	8390	9678	10652
400.0	8803	9199	10098	10303	11592	12187
Additional to be charged for Special Construction						
A) Extruded PVC Inner Sheath -			4.5%			
B) Pressure Extruded PVC Inner Sheath -			19.5%			
C) Round Wire Armouring - Upto 11 K\			30%			
D) Round Wire Armouring - Upto 11 KV ( UE ) & above -			33%			
E) FR-LSH PVC Inner Sheath -			7.5%			
F) FR-LSH PVC Outer Sheath -			7.5%			
G) Oxygen Index (FR Sheath) -			4.5%			
<b>Terms &amp; Conditions:</b>						
> The above rates are exclusive of GST & any other statutory levies, which shall be charged extra.						
> Freight will be Extra as applicable						
<b>Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist.</b>						
<b>THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE</b>						