

RR KABEL LIMITED

RRKL/CU-ARM-UAR/LP/06/26

w.e.f. 2nd June, 2026

PRICE LIST

POWER CABLES (COPPER ARMoured / UNARMoured)

RR KABEL make Power/Control Cables, Solid Copper Conductor upto 6.0 Sq.mm balance Stranded, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 10Cx1.5 sq.mm, 8Cx2.5 sq.mm, 2Cx10.0 sq.mm, 3Cx10.0 Sq.mm, 4Cx6.0 Sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN CODE : 8544)

Rate Per Meter (INR)

(UNARMoured CABLES) (2XY)						(ARMoured CABLES) (2XWY / 2XFY)					
No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5
2	195	298	14	1114	1911	2	257	362	14	1208	1996
3	267	420	16	1321	2176	3	327	481	16	1382	2256
4	350	561	19	1569	2577	4	411	620	19	1638	2651
5	456	702	24	1959	3254	5	523	770	24	2049	3339
6	547	824	27	2196	3632	6	631	903	27	2323	3805
7	582	976	30	2606	4305	7	657	1050	30	2589	4576
8	670	1111	37	3374	5161	8	747	1211	37	3359	5344
10	844	1361	44	3947	6152	10	936	1438	44	3923	6242
12	965	1630	61	5775	8469	12	1053	1703	61	5776	9050

Size (Sq.mm)	(UNARMoured CABLES) (2XY)					(ARMoured CABLES) (2XWYaY/2XFYaY) (2XWY / 2XFY)							
	1 Core	2 Core	3 Core	3.5 Core	4 Core	1 Core	2 Core	3 Core	3.5 Core	4 Core	5 Core	6 Core	7 Core
4.0	-	436	636	-	839	-	499	692	-	900	1256	1491	1711
6.0	-	643	945	-	1249	-	710	1002	-	1303	1866	2244	2617
10.0	-	1090	1597	-	2139	-	1151	1639	-	2169	2871	-	-
16.0	883	1598	2405	-	3170	1001	1628	2435	-	3199	4277	-	-
25.0	1451	2466	3717	4522	4958	1540	2535	3805	4617	5062	7809	-	-
35.0	2014	3661	5395	6176	7145	2103	3743	5490	6286	7264	10763	-	-
50.0	2860	4961	7302	8603	9768	2945	5053	7407	8721	9899	14799	-	-
70.0	3993	7389	10609	12402	14230	4058	7506	10742	12541	14385	23274	-	-
95.0	5172	9890	14888	17260	19698	5417	10565	15041	17426	19872	-	-	-
120.0	6525	12498	18380	21907	24542	6790	12600	18549	22103	24734	-	-	-
150.0	8159	15693	22656	26236	30396	8437	15774	22829	26445	30609	-	-	-
185.0	10055	18830	28688	33556	38050	10377	19527	28914	33800	38294	-	-	-
240.0	13017	24109	37477	43232	50027	13384	25156	37712	43562	50068	-	-	-
300.0	16256	30041	46479	53976	62562	16669	31861	48169	55085	63540	-	-	-
400.0	21663	40094	57940	65995	82310	22152	43342	62295	69737	86779	-	-	-
500.0	27060	-	-	-	-	27582	-	-	-	-	-	-	-
630.0	34087	-	-	-	-	34675	-	-	-	-	-	-	-
800.0	43259	-	-	-	-	43912	-	-	-	-	-	-	-
1000.0	54054	-	-	-	-	54745	-	-	-	-	-	-	-

Additional to be charged for Special Construction

A) Tinning	3%	G) HR PVC Insulation	10%	As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the Price List are only for guidelines and as per market convention, it may vary within the prescribed limit of IS:8130-1994, with related classes and tables.			
B) Stranding (upto 6.0 Sq.mm)	4%	H) HR PVC Inner Sheath	7.5%				
C) Extruded Inner Sheath	4.0%	I) HR PVC Outer Sheath	7.5%				
D) Round Wire Armouring:		J) FR-LSH Outer Sheath (Power Cables)					
1. 1C x 95.0 Sq.mm & above	9.0%	Upto 6.0 Sq.mm	11.5%				
2. 12C x 1.5 Sq.mm & above	18%	10.0 Sq.mm & above	6%	* MOQ will be applicable for all Special Items			
3. 9C x 2.5 Sq.mm & above	18%	K) FR-LSH / LSZH Loading - Control Cables (Inner / Outer Sheath)					
4. 4C x 10.0 Sq.mm & above	18%	Cores	FR-LSH		LSZH		
5. 2C x 16.0 & above	18%		Inner Sheath		Outer Sheath	Inner Sheath	Outer Sheath
6. 3C x 16.0 & above	18%	2C to 4C	7.5%		9%	22.5%	22.5%
E) Oxygen Index (FR)	4.0%	5C to 10C	7.5%		6%	22.5%	22.5%
F) PVC Insulation (as per IS 1554)	7.5%	12C & above	7.5%	6%	18.0%	18.0%	

Terms & Conditions:

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

RR KABEL LIMITED
RRKL/AL-ARM-UAR/LP/06/26
w.e.f. 2nd June, 2026
PRICE LIST
POWER CABLES (AL. ARMoured / UNARMoured)

RR KABEL make Power Cables, Solid Aluminum conductor upto 10.0 sq.mm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core Cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 2Cx10.0 sq.mm, 3Cx10.0 sq.mm, 4Cx6.0 sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN Code : 8544)

Size (in Sq.mm)	CORES / RATE PER METER (INR)									
	(UNARMoured CABLES) (A2XY)					(ARMoured CABLES) (A2XWaY/ A2XFaY) (A2XWY / A2XFY)				
	1C	2C	3C	3.5C	4C	1C	2C	3C	3.5C	4C
4.0	-	136	181	-	218	-	244	287	-	319
6.0	-	196	245	-	278	-	306	357	-	400
10.0	-	267	320	-	386	-	354	422	-	553
16.0	139	277	372	-	499	245	410	469	-	599
25.0	166	345	491	629	666	305	423	563	661	711
35.0	216	464	700	757	838	381	542	771	854	972
50.0	295	608	858	1007	1105	485	732	998	1138	1281
70.0	401	832	1210	1392	1584	616	933	1339	1551	1738
95.0	523	1080	1614	1842	2124	753	1206	1723	1964	2292
120.0	652	1344	2012	2334	2682	902	1486	2108	2462	2804
150.0	817	1682	2529	2823	3338	1074	1819	2612	2872	3388
185.0	1001	2051	3086	3531	4108	1303	2221	3231	3633	4268
240.0	1273	2620	3969	4501	5258	1619	2809	4180	4631	5520
300.0	1579	3242	4914	5584	6545	1968	3456	5169	5743	6823
400.0	2090	4279	6473	7142	8624	2541	4529	6560	7287	8773
500.0	2589	6162	8638	10172	11407	3082	6289	8814	10380	11640
630.0	3250	7581	10981	12464	14974	3804	7736	11204	12718	15279
800.0	4102	-	-	-	-	4733	-	-	-	-
1000.0	5124	-	-	-	-	5771	-	-	-	-

Additional to be charged for Special Construction

A) Stranding (upto 10.0 Sq.mm)	10%	H) FR-LSH / LSZH Loading - (Inner / Outer Sheath) :							
B) Round Wire Armouring		Size	FR-LSH		LSZH				
				30%	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath	
					Upto 1C x 16.0	NA	15%	NA	37.50%
					1C x 25.0 to 1C x 50.0	NA	15%	NA	30%
					1C x 70.0 & above	NA	11.50%	NA	26.0%
Multicore upto 16.0	15%	11.5%			22.5%	30%			
C) Oxygen Index (FR)	4.0%	Multicore 25.0 to 50.0	11.5%	11.5%	18.0%	22.5%			
D) PVC Insulation (as per IS 1554)	12%	Multicore 70.0 & above	7.5%	7.5%	22.5%	18%			
E) HR PVC Insulation	15%	I) Extruded PVC Inner Sheath :		* MOQ will be applicable for all Special Items					
F) HR PVC Inner Sheath	7.50%	1. Upto 50.0 Sq.mm.	5%						
G) HR PVC Outer Sheath	7.50%	2. 70.0 Sq.mm. & above	2.5%						

Terms & Conditions:

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

RR KABEL LIMITED

RRKL/HT-ALSC/LP/06/26

w.e.f. 2nd June, 2026

PRICE LIST
HT Single Core Power Cables

RR KABEL make, Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Al Flat / Round Wire Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments.

Size (in Sq.mm)	RATE PER METER (INR)											
	3.3 KV (UE) / 6.6 KV (E)		6.6 KV (UE) / 11 KV (E)		11 KV (UE)		22 KV (E)		33 KV (E)		33 KV (UE)	
	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour
240.0	2149	2494	2250	2605	2549	2962	2630	3042	3161	3650	3620	4180
300.0	2541	2914	2630	2997	2945	3374	3026	3470	3592	4352	3865	4683
400.0	3211	3550	3262	3604	3618	4016	3712	4100	4284	5042	4532	5342
500.0	3851	4272	3876	4313	4256	4985	4345	5093	4954	5799	5163	6047
630.0	4645	5174	4661	5190	5057	5915	5154	6019	5824	6777	6063	7053
800.0	5651	6537	5671	6572	6105	7063	6216	7186	6914	7971	7214	8313
1000.0	6858	7911	6869	7911	7354	8437	7451	8572	8216	9895	8832	10678

Additional to be charged for Special Construction

A) FR-LSH PVC Inner Sheath -	11.5%
B) FR-LSH PVC Outer Sheath -	7.5%
C) Oxygen Index -	4.5%

Terms & Conditions:

- > The above rates are exclusive of GST & any other statutory levies, which shall be charged extra.
- > Freight will be Extra as applicable

Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

RR KABEL LIMITED

RRKL/HT-AL3C/LP/06/26

w.e.f. 2nd June, 2026

PRICE LIST
HT 3 Core Power Cables

RR KABEL make, Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Cores laid up, Inner Sheath of PVC tape, GI Flat Strip Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments.

Size (in Sq.mm)	3.3 KV (UE) / 6.6 KV (E)	6.6 KV (UE) / 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35.0	-	1831	-	-	-	-
50.0	-	2205	-	-	-	-
70.0	2401	2678	-	-	-	-
95.0	2851	3197	4157	4120	5265	-
120.0	3455	3752	4502	4594	5905	-
150.0	4051	4389	5401	5512	6875	7439
185.0	4777	5147	5946	6069	7573	8164
240.0	6114	6546	7114	7258	8717	9228
300.0	7022	7437	8466	8642	9968	10972
400.0	9067	9475	10401	10612	11940	12553

Additional to be charged for Special Construction

A) Extruded PVC Inner Sheath -	4.5%
B) Pressure Extruded PVC Inner Sheath -	19.5%
C) Round Wire Armouring - Upto 11 K\	30%
D) Round Wire Armouring - Upto 11 KV (UE) & above -	33%
E) FR-LSH PVC Inner Sheath -	7.5%
F) FR-LSH PVC Outer Sheath -	7.5%
G) Oxygen Index (FR Sheath) -	4.5%

Terms & Conditions:

- > The above rates are exclusive of GST & any other statutory levies, which shall be charged extra.
- > Freight will be Extra as applicable

Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE