

PASOLITE

www.pasolite.in



PLATINUM SERIES



OCTOBER 2023

Better Style Better Light

PASOLITE


BETTER LIGHT - BETTER STYLE

MAGNETIC TRACK LIGHT



Magnetic Track Light

PLATINUM
series



MAGNETIC TRACK LIGHT SYSTEM IS A NEW MINIMALIST LIGHTING SYSTEM FOR A MODERN SPACE, WILL BE THE NEW TREND FOR YOUR DIY HOME LIGHTING. IT CREATES THE VERTICAL AND HORIZONTAL STYLES ON THE WALL AND CEILING TO MEET WITH MANY CREATIVE DIY LIGHTING IDEAS.

THERE ARE MANY TYPES AND RICH LIGHT SOURCE EFFECTS. THE DESIGN OF THE MAGNETIC SUCTION LAMP ADOPTS A MODULAR CONCEPT. AFTER THE TRACK IS PRESET, THE STYLE OF THE LIGHT SOURCE CAN BE FREELY SELECTED. THERE ARE MANY TYPES TO CHOOSE FROM, DOWNLIGHTS, SPOTLIGHTS, PROFILE LIGHTS, PENDANT LIGHTS, THESE CAN BE SELECTED, AND CAN ALSO BE USED IN A VARIETY OF STYLES. THE STYLE OF THE LAMP DETERMINES THE EFFECT OF THE LIGHT SOURCE, WHICH IS SUITABLE FOR A VARIETY OF DIFFERENT SCENE REQUIREMENTS.




PASOLITE

Magnetic Track Light

PLATINUM
series



MODEL	MGNT 01 (1MTR)	MGNT 02 (2MTR)
DIMENSION	W 70 / H 54 / C-26	
IP GRADE	IP 20	
FINISH	BLACK	




End Caps



Track Black Cover




TRIMLESS RECESS (POP) TRACK





Recess (POP)

DC 48 v IP 20


SURFACE/ PENDENT TRACK



MODEL	MGNT 03 (1MTR)	MGNT 04 (2MTR)
DIMENSION	D ϕ 50 / H 155	D ϕ 60 / H 190
FINISH	BLACK	



Track Black Cover



End Caps

DC 48 v IP 20



MODEL	MGNT 05 (2MTR)
DIMENSION	W 65 / H 54
FINISH	BLACK




End Caps



Track Black Cover




TRIMLESS RECESS (WOOD) TRACK



Recess (Wood)

DC 48 v IP 20



The Conductivity of Brass is far inferior to that of red Copper, and the contact surface of round copper is far inferior to that of flat copper.

Magnetic Track Light

PLATINUM
series

LINEAR SPOT LIGHT




MODEL	MGNT 06	MGNT 07
WATTAGE	7w	14w
DIMENSION	L 115/ W 23/ H 26	L 223/ W 23/ H 26
LUMENS	700LM	1400LM
CCT	3000K / 4500K	
FINISH	BLACK	

CREE
LEDs

LED

DC 48 v

IP 20



MODEL	MGNT 08	MGNT 09
WATTAGE	12w	24w
DIMENSION	L 300/ W 23/ H 26	L 600/ W 23/ H 26
LUMENS	1200LM	2400LM
CCT	3000K / 4500K	
FINISH	BLACK	

LINEAR PROFILE LIGHT




OSRAM
LED

LED

DC 48 v

IP 20



LINEAR TILTABLE SPOT LIGHT



CREE
LEDs



LED

DC 48 v

IP 20





MODEL	MGNT 10
WATTAGE	14w
DIMENSION	L 232/ W 33/ H 56
LUMENS	1400LM
CCT	3000K / 4500K
FINISH	BLACK



Magnetic Track Light

PLATINUM
series

MODEL	MGNT 11
WATTAGE	14w
DIMENSION	L 232/ W 33 / H 56
LUMENS	1400LM
CCT	3000K / 4500K
FINISH	BLACK




LINEAR TILTABLE PROFILE LIGHT

OSRAM LED


LED DC 48 v IP 20

BEAM ANGLE 120°





MODEL	MGNT 12	MGNT 13	MGNT 35
WATTAGE	10w	20w	10w
LUMENS	1000LM	2000LM	1000LM
DIMENSION	D ϕ 50 / H 155	D ϕ 60 / H 190	D ϕ 50 / H 155
CCT	3000K / 4500K		
FINISH	BLACK	ROSE GOLD/CHROME/ ANTIQUÉ BODY	


CREE LEDs




MODEL	MGNT 14
WATTAGE	10w
LUMENS	1000LM
DIMENSION	D ϕ 40/ H 198
CCT	3000K / 4500K
FINISH	BLACK



**A
C
C
E
S
S
O
R
I
E
S**



PRODUCT FEATURES



**FREE
CONSUMPTION**



MOVEABLE



TOUCHABLE



**STRONG
MAGNETIC**



GALLERY



RESIDENCE

PASOLITE

MINI MAGNETIC TRACK LIGHT



Mini Magnetic Track Light

PLATINUM
series





Mini Magnetic Track Light

PLATINUM
series


MODEL	MGNT 21 (1MTR) MGNT 22 (2MTR)
DIMENSION	W 37.50/ H 29.50/ C-27.50
FINISH	BLACK




Track Black Cover



DC 48 v  IP 20



MODEL	MGNT 23 (1MTR) MGNT 24 (2MTR)
DIMENSION	W 27.50/ H 29.50
FINISH	BLACK





Track Black Cover

DC 48 v  IP 20

MODEL	MGNT 25 (1MTR) MGNT 26 (2MTR)
DIMENSION	W 65/ H 29.50
FINISH	BLACK



Track Black Cover



DC 48 v  IP 20

Mini Magnetic Track Light

PLATINUM
series

MINI LINEAR SPOT LIGHT



CREE
LEDs


LED

DC 48 v

IP 20



MODEL	MGNT 27	MGNT 28
WATTAGE	12w	18w
DIMENSION	L 113/ W 16/ H 21	L 253/ W 16/ H 21
LUMENS	1200LM	1800LM
CCT	3000K / 4500K	
FINISH	BLACK	



MINI LINEAR PROFILE LIGHT

MODEL	MGNT 29	MGNT 30
WATTAGE	12w	24w
DIMENSION	L 410/ W 80/ H 28	L 610/ W 80/ H 28
LUMENS	1200LM	2400LM
CCT	3000K / 4500K	
FINISH	BLACK	




OSRAM
LED

LED

DC 48 v

IP 20



MINI LINEAR TILTABLE SPOT LIGHT



CREE
LEDs


LED

DC 48 v

IP 20



MODEL	MGNT 31
WATTAGE	12w
DIMENSION	L 233/ W 15/ H 100
LUMENS	1300LM
CCT	3000K / 4500K
FINISH	BLACK



Mini Magnetic Track Light

PLATINUM
series



MINI LINEAR TILTABLE PROFILE LIGHT



CREE
LEDs

- LED
- DC 48 v
- IP 20
- BEAM ANGLE
120°

MODEL	MGNT 32
WATTAGE	12W
DIMENSION	L 232/ W 33/ H 56
LUMENS	1200LM
CCT	3000K / 4500K
FINISH	BLACK



TRACK SPOT LIGHT



CREE
LEDs




ROSE GOLD

CHROME

ANTIQUE

MODEL	MGNT 12	MGNT 13	MGNT 35
WATTAGE	10W	20W	10W
LUMENS	1000LM	2000LM	1000LM
DIMENSION	D ϕ 50/ H 155	D ϕ 60/ H 190	D ϕ 50 / H 155
CCT	3000K / 4500K		
FINISH	BLACK		ROSE GOLD/CHROME/ ANTIQUE BODY



- LED
- DC 48 v
- IP 20
- BEAM ANGLE
24°
- 350°
- 180°

Mini Magnetic Track Light

PLATINUM
series

**A
C
C
E
S
S
O
R
I
E
S**




PASOLITE





**CIRCULAR MAGNETIC
TRACK LIGHT**

Circular Magnetic Track Light


PLATINUM
series



MODEL	MGNT 41	MGNT 42
DIMENSION	D ϕ 600/ W 21/ H 52	D ϕ 900/ W 21/ H 52
IP GRADE	IP 20	IP 20
FINISH	BLACK	BLACK




LED DC 48 v



MODEL	MGNT 43	MGNT 44
DIMENSION	D ϕ 645/ H 52/ C 605	D ϕ 945/ H 52/ C 903
IP GRADE	IP 20	IP 20
FINISH	BLACK	BLACK



LED DC 48 v



The Conductivity of Brass is far inferior to that of red Copper, and the contact surface of round copper is far inferior to that of flat copper.

Circular Magnetic Track Light


PLATINUM
series




MODEL	MGNT 45	MGNT 46
SUITABLE FOR	φ 600	φ 900
WATTAGE	6W	
DIMENSION	L φ188 / W 35 / H 45	
LUMENS	700LM	
CCT	3000K / 4500K	
FINISH	BLACK	

OSRAM
LED


LED DC 48 v IP 20 BEAM ANGLE 24°



MODEL	MGNT 47	MGNT 48
SUITABLE FOR	φ 600	φ 900
WATTAGE	6W	
DIMENSION	L φ188 / W 35 / H 45	
LUMENS	700LM	
CCT	3000K / 4500K	
FINISH	BLACK	




OSRAM LED LED DC 48 v IP 20 BEAM ANGLE 120°



MODEL [SUITABLE FOR]	MGNT 49 [φ600]	MGNT 50 [φ600]	MGNT 35
MODEL [SUITABLE FOR]	MGNT 51 [φ900]	MGNT 52 [φ900]	
WATTAGE	10W	20W	10W
LUMENS	1000LM	2000LM	1000LM
DIMENSION	D φ50 / H 155	D φ60 / H 190	D φ50 / H 155
CCT	3000K / 4500K		
FINISH	BLACK		ROSE GOLD/CHROME/ ANTIQUE


LED DC 48 v IP 20 BEAM ANGLE 24°



Circular Magnetic Track Light

PLATINUM
series

**A
C
C
E
S
S
O
R
I
E
S**



PASOLITE




Magic Wheel Series

MODEL	PIDO 73
WATTAGE	7w
LUMENS	500-550LM
DIMENSION	D ϕ 90/ H 50/ C ϕ 80
CCT	3000K/4500K
BODY FINISH	WHITE / BLACK
INNER FINISH	BLACK / ROSE GOLD / WHITE / TITANIUM BLACK
IP GRADE	IP 20



Black + Black



White + Titanium



White + Black



White + White




Black + Rose Gold



Black + Rose Gold

MODEL	PIDO 74
WATTAGE	12w
LUMENS	850-900LM
DIMENSION	D ϕ 115/ H 36/ C ϕ 108
CCT	3000K/4500K
BODY FINISH	WHITE / BLACK
INNER FINISH	BLACK / ROSE GOLD / WHITE / TITANIUM BLACK
IP GRADE	IP 20



Black + Titanium



White + Black



White + White




Black + Black

MODEL	PIDO 75
WATTAGE	18W
LUMENS	1300-1400LM
DIMENSION	D ϕ 128/ H 36/ C ϕ 120
CCT	3000K/4500K
BODY FINISH	WHITE / BLACK
INNER FINISH	BLACK / ROSE GOLD / WHITE / TITANIUM BLACK
IP GRADE	IP 20



White + White



White + Black



Black + Titanium



Black + Rose Gold



Black + Black



PASOLITE

VELA

DOWNLIGHT



MODEL	PIDO 76
WATTAGE	7w
LUMENS	800LM
DIMENSION	D ϕ 64.80MM/ H 38MM/ C ϕ 56MM
CCT	3000K / 4500K
BODY FINISH	WHITE / BLACK
INNER FINISH	NICKEL BLACK
IP GRADE	IP 20



MODEL	PIDO 77
WATTAGE	12w
LUMENS	1420LM
DIMENSION	D ϕ 85MM/ H 48MM/ C ϕ 77MM
CCT	3000K / 4500K
BODY FINISH	WHITE / BLACK
INNER FINISH	NICKEL BLACK
IP GRADE	IP 20



MODEL	PIDO 78
WATTAGE	18w
LUMENS	2100LM
DIMENSION	D ϕ 105MM/ H 57MM/ C ϕ 92MM
CCT	3000K / 4500K
BODY FINISH	WHITE / BLACK
INNER FINISH	NICKEL BLACK
IP GRADE	IP 20



Ultra Efficient LED



No Harmful UV/IR Radiation.



Strong Aluminium Housing.



Upto 15 times Longer Life
Aprx 30000 Hrs Life*.

PASOLITE




**OP
PAL
DOWN
RIGHT**




MODEL	PIDO 79
WATTAGE	7W
LUMENS	800LM
DIMENSION	D ϕ 60MM/ H 41MM/ C ϕ 48MM
CCT	3000K / 4500K
BODY FINISH	WHITE / BLACK
IP GRADE	IP 20



CREE
LEDs



CREE
LEDs




MODEL	PIDO 80
WATTAGE	12W
LUMENS	1420LM
DIMENSION	D ϕ 80MM/ H 41MM/ C ϕ 65MM
CCT	3000K / 4500K
BODY FINISH	WHITE / BLACK
IP GRADE	IP 20




MODEL	PIDO 81
WATTAGE	18W
LUMENS	2100LM
DIMENSION	D ϕ 95MM/ H 48MM/ C ϕ 80MM
CCT	3000K / 4500K
BODY FINISH	WHITE / BLACK
IP GRADE	IP 20



CREE
LEDs



HONEY COMB REFLECTOR



Antiglare honeycomb base: the cellular network design, while condensing, low optical losses, a uniform light transmittance while not hurt the eyes uniform, luminous efficiency soft non-glare, anti-glare detachably cellular network, to meet customer requirements for lamps.



PASOLITE



ORION

Series


MODEL	PIDO 82
WATTAGE	4w
LUMENS	480LM
DIMENSION	L-W 75*45 / H 46 / C 65*35
CCT	3000K/4500K
BODY FINISH	WHITE + INNER GREY / BLACK
IP GRADE	IP 20





MODEL	PIDO 83
WATTAGE	6w
LUMENS	720LM
DIMENSION	L-W 95*45 / H 46 / C 85*35
CCT	3000K/4500K
BODY FINISH	WHITE + INNER GREY / BLACK
IP GRADE	IP 20



MODEL	PIDO 84
WATTAGE	10w
LUMENS	1200LM
DIMENSION	L-W 166*45 / H 46 / C 158*35
CCT	3000K/4500K
BODY FINISH	WHITE + INNER GREY / BLACK
IP GRADE	IP 20




MODEL	PIDO 85
WATTAGE	8W
LUMENS	960LM
DIMENSION	L-W 75*75 / H 40 / C 65*65
CCT	3000K/4500K
BODY FINISH	WHITE + INNER GREY / BLACK
IP GRADE	IP 20



MODEL	PIDO 86
WATTAGE	18W
LUMENS	2160LM
DIMENSION	L-W 106*106 / H 40 / C 98*98
CCT	3000K/4500K
BODY FINISH	WHITE + INNER GREY / BLACK
IP GRADE	IP 20




MODEL	PIDO 87
WATTAGE	6W
LUMENS	720LM
DIMENSION	L-W 66*40 / H 40 / C ϕ 55
CCT	3000K/4500K
BODY FINISH	WHITE + INNER GREY / BLACK
IP GRADE	IP 20



MODEL	PIDO 88
WATTAGE	14w
LUMENS	1680LM
DIMENSION	L-W 86*40 / H 40 / C ϕ 75
CCT	3000K/4500K
BODY FINISH	WHITE + INNER GREY / BLACK
IP GRADE	IP 20



MODEL	PIDO 89
WATTAGE	4w
LUMENS	480LM
DIMENSION	L-W 80*78 / H 58 / C 74*65
CCT	3000K/4500K
BODY FINISH	WHITE + INNER BLACK
IP GRADE	IP 20



MODEL	PIDO 90
WATTAGE	8w
LUMENS	960LM
DIMENSION	L-W 131*79 / H 58 / C 124*65
CCT	3000K/4500K
BODY FINISH	WHITE + INNER BLACK
IP GRADE	IP 20



PASOLITE




**NOVA
DOWNLIGHT**


MODEL	PIDO 91
WATTAGE	6W
LUMENS	720LM
DIMENSION	D ϕ 35/ H 75/ C ϕ 30
CCT	3000K/4500K
BODY FINISH	WHITE / BLACK
INNER FINISH	BLACK / ROSE GOLD / CHROME
IP GRADE	IP 20



MODEL	PIDO 92
WATTAGE	12W
LUMENS	1420LM
DIMENSION	D ϕ 45/ H 85/ C ϕ 40
CCT	3000K/4500K
BODY FINISH	WHITE / BLACK
INNER FINISH	BLACK / ROSE GOLD / CHROME
IP GRADE	IP 20



MODEL	PIDO 93
WATTAGE	18W
LUMENS	2160LM
DIMENSION	D ϕ 59/ H 102/ C ϕ 53
CCT	3000K/4500K
BODY FINISH	WHITE / BLACK
INNER FINISH	BLACK / ROSE GOLD / CHROME
IP GRADE	IP 20



PASOLITE

ELAM DOWNLIGHT



MODEL	PIDO 94
WATTAGE	7w
LUMENS	800LM
DIMENSION	D ϕ 75/ H 55.5/ C ϕ 60
CCT	3000K/4500K
BODY FINISH	WHITE / BLACK
INNER FINISH	BLACK / ROSE GOLD / CHROME / CHAMPAGNE GOLD
IP GRADE	IP 20



CREE LEDs

White + Rose Gold




Black + Black



Black + Champagne Gold



Black + Chrome



Excellent
HEATSINK




Excellent heat dissipation and long lifespan
Extruded from highly conductive aluminum.
Mechanical compatibility with direct mounting of the LED engines to the
Heat Sink and thermal performance matching the lumen packages.



CREE LEDs

Black + Black

MODEL	PIDO 95
WATTAGE	12w
LUMENS	1420LM
DIMENSION	D ϕ 85.5/ H 65/ C ϕ 75
CCT	3000K/4500K
BODY FINISH	WHITE / BLACK
INNER FINISH	BLACK / ROSE GOLD / CHROME / CHAMPAGNE GOLD
IP GRADE	IP 20



White + Rose Gold



Black + Champagne Gold



Black + Chrome

PASOLITE

KREON SPOT LIGHT




MODEL	PIDO 96
WATTAGE	3W
LUMENS	300LM
DIMENSION	D ϕ 38/ H 39/ C ϕ 35
CCT	3000K/4500K
BODY FINISH	WHITE / BLACK
IP GRADE	IP 20



MODEL	PIDO 97
WATTAGE	7W
LUMENS	700LM
DIMENSION	D ϕ 38/ H 75/ C ϕ 35
CCT	3000K/4500K
BODY FINISH	WHITE / BLACK
IP GRADE	IP 20



HONEY COMB REFLECTOR




Antiglare honeycomb base: the cellular network design, while condensing, low optical losses, a uniform light transmittance while not hurt the eyes uniform, luminous efficiency soft non-glare, anti-glare detachably cellular network, to meet customer requirements for lamps.

PASOLITE





**DARK
DOWNLIGHT**

MODEL	PADD 04
WATTAGE	7w
LUMENS	720LM
DIMENSION	D ϕ 60/ H 75/ C ϕ 55
CCT	3000K/4500K
BODY FINISH	WHITE / BLACK
IP GRADE	IP 20



MODEL	PADD 05
WATTAGE	12w
LUMENS	1420LM
DIMENSION	D ϕ 70/ H 89/ C ϕ 65
CCT	3000K/4500K
BODY FINISH	WHITE / BLACK
IP GRADE	IP 20




**FRESNEL
LENS**



Fresnel lens which acts as a diffuser to soften the light for general 'ambient' type lighting for residential and general commercial lighting applications where glare needs to be reduced. Smaller beam angles such as 24° will produce a more focused beam of higher intensity and are more suited to spot lighting

MODEL	PIDO 69
WATTAGE	7w
LUMENS	700LM
DIMENSION	D ϕ 68/ L 112/ C ϕ 54
CCT	3000K/4500K
BODY FINISH	WHITE
IP GRADE	IP 20



MAGNETIC TRACK LIGHT



MGNT 01 (1MTR)
MGNT 02 (2MTR)



MGNT 03 (1MTR)
MGNT 04 (2MTR)



MGNT 05 (2MTR)



MGNT 06/07



MGNT 08/09



MGNT 10



MGNT 11



MGNT 12/13



MGNT 35



MGNT 14




MGAC 01/02



MGAC 04
MGAC 03
L CONNECTOR
(POP CONCEALED)



MGAC 06
MGAC 05
L CONNECTOR
(WOODEN CONCEALED)



MGAC 08
MGAC 07
L CONNECTOR
(SURFACE/PENDENT)



MGAC 09



MGAC 10



MGAC 11



MGNT 21 (1MTR)
MGNT 22 (2MTR)



MGNT 23 (1MTR)
MGNT 24 (2MTR)



MGNT 25 (1MTR)
MGNT 26 (2MTR)



MGNT 27/28



MGNT 29/30




MGNT 31



MGNT 32



MGNT 12/13




MGNT 35




MGAC 16/17




MGAC 18
MGAC 19
L CONNECTOR
(RECESS)



MGAC 21
MGAC 20
L CONNECTOR
(SURFACE/HANGING)



MGAC 22
MGAC 23
L CONNECTOR
(WOODEN CONCEALED)



MGAC 24



MGAC 10



MGAC 11

MINI MAGNETIC TRACK

MAGIC WHEEL



PIDO 73



PIDO 74



PIDO 75

VELA DOWNLIGHT



PIDO 76



PIDO 77



PIDO 78

OPAL DOWNLIGHT



PIDO 79




PIDO 80




PIDO 81

DRIZZLESERIES




PIDO 82




PIDO 83



PIDO 84



PIDO 85



PIDO 86



PIDO 87



PIDO 88



PIDO 89



PIDO 90



*at extra cost

NOVA DOWNLIGHT



PIDO 91



PIDO 92



PIDO 93

ELANZ DOWNLIGHT



PIDO 94



PIDO 95

KREONZ SPOTLIGHT



PIDO 96



PIDO 97

DARK DOWNLIGHT



PADO 04



PADO 05

KOOI SPOTLIGHT



PIDO 69

CIRCULAR MAGNETIC TRACK




MGNT 41(φ600)
MGNT 42(φ900)



MGNT 43(φ600)
MGNT 44(φ900)



MGNT 45(φ600)
MGNT 46(φ900)




MGNT 47(φ600)
MGNT 48(φ900)



MGNT 49(φ600)
MGNT 51(φ900)



MGNT 50(φ600)
MGNT 52(φ900)



MGNT 35



MGAC 01/02



MGAC 25



MGAC 26



*at extra cost



Notes :-

PASOLITE

Pavilion



**Any Customized Concept
Can be Developed**

Hangings | Wall Lights | Mirror Lights
1st November - 2023

About Us

Pasolite is one of the oldest Lighting Solution Provider Operating from Bengaluru, to build a brand on the back of its in house production. However, what's different is that we use the international production facilities as the back-end of our operations, and focus on adding value through design and packaging.

Pasolite is the brand name under which Pasolite Electricals Pvt. Ltd., Markets its products. Unfettered by manufacturing, the company has build of formidable range of LED products, for practically all types of applications.

From Retail and Commercial in indoor to Facade and Landscape lighting in Outdoor, we offer a vast array of adoptive luminaries designed to reveal the soul of any architecture space.

A Disciplined Process

The company's modus operandi reflects the growing instance of outsourcing across all lighting categories, irrespective of the country from where products are originating.

The differentiator, therefore, is the manner in which a company chooses to builds its brand, the commitment that it makes with respect to quality, and the confidence levels that it is able to create amidst the trade.

Our Vision

At Present, we cater to the lighting requirement for various projects throughout INDIA, with sales and distribution via independent lighting channel patterns throughout country. our aim is to build up relation with renowned consultants and specifiers. our range allows us offer our clients extensive and quality products.

At Pasolite, we help architects and designers capture creative inspiration. our design innovation opens up limitless possibilities...

the forms shares, styles, finishes and customs solutions that bring ideas to life. High qualities, great flexibility, extremely prompt deliveries- it is an important recognition of our quality process, which allows our customers to be absolutely confident in the faithful fulfillment of our engagements and in the continuity of our business relation.

Our Mission

To be No 1 choice for all lighting need by not only providing light fixtures, but also providing the right solution to any lighting concept. To be able to transform architects and designers lighting dreams into reality by providing quality, state of the art and innovative designs of lighting. we strive to attain a position of long-term, sustainable pre-eminence in the lighting field "lighting up" both our customers and ourselves.

As we are constantly innovating and expanding our product range, this catalogue can never be completely upto date. if you require specific information about new products, changes in our product programme, please contact our channel partners.

Pavilion Hangings

Code : PD 001
 Holder : E - 27
 Body Colour : Glossy White - Inner Gold
 Matt Black - Inner Gold
 Metallic Grey - Inner Gold
 Dimension : D - ϕ 350 / H - 320



Code : PD 002
 Holder : E - 27
 Body Colour : Glossy White - Inner Gold
 Matt Black - Inner Gold
 Metallic Grey - Inner Gold
 Dimension : D - ϕ 400 / H - 210



Code : PD 003
 Holder : E - 27
 Body Colour : Glossy White - Inner Gold
 Matt Black - Inner Gold
 Metallic Grey - Inner Gold
 Dimension : D - ϕ 350 / H - 180



Code : PD 004
 Holder : E - 27
 Body Colour : Glossy White - Inner Gold
 Matt Black - Inner Gold
 Metallic Grey - Inner Gold
 Dimension : D - ϕ 430 / H - 275



Code : PD 005
 Holder : E - 27
 Body Colour : Gold
 Dimension : D - ϕ 260 / H - 280



Code : PD 007
 Holder : E - 27
 Body Colour : Glossy White - Inner Gold
 Matt Black - Inner Gold
 Metallic Grey - Inner Gold
 Dimension : D - ϕ 422 / H - 285



Code : PD 008
 Holder : E - 27
 Body Colour : Glossy White - Inner Gold
 Matt Black - Inner Gold
 Metallic Grey - Inner Gold
 Dimension : D - ϕ 405 / H - 390



Code : PD 009
 Holder : E - 27
 Body Colour : Black and Wood
 Dimension : D - ϕ 220 / H - 350



Pavilion Hangings

Code : PD 017
 Holder : E - 27
 Body Colour : Glossy White - Inner Gold
 Matt Black - Inner Gold
 Metallic Grey - Inner Gold
 Dimension : D - ϕ 360 / H - 390



Code : PD 010
 Holder : E - 27
 Body Colour : Glossy White - Inner Gold
 Matt Black - Inner Gold
 Metallic Grey - Inner Gold
 Dimension : D - ϕ 422 / H - 225



Code : PD 034
 Holder : E - 27 Lamp
 Body Colour : Glossy White - Gold
 Glossy Black - Gold
 Dimension : D - ϕ 300 / H - 260



Code : PD 011
 Holder : E - 27
 Body Colour : Rose Gold - Inner Silver
 Dimension : D - ϕ 200 / H - 210

Code : PD 012
 Holder : E - 27
 Body Colour : Rose Gold - Inner Silver
 Dimension : D - ϕ 300 / H - 230



Code : PD 035
 Holder : E - 27 Lamp
 Body Colour : Glossy White - Inner White
 Matt Black - Inner White
 Metallic Grey - Inner White
 Dimension : D - ϕ 240 / H - 190

Code : PD 036
 Holder : E - 27 Lamp
 Body Colour : Glossy White - Inner White
 Matt Black - Inner White
 Metallic Grey - Inner White
 Dimension : D - ϕ 320 / H - 250



Club Wooden Hangings

Code : WH 001
Holder : E - 27
Body Colour : Brown
Dimension : L- 180 / W- 180 / H- 180



Code : WH 002
Holder : E - 27
Body Colour : Brown
Dimension : D- ϕ 325 / H- 185



Code : WH 003
Holder : E - 27
Body Colour : Brown
Dimension : D- ϕ 170 / H- 290



Code : WH 004
Holder : E - 27
Body Colour : Brown
Dimension : D- ϕ 153 / H- 400



Code : WH 005
Holder : E - 27
Body Colour : Maple Wood
Dimension : D- ϕ 140 / H- 290



Code : WH 006
Holder : E - 27
Body Colour : Brown
Dimension : D- ϕ 350 / H- 175



Club Wooden Hangings

PASOLITE

Code : WH 007
Holder : E - 27
Body Colour : Brown
Dimension : D- ϕ 300 / H- 325



Code : WH 008
Holder : E - 27
Body Colour : Maple Wood
Dimension : L - 267 / W- 50 / H- 245



Code : WH 009
Holder : E - 27
Body Colour : Maple Wood
Dimension : L - 305 / W- 50 / H- 280



Code : WH 010
Holder : E - 27
Body Colour : Brown
Dimension : D- ϕ 290 / H- 305




Code : WH 011
Holder : E - 27
Body Colour : Brown
Dimension : D- ϕ 150 / H- 425



***No warranty on breakage of wooden Items**

Pavilion Linear Suspended




Starlux
Hanging

1Mtr

120° Beam Angle

Model	Watts	Size
PR I505	20w	2Ft
PR I506	40w	4Ft
PR I508	80w	8Ft

Body Colour : ○ White ● Black ● Silver
LED Colour : 3000K / 4000K / 6000K
Dimension : W - 50 / H - 70



Scarlet
Hanging

1Mtr

160° Beam Angle

Model	Watts	Size
PISL 02	40w	4Ft

Body Colour : ○ White ● Black ● Silver
LED Colour : 3000K / 4500K / 6000K
Dimension : L 1210 / W 64.5 / H 84




iGlow
Hanging

1Mtr

120° Beam Angle

Model	Watts	Size
LE 4030	15w	2Ft
LE 4032	30w	4Ft

Body Colour : Grey
LED Colour : 3000K / 4500K / 6000K
Dimension : L 600 / W 38 / H 1000
L 1205 / W 38 / H 1000



Cape
Wooden Hanging


1Mtr

90° Beam Angle

Beach Wood

Maple Wood

Code : WH 051
Wattage : 40w
Body Colour : Beach Wood / Maple Wood
LED Colour : 3000K / 4500K / 6000K
Dimension : L 1260 / W 45 / H 40



Argos
Wooden Hanging

1Mtr

90° Beam Angle

Beach Wood

Code : WH 053
Wattage : 40w
Body Colour : Beach Wood
LED Colour : 3000K / 4500K / 6000K
Dimension : L 1250 / W 38 / H 72




Edion Hanging

120° Beam Angle

Edion Hanging

40w | PISL 16 | L 1200 / W 26 / H 75 |

Body Colour : ○ White ● Black
LED Colour : 3000K / 4500K / 6000K



*Other Custom Finish Options also available

*No warranty on breakage of wooden Items

Pavilion Linear Suspended



Dayle Hanging (70mm x 70mm)

Watts	Model	Ft
20w	PR 1422	2 ft
40w	PR 1419	4 ft
80w	PR 1452	8 ft



CCT Change

Watts
20w
30w
60w



CCT Change

Watts
20w
30w
60w



Magic Hanging (50mm x 70mm)

Watts	Model	Feet
20w	PR 1502	2 ft
40w	PR 1501	4 ft
80w	PR 1503	8 ft



120° Beam Angle

White Black Red

CCT : 3000K / 4000K / 6000K




ELEGANT Hanging

Watt	Model	Dimension	Feet
20w	PR 1512	L 600 / W 36 / H 60mm	2 ft
40w	PR 1509	L 1200 / W 36 / H 60mm	4 ft
80w	PR 1510	L 2400 / W 36 / H 60mm	8 ft
120w	PR 1511	L 3600 / W 36 / H 60mm	12 ft

CCT : 3000K / 4000K / 6000K

White Black



350° Beam Angle

Circulo Hanging

Model	Watts	Size
PISL 01	20w	2ft
PISL 05	40w	4ft
PISL 06	80w	8ft

Finish : Acrylic
LED Colour : 3000K / 4500K / 6000K
Dimension : D - φ60



1mtr Suspension Kit



Lexis Hanging (Up & Down Light)

40w	PISL 17	L 1200 / W 124 / H 16
80w	PISL 18	L 2400 / W 124 / H 16



350° Beam Angle

Body Colour : White Black
Body Colour : 3000K / 4500K / 6000K



1mtr Suspension Kit

ALSO AVAILABLE IN CUSTOMISED SIZE & DESIGNS

Description

- 1 Meter Suspension Mounting Kit Included
- High Quality PCB
- Creates slim, sleek, and attractive lines of light within your space to accommodate virtually any design.
- Give's off useful light for Long Duration.



	Accessory
	Canopy Set

1 Mt Suspension

Bamboo Surface & Hanging Light

10w | PACH 096 | D ϕ 60mm / H- 300

Body Colour : Gold Plated

LED Colour : 3000k / 4500k / 6000k

Asteria Hanging Light

Code : PACH 035

Dimension : D- ϕ 270 / H-115 mm

Wattage : 20W

Code : PACH 099

Dimension : D- ϕ 370 / H-115 mm

Wattage : 30W

Body Colour : Green

LED Colour : 3000K / 4000K / 6000K

*Also Available 3 in 1

H 60mm

Ace Hanging Light

Model	Wattage	Size
PACH 051	6 x 1w	200mm
PACH 052	12 x 1w	400mm
PACH 053	18 x 1w	600mm

LED Colour : 3000K / 4000K / 6000K

Body Colour : White / Black / Wood Brown

H 60mm

Pendent (P)	Surface (S)	Recess (R)

* Recess ring will be provided

Dezire Light (Pendent/ Surface/ Recess)

P. Model	S. Model	R. Model	Wattage	Size
PACH 111	PACH 131	PACH 141	30w	D ϕ 300
PACH 112	PACH 132	PACH 142	40w	D ϕ 450
PACH 113	PACH 133	PACH 144	50w	D ϕ 600

LED Colour: 3000K / 4000K / 6000K

Body Colour: White / Black

Cruze Hanging Light

Model	Watts	Size
PACH 121	30w	300mm
PACH 122	40w	450mm

Body Colour : White/ Black

LED Colour : 3000K / 4000K / 6000K




Edge Hanging Light

16w	PACH 155	D- ϕ 260 / H- 104 mm
40w	PACH 156	D- ϕ 450 / H- 104 mm

Body Colour : Grey

LED Colour : 3000k / 4500k / 6000k

Edge Light



Code : PACH 018
 Wattage : 18w
 Body Colour : White
 LED Colour : 3000K / 4000K / 6000K
 Dimension : D- ϕ 460 / H- 230



Name : Centre' Droplight
 Code : PIDL 01
 Wattage : 18w
 Body Colour : White
 LED Colour : 3000K
 Dimension : D - ϕ 135 / H- 1500



Products : Conical Droplight
 Code : PIDL 02
 Wattage : 35w
 Body Colour : White
 LED Colour : 3000K
 Dimension : D ϕ 125 / H- 290



Products : Crabber Droplight
 Code : PIDL 03
 Wattage : 18w
 Body Colour : White
 LED Colour : 3000K
 Dimension : D- ϕ 135 / H- 1500



Products : Cruzso DuaFoc Droplight
 Code : PIDL 04
 Wattage : 26w
 Body Colour : White
 LED Colour : 3000K
 Dimension : L- 383 / W- 130 / H- 160



3 Step Triangle Hanging

Code : PR 1390
 Wattage : 80w
 Body Colour : White
 LED Colour : 3000K / 4000K / 6000K
 Dimension : 24 x 24 x 24 / 18 x 18 x 18 / 12 x 12 x 12



Code : PACH 019
 Wattage : 52w
 LED Color : 3000K / 4000K / 6000K
 Body Colour : White
 Dimension : L 855 / W 205 / H 35



Code : PACH 027
 Wattage : 7 x 4w
 LED Color : 3000K
 Body Colour : White
 Dimension : L- 510/ W- 295/ H- 40



Code : PACH 028
 Wattage : 3 x 7.2w
 LED Color : 3000K
 Body Colour : White
 Dimension : L- 250/ W- 165/ H- 24



Code : PACH 030
 Wattage : 15w
 Body Colour : White
 LED Colour : 3000K
 Dimension : D- ϕ 250 / H- 260




Pavilion Ceiling Hanging

Code : PACH 031
 Wattage : 6 X 6w
 Body Colour : White
 LED Colour : 3000K
 Top Dia : D- ϕ 300 / H- 45
 Rings Dia : D- ϕ 150 / H- 165



Hanging - 3

Code : PR 1341
 Wattage : 18w
 Body Colour : White
 LED Colour : 3000K
 Dimension : D- ϕ 460/ W 125/ H- 40



Triangle Hanging

Code : PR 1341
 Wattage : 24w
 Body Colour : White
 LED Colour : 3000K / 4000K / 6000K
 Dimension : 18 x 18 x 18 in



Hexagon Hanging

Code : PR 1361
 Wattage : 21w
 Body Colour : White
 LED Colour : 3000K / 4000K / 6000K
 Dimension : 10 x 10 in



***Other Custom Finish Options also available**



Code : PACH 006
 Wattage : 4 x 5w
 LED Color : 3000K
 Body Colour : White
 Dimension : L - 310 / W - 145 / H - 68



Austin Ceiling Mounted

Code : PACH 151
 Wattage : 40w
 LED Color : 3000K / 4500K / 6000K
 Body Colour : White
 Dimension : L 425 / W 425 / H 80




Fins - 6 Ceiling Light

Code : PR 1383
 Wattage : 40w
 LED Color : 3000K / 4500K / 6000K
 Body Colour : White
 Dimension : 630 X 150 mm



Finch - 1 Ceiling Light

Code : PR 1415
 Wattage : 40w
 LED Color : 3000K / 4500K / 6000K
 Body Colour : White
 Dimension : D - ϕ 610 / H - 90



Finch - 2 Ceiling Light

Code : PR 1416
 Wattage : 50w
 LED Color : 3000K / 4500K / 6000K
 Body Colour : White
 Dimension : D - ϕ 700 / H - 90




Rose Well Ceiling Light

Code : PR 1417
 Wattage : 40w
 LED Color : 3000K / 4500K / 6000K
 Body Colour : White
 Dimension : D - ϕ 480 / H - 85



VezeL Ceiling Light

Code : PR 1450
 Wattage : 40w
 LED Color : 3000K / 4500K / 6000K
 Body Colour : White
 Dimension : D - ϕ 700 / H - 90





Code : PR 1337
 Wattage : 12w
 Body Colour : White
 LED Colour : 3000K/ 4000K/ 6000K
 Dimension : 6 x 6 in



Code : PR 1333
 Wattage : 26w
 Body Colour : White
 LED Colour : 3000K/ 4000K/ 6000K
 Dimension : 12 x 12 in



Step Hanging

Code : PR 1338
 Wattage : 115w
 Body Colour : White
 LED Colour : 3000K/ 4000K/ 6000K
 Dimension : 24x24, 18x18, 12x12 in

**ALSO AVAILABLE IN
 CUSTOMISED SIZE & DESIGNS**



Code : PR 1339
 Wattage : 40w
 Body Colour : White
 LED Colour : 3000K/ 4000K/ 6000K
 Dimension : 12 x 24 in



Code : PR 1340
 Wattage : 50w
 Body Colour : White
 LED Colour : 3000K/ 4000K/ 6000K
 Dimension : 24 x 24 in / H - 65

Leer - 1

Code : PR 1436
 Wattage : 8w
 Body Colour : White
 LED Colour : 3000K / 4500K / 6000K
 Rings Dia : D- ϕ 175 / W- 18



Leer - 2

Code : PR 1413
 Wattage : 3 X 8w
 Body Colour : White
 LED Colour : 3000K / 4500K / 6000K
 Rings Dia : D- ϕ 175 / W- 18



Leer - 3

Code : PR 1435
 Wattage : 6 X 8w
 Body Colour : White
 LED Colour : 3000K / 4500K / 6000K
 Top Dia : D- ϕ 350 / H- 60
 Wings Dia : D- ϕ 173 / H- 20



Pendant 1

Code : PL 013
 Wattage : 10w
 Body Colour : White
 LED Colour : 3000K
 Dimension : D- ϕ 232 / H- 75



Pendant 2

Code : PL 014
 Wattage : 20w
 Body Colour : White
 LED Colour : 3000K / 4000K / 6000K
 Dimension : D- ϕ 248 / H- 80



Circular Hanging

Code : PR 1360
 Wattage : 36w
 Body Colour : White
 LED Colour : 3000K / 4000K / 6000K
 Dimension : D- ϕ 400 / H- 25



Mini Circular Hanging

Code : PR 1407
 Wattage : 10w
 Body Colour : White
 LED Colour : 3000K / 4000K / 6000K
 Dimension : D- ϕ 160 / H- 25



Medium Circular Hanging

Code : PR 1408
 Wattage : 20w
 Body Colour : White
 LED Colour : 3000K / 4000K / 6000K
 Dimension : D- ϕ 300 / H- 25



Big Circular Hanging

Code : PR 1409
 Wattage : 60w
 Body Colour : White
 LED Colour : 3000K / 4000K / 6000K
 Dimension : D- ϕ 600 / H- 25





Skone Hanging - Round
 Code : PACH 073
 Wattage : 78w
 Body Colour : White
 LED Colour : 3000K / 4500K / 6000K
 Dimension : ϕ 600 X 450 X 325 mm




Skone - 1
 Code : PACH 070
 Wattage : 16w
 Dimension : ϕ 325 mm



Skone - 2
 Code : PACH 071
 Wattage : 24w
 Dimension : ϕ 450 mm



Skone - 3
 Code : PACH 072
 Wattage : 38w
 Dimension : ϕ 600 mm
 Profile Size - H 32 / W 42



Skone Hanging - Square
 Code : PACH 084
 Wattage : 78w
 Body Colour : White
 LED Colour : 3000K / 4500K / 6000K
 Dimension : 600 X 450 X 325 mm



Skone - 1
 Code : PACH 081
 Wattage : 16w
 Dimension : 325 X 325 mm




Skone - 2
 Code : PACH 082
 Wattage : 24w
 Dimension : 450 X 450 mm




Skone - 3
 Code : PACH 083
 Wattage : 38w
 Dimension : 600 X 600 mm



Skone - 4
 Code : PACH 080
 Wattage : 50w
 Dimension : 1 X 4ft




Zigzag Elegant Hanging
 Code : PR 1342
 Wattage : 50w
 Dimension : 5 ft
 Profile Size - H 60 / W 36




Triangle Elegant Hanging
 Code : PR 1343
 Wattage : 50w
 Dimension : ϕ 600 mm
 Profile Size - H 60 / W 36



Hexagon Elegant Hanging
 Code : PR 1344
 Wattage : 50w
 Dimension : ϕ 600 mm
 Profile Size - H 60 / W 36



Pendant 3 Diffused
 Code : PL 011
 Wattage : 5w
 Dimension : ϕ 32 mm x L 300
 Body : White



Pendant 4 Spot
 Code : PL 012
 Wattage : 5w
 Dimension : ϕ 32 mm x L 300
 Body : Black





Argan - 1

Code : W 12111
 Wattage : 6w
 LED Colour : 3000K / 6000K
 Body Colour : White



Argan - 2

Code : PAWB 021
 Wattage : 12w
 LED Colour : 3000K
 Body Colour : White



Ashra

Code : W 12119
 Wattage : 10w
 LED Colour : 3000K / 6000K
 Body Colour : White



Camry

Code : W 12130
 Wattage : 20w
 LED Colour : 3000K / 6000K
 Body Colour : White



Code : PAWB 008
 Wattage : 20w
 LED Colour : 3000K / 6000K
 Body Colour : White



Code : PAWB 009
 Wattage : 2x20w
 LED Colour : 3000K / 6000K
 Body Colour : White




Jex - 1

Code : PAWB 013
 Wattage : 12w
 LED Colour : 3000K / 6000K
 Body Colour : White




Jex - 2

Code : PAWB 014
 Wattage : 2 X 12w
 LED Colour : 3000K / 6000K
 Body Colour : White



Jex - 3


Code : PAWB 015
 Wattage : 3 X 12w
 LED Colour : 3000K / 6000K
 Body Colour : White




Code : PAWB 017
 Wattage : 2 x 15w
 LED Colour : 3000K
 Body Colour : White



Code : PAWB 022
 Wattage : 9w
 LED Colour : 3000K
 Body Colour : White



Code : PAWB 023
 Wattage : 12w
 LED Colour : 3000K
 Body Colour : White



Code : PAWB 024
Wattage : 7.2w
LED Colour : 3000K
Body Colour : White



Code : PAWB 026
Wattage : 6w
LED Colour : 3000K
Body Colour : White



Hyper - 2
Code : W 12070
Wattage : 2 x 3w
LED Colour : 3000K / 6000K
Body Colour : White



Jagur Wall Light
Code : W 12074
Wattage : 6 x 1w
LED Colour : 3000K / 6000K
Body Colour : White




Code : CR 1166
Wattage : 4w
LED Colour : 3000K
Body Colour : Gold



**With Switch & USB*
Code : CR 1167
Wattage : 3w
LED Colour : 3000K
Body Colour : White



Del
Code : W 12077
Wattage : 6 x 1w
LED Colour : 3000K / 6000K
Body Colour : White



Yew
Code : W 12110
Wattage : 6w
LED Colour : 3000K / 6000K
Body Colour : White



Maleo Adjustable
Code : W 12079
Wattage : 5 x 1w
LED Colour : 3000K / 6000K
Body Colour : White



Ceylon
Code : W 12080
Wattage : (6x1w) X 2
LED Colour : 3000K / 6000K
Body Colour : White



Larks
Code : W 12082
Wattage : 6 x 1w
LED Colour : 3000K / 6000K
Body Colour : White



Loras
Code : W 12083
Wattage : 12 w
LED Colour : 3000K / 6000K
Body Colour : White

Pavilion Wall Lights



Peony Tiltable

Code : W 12091
 Wattage : 2 x 3w
 LED Colour : 3000K / 6000K
 Body Colour : White



Mastro Tiltable

Code : W 12100
 Wattage : 6w
 LED Colour : 3000K / 6000K
 Body Colour : White



Contra - 2

Code : W 12068
 Wattage : 5w
 LED Colour : 3000K / 6000K
 Body Colour : White



Halo - 1 Round

Code : W 12177
 Wattage : 6w
 LED Colour : 3000K
 Body Colour : Wood



Halo - 2 Square

Code : W 12178
 Wattage : 6w
 LED Colour : 3000K
 Body Colour : Wood

Pavilion Mirror Lights



Elm - 1

Code : W 12114
 Wattage : 12w
 LED Colour : 3000K / 6000K
 Body Colour : White




Elm - 2

Code : W 12150
 Wattage : 8w
 LED Colour : 3000K / 6000K
 Body Colour : White
 Dimension : L 280 / W 177 / H 49



Elm - 3

Code : W 12180
 Wattage : 20w
 LED Colour : 3000K
 Body Colour : White



3 Head

2 Head

*Also available in different sizes
 & body color options

Duffy

Code : W 12171
 Wattage : 2x5w / 3 x 5w
 LED Colour : 3000K / 6000K
 Body Colour : White
 Dimension : L 280 / H 122 / W 45 (2head)
 : L 410 / H 122 / W 45 (3head)

Pavilion Mirror Lights



***Also available in different sizes & body color options**

Crystal

Code : W 12174
 Wattage : 4 x 5w
 LED Colour : 3000K / 6000K
 Body Colour : White
 Dimension : L 375 / H 105 / W 36



3 Head



2 Head

***Also available in different sizes & body color options**




Vision

Code : W 12176
 Wattage : 2x5w / 3 x 5w
 LED Colour : 3000K / 6000K
 Body Colour : White
 Dimension : L 280 / H 122 / W 45 (2head)
 : L 410 / H 122 / W 45 (3head)



Vios


Code : CR 1123
 Wattage : 3 x 3w
 LED Colour : 4500K
 Body Colour : Wooden
 Dimension : L 460 / W 95 / H 120

Beach Wood **Maple Wood**

Luco

Code : CR 1155
 Wattage : 8w
 LED Colour : 3000K / 4500K / 6000K
 Body Colour : Beach Wood / Maple Wood
 Dimension : L 350 / W 64 / H 84



Lodgy


Code : W 12173 | W 12236
 Body Colour : White | Brown
 Wattage : 18w
 LED Colour : 3000K
 Dimension : L 570 / W 135 / H 55



Flat Mirror Light

Model	Watt	Dimension
CR 1114	5w	L 470 / W 35 / H 85
CR 1120	9w	L 620 / W 35 / H 85

Body Colour : Mat Brushsteel
 LED Colour : 3000K / 6000K



Cyre Mirror Light

Model	Watt	Dimension
CR 1129	8w	L 310 / W 40 / H 55
CR 1130	15w	L 500 / W 42 / H 55

Body Colour : Chrome
 LED Colour : 3000K / 6000K



Risa

Code : CR 1121
 Wattage : 6w
 LED Colour : 3000K / 6000K
 Body Colour : White
 Dimension : L 300 / W 45 / H 180



Shine Mirror Light


Model	Watt	Dimension
CR 1125	8w	L 300 / W 50 / H 95
CR 1126	16w	L 420 / W 50 / H 95
CR 1128	20w	L 600 / W 50 / H 95

Body Colour : Gold / Silver
 LED Colour : 3000K / 6000K




Muco

Code : CR 1156
 Wattage : 15w
 LED Colour : 3000K / 4500K / 6000K
 Body Colour : Beach Wood / Maple Wood
 Dimension : L 438 / W 78 / H 68




AURA Wall Light

Code : CR 1143
 Wattage : 12w
 LED Colour : 3000k
 Body Colour : Rose Gold



Wall Light

Code : PAWB 005
 Wattage : 5w
 LED Colour : 3000K
 Body Colour : White



Lancia

Code : W 12237
 Wattage : 6w
 LED Colour : 3000K / 6000K
 Body Colour : Brushsteel
 Dimension : L 430 / W 34 / H 70



Code : PACH 017
 Wattage : 22w
 LED Colour : 3000K
 Body Colour : White



Code : PAWB 025
 Wattage : 3x3w
 LED Colour : 3000K
 Body Colour : Antic



U-1 Wall Light

Code : W 12204
 Wattage : 9w
 LED Colour : 3000K
 Body Colour : Chrome



Smellow Duo Surface

Code : PIWL 01
 Wattage : 3w
 LED Colour : 3000K



Wall Light

Code : UP 3530
 Wattage : 2x1 w
 LED Colour : 3000K
 Finish : Silver

TERMS & CONDITIONS:-

1. The prices quoted above are nett for ECO Series.
2. All local taxes are payable as applicable.
3. Prices are subject to change without prior notice.
4. This cancels all our previous price lists.
5. The above prices are on ex-godown basis.
6. Packing and forwarding charges extra.

All dimensions are in millimeter
 L = Length, B = Breadth, H = Height,
 D = Depth, W = Width.

Custom Design Welcome



Catalouge 2023

15TH SEPTEMBER

Passion with lights

About Us

Pasolite is one of the oldest **Lighting Solution Provider** Operating from Bengaluru, to build a brand on the back of its in house production. However, what's different is that we use the international production facilities as the back-end of our operations, and focus on adding value through design and packaging.

Pasolite is the brand name under which **Pasolite Electricals Pvt. Ltd.**, Markets its products. Unfettered by manufacturing, the company has build of formidable range of LED products, for practically all types of applications.

From Retail and Commercial in indoor to Facade and Landscape lighting in Outdoor, we offer a vast array of adoptive luminaries designed to reveal the soul of any architecture space.

A Disciplined Process

The company's modus operandi reflects the growing instance of outsourcing across all lighting categories, irrespective of the country from where products are originating.

The differentiator, therefore, is the manner in which a company chooses to builds its brand, the commitment that it makes with respect to quality, and the confidence levels that it is able to create amidst the trade.

Our Vision

At Present, we cater to the lighting requirement for various projects throughout INDIA, with sales and distribution via independent lighting channel partners throughout country. our aim is to build up relation with renowned consultants and Architects. Our range allows us offer our clients extensive and quality products.

At Pasolite, we help architects and designers capture creative inspiration. our design innovation opens up limitless possibilities.....

The forms shares, styles, finishes and customs solutions that bring ideas to life. High qualities, great flexibility, extremely prompt deliveries- it is an important recognition of our quality process, which allows our customers to be absolutely confident in the faithful fulfillment of our engagements and in the continuity of our business relation.

Our Mission

To be No 1 choice for all lighting need by not only providing light fixtures, but also providing the right solution to any lighting concept. To be able to transform architects and designers lighting dreams into reality by providing quality, state of the art and innovative designs of lighting. we strive to attain a position of long-term, sustainable pre-eminence in the lighting field "lighting up" both our customers and ourselves.

As we are constantly innovating and expanding our product range, this catalogue can never be completely upto date. if you require specific information about new products, changes in our product programme, please contact our channel partners.

INDEX

INDOOR 01 - 21

Cabinet Lights 01

Panel Lights 02

Batten Lights Lights 05

Track Lights 06

Zoom Lights 07

Recess Downlights 08

Module Ring 09

Recess Downlights 10

Pendent Lights 14

Linear Lights 15

Linear Profiles 16

Strip Lights 19

Profiles / Drivers 20

Power Supply / Sensors 21

OUTDOOR 22 - 42

Surface Mounted Lights 22

Planter Lights 23

Wall Lights 24

Bollard Lights 28

Facade Linear Light 33

Foot Lights 34

Inground UpLights 35

Under Water Lights 36

Flood Lights 37

Street Lights 38

Gate Lights 39

Bulkhead Lights 42

POLES 43 - 61

ECO 62 - 63




Indoor Lights



Recess Downlight

1w	LDL 183	Square	L-W 30 / H 18 / C ϕ 25	White Mat B. Steel	3000K / 6000K
	LDL 184	Round	D ϕ 34 / H 18 / C ϕ 25	White Mat B. Steel	3000K / 6000K
					Red / Blue / Green



Recess Downlight

3w	LDL 182	Round	D ϕ 40 / H 25 / C ϕ 35	White	3000K / 6000K
	LDL 201	Square	L-W 40 / H 25 / C ϕ 35		
					Red / Green / Blue



Eye Ball Downlight

1w	DL 3222	Square	L-W 54 / H 33 / C ϕ 43	Mat Brushsteel	3000K
----	---------	--------	-----------------------------	----------------	-------



Eon Downlight

3w	LDL 140	Square	L-W 40 / H 25 / C ϕ 35	White	3000K / 6000K
5w	LDL 180	Square	L-W 70 / H 28 / C ϕ 60	White	3000K / 6000K



Arial Downlight

3w	LDL 211	Round	D ϕ 75 / H 41 / C ϕ 44	White	3000K / 6000K
7w	LDL 212	Round	D ϕ 110 / H 50 / C ϕ 72		
Suitable for 3 & 4 Inches junction Box					Red / Green / Blue (3w)
					Red / Green / Blue (7w)



ZEN PLUS Downlight

3w	LDL 129	D ϕ 67 / H 40 / C ϕ 52	
6w	LDL 130	D ϕ 88 / H 63 / C ϕ 70	3000K / 4500K / 6000K
9w	LDL 131	D ϕ 88 / H 71 / C ϕ 70	

Finish : White



Slim Surface Downlight

3w	LDL 187	D ϕ 60 / H 12	White / Black	3000K / 6000K
----	---------	--------------------	---------------	---------------



COB Slim Surface Ceiling light

3w | LDL 375 | D ϕ 60 / H 17 | White / Black | 3000K / 6000K



Slim Surface Downlight

5w | LDL 186 | Square | L 60 / W 60 / H 25 | White | 3000K / 6000K




Euro Ceiling Downlight

3w | LDL 214 | Square | L 50 / W 50 / H 18 | White | 3000K / 6000K

6w | LDL 215 | Square | L 80 / W 80 / H 20 | White | 3000K / 6000K
 LDL 217 | Round | D ϕ 80 / H 20 | Chrome



Finish : White
 CCT : 3000K / 4500K / 6000K



3k-4k-6k 3 in one with switch

Alto Extra Slim Panel

4w	LDL 044	Square	L-W 90 / H 25 / C ϕ 75
	LDL 045	Round	D ϕ 85 / H 25 / C ϕ 75
7w	LDL 046	Square	L-W 120 / H 25 / C ϕ 105
	LDL 047	Round	D ϕ 120 / H 25 / C ϕ 105
12w	LDL 162	Square	L-W 172 / H 25 / C ϕ 160
	LDL 163	Round	D ϕ 172 / H 25 / C ϕ 160
15w	LDL 164	Square	L-W 190 / H 25 / C ϕ 175
	LDL 165	Round	D ϕ 190 / H 25 / C ϕ 160
18w	LDL 166	Square	L-W 225 / H 25 / C ϕ 207
	LDL 167	Round	D ϕ 225 / H 25 / C ϕ 207
24w	LDL 168	Square	L-W 300 / H 25 / C ϕ 280
	LDL 169	Round	D ϕ 300 / H 25 / C ϕ 280
30w	LDL 170	Square	L-W 300 / H 25 / C ϕ 280
	LDL 171	Round	D ϕ 300 / H 25 / C ϕ 280

3k-4k-6k 3 in one with switch

12w	LDL 146	Square	L-W 172 / H 25 / C ϕ 157
	LDL 147	Round	D ϕ 172 / H 25 / C ϕ 157
18w	LDL 148	Square	L-W 226 / H 25 / C ϕ 207
	LDL 149	Round	D ϕ 225 / H 25 / C ϕ 207



Back-Lit

Finish : White
 CCT : 3000K / 4500K / 6000K

Xcent Panel

6w	LDL 172	Square	L-W 90 / H 30 / C ϕ 75
	LDL 173	Round	D ϕ 90 / H 30 / C ϕ 75
12w	LDL 174	Square	L-W 120 / H 30 / C ϕ 105
	LDL 175	Round	D ϕ 120 / H 30 / C ϕ 108
18w	LDL 176	Square	L-W 170 / H 30 / C ϕ 150
	LDL 177	Round	D ϕ 172 / H 30 / C ϕ 152
24w	LDL 178	Square	L-W 225 / H 30 / C ϕ 205
	LDL 179	Round	D ϕ 225 / H 30 / C ϕ 205




Back-Lit

Finish : White
CCT : 3000K / 4500K / 6000K

Xcent Plus Panel

12w	LDL 312	Square	L-W 110 / H 21.5 / C ϕ 100
	LDL 313	Round	D ϕ 110 / H 21.5 / C ϕ 110
18w	LDL 314	Square	L-W 130 / H 21.5 / C ϕ 120
	LDL 315	Round	D ϕ 130 / H 21.5 / C ϕ 120
24w	LDL 316	Square	L-W 160 / H 21.5 / C ϕ 145
	LDL 317	Round	D ϕ 160 / H 21.5 / C ϕ 145



PC Body

Finish : White
CCT : 3000K / 4500K / 6000K

ORA Led Panel

6w	LDL 223	Square	L-W 118x118 / H 30 / C ϕ 98
	LDL 224	Round	D ϕ 119 / H 30 / C ϕ 98
10w	LDL 225	Square	L-W 144x144 / H 30 / C ϕ 123
	LDL 226	Round	D ϕ 145 / H 30 / C ϕ 126
15w	LDL 227	Square	L-W 170x170 / H 30 / C ϕ 146
	LDL 228	Round	D ϕ 169 / H 30 / C ϕ 148
20w	LDL 229	Square	L-W 225x225 / H 30 / C ϕ 199
	LDL 230	Round	D ϕ 224 / H 30 / C ϕ 199



Back-Lit

PC Body

Finish : White
CCT : 3000K / 4500K / 6000K


RAYZ Led Panel

10w	LDL 051	Square	L-W 113x113 / H 30 / C ϕ 100
	LDL 052	Round	D ϕ 112 / H 30 / C ϕ 99
15w	LDL 053	Square	L-W 138x138 / H 30 / C ϕ 125
	LDL 054	Round	D ϕ 136 / H 30 / C ϕ 124
20w	LDL 055	Square	L-W 163x163 / H 30 / C ϕ 150
	LDL 056	Round	D ϕ 162 / H 30 / C ϕ 149




GLOW Downlight

6w	PADO 01	D ϕ 65 / H 33 / C ϕ 55	3000K / 4500K / 6000K
12w	PADO 02	D ϕ 82 / H 45 / C ϕ 75	3000K / 4500K / 6000K
18w	PADO 03	D ϕ 105 / H 53 / C ϕ 90	3000K / 4500K / 6000K



Slim Surface Panel Light

8w	LDL 301	Square	L - W 120 / H 25	White	3000K/ 4500K/ 6000K
	LDL 302	Round	D ϕ 120 / H 25		
16w	LDL 303	Square	L - W 170 / H 25	White	3000K/ 4500K/ 6000K
	LDL 304	Round	D ϕ 170 / H 25		
22w	LDL 305	Square	L - W 225 / H 25	White	3000K/ 4500K/ 6000K
	LDL 306	Round	D ϕ 225 / H 25		
30w	LDL 307	Square	L - W 300 / H 35	White	3000K/ 4500K/ 6000K
	LDL 308	Round	D ϕ 300 / H 35		



Back-Lit Surface Panel Light

10w	LDL 381	Square	L - W 125 / H 31	White	3000K/ 4500K/ 6000K
	LDL 382	Round	D φ125 / H 31		
15w	LDL 383	Square	L - W 149 / H 31		
	LDL 384	Round	D φ149 / H 31		
20w	LDL 385	Square	L - W 200 / H 31		
	LDL 386	Round	D φ200 / H 31		




2 x 2 Backlit Panel Light / Frames

36w	DL 3955	L- W 595 / H 30	White	3000K/ 4500K/ 6000K
Frame - 1 (Concealed Frame)			Frame - 2 (Surface Frame H60mm)	
Suspension Kit			2 x 2 Toggle (set of 4)	



Smart Twin Sensor

35w	RM 1423	L 600 / W 600 / H 75	Alluminium	6000K
-----	---------	----------------------	------------	-------



* Mitsubishi LGP

EPISTAR
LED

Guide Plate Light

40w	Mosaic PISP 01	L 595 / W 595 / H 09
	Cube PISP 02	

Finish : Mat Silver
CCT : 6000K




LED Focus Light

5w	LS 1228	L 70 / W 108 / H 75	White	3000K / 6000K
			Brushsteel	
9w	LS 1227	L 70 / W 115 / H 113	White	3000K / 6000K
			Brushsteel	



Indus Square Batten

4w (1 Ft)	LE 3975	L 267 / W 22 / H 36	
10w (2 Ft)	LE 3976	L 535 / W 22 / H 36	White 3000K/ 4500K/ 6000K
20w (4 Ft)	LE 3977	L 1135 / W 22 / H 36	
40w (4 Ft)	LE 3988	L 1180 / W 33 / H 40	White (Aluminium Body) 4500K/6000K



Colour Changing Indus Batten (3 in 1 With Switch)

20w	LE 3987	L 1136 / W 22 / H 36	White	3000K/ 4500K/ 6000K
-----	---------	----------------------	-------	---------------------



iGlow Batten

15w	LE 4029	L 600 / W 38 / H 35	White	3000K/ 4500K/ 6000K
36w	LE 4031	L 1205 / W 38 / H 35	White	3000K/ 4500K/ 6000K



350° Beam Angle

Circulo Batten

20w (2 Ft)	LE 4028	D ϕ 60 / L 600 / H 98
40w (4 Ft)	LE 4033	D ϕ 60 / L 1200 / H 98

CCT : 3000K / 4500K / 6000K



1 x 7w LED Spot Light	LDL 109 - Round	3000K
4w GU - 10 Spot Light	LE 3964	3000K / 6000K
4w MR - 16 Spot Light	LE 3966	3000K / 6000K



Rotate to Adjust
Beam Angle from
15° to 60°



Zoomable LED Track Light

12w	PITS 027	D ϕ 52 / L 145 / H 180	White	3000K/ 4500K/ 6000K
-----	----------	-----------------------------	-------	------------------------



CREE
LEDs



Triangular Track Light

10w	PITS 028	L 135 / H 130 / D ϕ 73		
20w	PITS 029	L 140 / H 150 / D ϕ 90	White / Black	3000K/ 4500K/ 6000K
30w	PITS 030	L 150 / H 150 / D ϕ 90		



Omega Plus Track Light

10w	PITS 031	L 120 / H 125 / D ϕ 50		
20w	PITS 032	L 150 / H 140 / D ϕ 65	White / Black	3000K/ 4500K/ 6000K
30w	PITS 033	L 170 / H 150 / D ϕ 75		
40w	PITS 034	L 180 / H 180 / D ϕ 90		



Omega Plus Surface Light

10w	PITS 031S	L 120 / H 125 / D ϕ 50		
20w	PITS 032S	L 150 / H 140 / D ϕ 65	White / Black	3000K/ 4500K/ 6000K
30w	PITS 033S	L 170 / H 150 / D ϕ 75		



Track / Accessories

1 Meter	TL 3301	White / Black
2Meter	TL 3312	White / Black



Jointers also available in Black

Track Jointers

1way	TL 001	₹ 180/-	3way	TL 003
2way	TL 002	₹ 240/-	4way	TL 004



Recessed Scoop Zoom Series

12w	PIDZ 03	D ϕ 85 / H 67 / C ϕ 75	White	3000K/ 4500K/ 6000K
20w	PIDZ 04	D ϕ 112 / H 90 / C ϕ 100		
30w	PIDZ 05	D ϕ 140 / H 120 / C ϕ 125		
40w	PIDZ 06	D ϕ 165 / H 135 / C ϕ 145		



Apex Focus Recessed Downlight

30w	PIDF 01	D ϕ 139 / H 79 / C ϕ 119	White	3000K / 6000K
-----	---------	------------------------------------	-------	---------------



Dual Focus Recessed Downlight

38w	PIDF 02	D ϕ 200 / H 110 / C ϕ 180	White	3000K
-----	---------	-------------------------------------	-------	-------

Recess Downlights



Deep Recess Spotlight

3w	LDL 197	D ϕ 40 / H 42 / C ϕ 32	White Rose Gold White+ Inner Gold Black
----	---------	----------------------------------	--

CCT : 3000K / 6000K



Sleek Slim Downlight

3w	LDL 251	D ϕ 72 / H 16 / C ϕ 62	White	3000K / 6000K
6w	LDL 252	D ϕ 82 / H 20 / C ϕ 72		
9w	LDL 253	D ϕ 87 / H 20 / C ϕ 77		



AERO Downlight

7w | LDL 064 | D ϕ 65 / H 55 / C ϕ 53 |

12w | LDL 065 | D ϕ 80 / H 75 / C ϕ 73 |

18w | LDL 066 | D ϕ 95 / H 95 / C ϕ 84 |

Chrome / Rose Gold / Black | 3000K / 4500K / 6000K



Mushroom Downlight

3w | PIDO 02 | D ϕ 90 / H 25 / C ϕ 78 | Mat White | 3000K



Deep Bowl Reflector Downlight

20w | PIDO 07 | D ϕ 185 / H 115 / C ϕ 165 |

30w | PIDO 08 | D ϕ 185 / H 115 / C ϕ 165 |

40w | PIDO 09 | D ϕ 215 / H 130 / C ϕ 200 |

White | 3000K



Bravo Downlight


5w | LDL 361 | D ϕ 60 / H 70 / C ϕ 56 |

10w | LDL 362 | D ϕ 73 / H 87 / C ϕ 69 |

15w | LDL 363 | D ϕ 80 / H 110 / C ϕ 76 |

Black & Gold
White & Silver

3000K / 4500K
6000K



**Also available in above colour ring options.*



Laura Downlight


12w | LDL 366 | D ϕ 85 / H 62 / C ϕ 75 |

18w | LDL 367 | D ϕ 100 / H 70 / C ϕ 86 |

24w | LDL 368 | D ϕ 130 / H 86 / C ϕ 120 |

36w | LDL 369 | D ϕ 158 / H 92 / C ϕ 142 |

White | 3000K / 4500K / 6000K





Round Fixed Ring

Model : PIDR 02
 Dimension : D ϕ 90 / H 25 / C ϕ 78
 Finish : White



Square Fixed Ring

Model : PIDR 03
 Dimension : D ϕ 110 / H 35 / C ϕ 90
 Finish : White




Round Mirror Mount Ring

Model : PIDR 04
 Dimension : D ϕ 155 / H 47 / C ϕ 140
 Finish : Outer White - Inner Silver



Deep Round Spot

Model : PIDR 06
 Dimension : D ϕ 83 / H 50 / C ϕ 73
 Finish : Outer White - Inner Rose Gold



Round Spot - Square Shape

Model : PIDR 07
 Dimension : L-W 85 / H 36 / C ϕ 73 x 73
 Finish : Outer White - Inner Rose Gold



Deep Wall Washer

Model : PIDR 08
 Dimension : D ϕ 83 / H 50 / C ϕ 73
 Finish : Outer White - Inner Rose Gold



Round Spot

Model : PIDR 09
 Dimension : D ϕ 83 / H 30 / C ϕ 68
 Finish : Outer White - Inner Chrome



Round Spot

Model : PIDR 10
 Dimension : D ϕ 80 / H 30 / C ϕ 68
 Finish : Outer Black - Inner Rose Gold
 Outer White - Inner Rose Gold



Oval Spot

Model : PIDR 11
 Dimension : D ϕ 80 / H 40 / C ϕ 68
 Finish : Outer White - Inner Gold



Round Spot

Model : PIDR 12
 Dimension : D ϕ 80 / H 40 / C ϕ 68
 Finish : Outer White - Inner Rose Gold



Semi-Round Spot

Model : PIDR 13
 Dimension : D ϕ 80 / H 40 / C ϕ 68
 Finish : Outer White - Inner Rose Gold



Semi-Round Spot

Model : PIDR 14
 Dimension : D ϕ 80 / H 40 / C ϕ 68
 Finish : Outer Black - Inner Rose Gold



EPISTAR^{LED}

LED Modules


7w	LDL 325	D ϕ 50 / H 43
12w	LDL 326	D ϕ 50 / H 80
15w	LDL 327	D ϕ 50 / H 80





COB Diffuser

7w CCT	PIDO 14	D ϕ 85 / H 60 / C ϕ 75	White	3000K - 4500K - 6000K
Remote	PIRM 01	4 Channel		



RGB PANEL Light

12w | PIDO 15 | D ϕ 235/ H 25 / C ϕ 220 | Mat White | RGB
(Without Driver)

Power Supply

24v 60w	PIPS 01	Driving 4 Pieces
24v 96w	PIPS 02	Driving 8 Pieces
RGB Jog Dial Wall Mounted Controller	PIRM 02	Driving Max 16 Pieces)



Diffuso Downlight

Finish : White
CCT : 6000K

20w	PIDO 20	D ϕ 150/ H 75/ C ϕ 135
30w	PIDO 21	D ϕ 180/ H 75/ C ϕ 170



Nutron Lens Downlight

CCT : 4500K
Finish : White

10w	PIDO 28	D ϕ 110/ H 72/ C ϕ 95
-----	---------	---------------------------------



Marvello Deep Cone Downlight

6w	PIDO 36	D ϕ 55 / H 98 / C ϕ 50	White	3000K/ 4500K/ 6000K
12w	PIDO 37	D ϕ 75 / H 102 / C ϕ 70		
18w	PIDO 38	D ϕ 91 / H 122 / C ϕ 85		



Cosmo Rimless Downlight

15w	PIDO 41	D ϕ 84 / H 115 / C ϕ 84	White	3000K / 4500K / 6000K
20w	PIDO 42	D ϕ 110 / H 120 / C ϕ 110		



Echo Downlight

3w	PIDO 43	D ϕ 35 / H 50 / C ϕ 26	White	3000K / 4500K / 6000K
6w	PIDO 44	D ϕ 55 / H 60 / C ϕ 46		



CREE LEDs



Recessed Wall Washer Downlight

10w	PIDO 45	D ϕ 95 / H 110 / C ϕ 85	White	3000K / 4500K / 6000K
-----	---------	-----------------------------------	-------	-----------------------



CREE LEDs



Recessed Wall Washer Downlight

16w	PIDO 46	D ϕ 97 / H 102 / C ϕ 85	White	3000K / 4500K / 6000K
-----	---------	-----------------------------------	-------	-----------------------



CREE LEDs



Adjustable Downlight

7w	PIDO 67	D ϕ 83 / H 110 / C ϕ 73	White	3000K / 4500K / 6000K
2x7w	PIDO 68	LxW -155 x84/ H 110 C 142x72		
16w	PIDO 47	D ϕ 100 / H 112 / C ϕ 90		



CREE LEDs



Recessed Downlight

7w	PIDO 35	D ϕ 75 / H 62 / C ϕ 65	Wh/BK	3000K / 4500K / 6000K
	PIDO 35 (3in1)			3000K - 4500K - 6000K
12w	PIDO 48	D ϕ 85 / H 75 / C ϕ 75		3000K / 4500K / 6000K
	PIDO 48 (3in1)			3000K - 4500K - 6000K



CREE LEDs

Black Silver Gold



*Also available in colour ring options.



Single & Double Tiltable Recessed Downlight

10w	PIDO 50	L-W 88 / H 80 / C 80	White	3000K / 4500K / 6000K
2 X 10w	PIDO 51	L-W 168 x 88 / H- 80 / C 150 X 70		



CREE LEDs



IRIS Downlight

7w	PIDO 52	D ϕ 64 / H 60 / C ϕ 54	White/Black	3000K / 4500K / 6000K
----	---------	----------------------------------	-------------	-----------------------



Beam Angle






CLEO Downlight

7w	PIDO 53	D ϕ 70 / H 57 / C ϕ 65
15w	PIDO 54	D ϕ 80 / H 65 / C ϕ 75

White / Black | 3000K / 4500K / 6000K



Zorro Downlight

4w	PIDO 55	L 55 / W 55 / H 45 - C 45x45
3x4w	PIDO 56	L 134 / W 56 / H 60 - C 120x45
4x4w	PIDO 57	L 92 / W 92 / H 60 - C 80x80
5x4w	PIDO 58	L 210 / W 56 / H 60 - C 195x45
9x4w	PIDO 59	L 132 / W 132 / H 60 - C 120x120

White/Black | 3000K/4500K / 6000K



AQUA Downlight

7w	PIDO 61	D ϕ 75 / H 61.5 / C ϕ 65
12w	PIDO 62	D ϕ 105 / H 74 / C ϕ 85

White | 3000K / 4500K



IP 65



CLAY Downlight

7w	PIDO 63 - SQ	L - W 74 / H 68 / C 64	3000K / 4500K / 6000K	White / Black
7w	PIDO 64 - RD	D ϕ 74 / H 66 / C ϕ 55	3000K / 4500K / 6000K	White / Black
15w	PIDO 65 - SQ	L - W 84 / H 77 / C 74	3000K / 4500K / 6000K	White / Black
15w	PIDO 66 - RD	D ϕ 83 / H 77 / C ϕ 73	3000K / 4500K / 6000K	White / Black



QUADRO Downlight

7w	PIDO 71	D ϕ 90 / H 88 / C ϕ 82
12w	PIDO 72	D ϕ 90 / H 88 / C ϕ 82

White / Black | 3000K / 4500K





Recess Deep Cone Downlight

LDL 321 | D ϕ 75 / H 61.5 / C ϕ 65 | White



2x4w Tiltable Downlight | LDL 078 - Square | L - 170 / H 85 / C ϕ 160 x 75 | 6000K | White



Multi Reflex - Lens Downlight

Finish : White
CCT : 3000K

10w | PIMD 04 | D ϕ 130 / H 80 / C ϕ 120

30w | PIMD 06 | D ϕ 350 / H 80 / C ϕ 335x120



PIDS 01

36°
Beam Angle

PIDS 03

Surface Downlight

20w - Thrust | PIDS 01 | D ϕ 100 / H 125 | White | 3000K / 6000K

25w - Trojan | PIDS 03 | D ϕ 130 / H 220



Sidelit Ceiling Light

15w | PICL 02 | D ϕ 165 / H 40 | White / Black | 3000K / 4500K / 6000K



EPISTAR LED

Trump Surface Downlight


6w | PIDS 05 | D ϕ 65 / H 98

12w | PIDS 06 | D ϕ 75 / H 108

18w | PIDS 04 | D ϕ 85 / H 120

24w | PIDS 11 | D ϕ 100 / H 160

Finish : White / Black / WH+Gold / BK+Gold
CCT : 3000K / 4500K / 6000K



Turbo Surface Downlight

6w	PIDS 07	D ϕ 75 / H 85
12w	PIDS 08	D ϕ 80 / H 100
18w	PIDS 09	D ϕ 85 / H 115
24w	PIDS 10	D ϕ 100 / H 150

Finish : White / Black
CCT : 3000K / 4500K / 6000K






Centre' Droplight

18w | PIDL 01 | D ϕ 135 / H 1500 | White | 3000K



Conical Droplight

35w | PIDL 02 | D ϕ 125 / H 290 | White | 3000K




Crabber Droplight

18w | PIDL 03 | D ϕ 135 / H 1500 | White | 3000K



Cruzzo DuaFoc Droplight


26w | PIDL 04 | L 383 / W 130 / H 160 | White | 3000K




iGlow Hanging

15w | LE 4030 | L 600 / W 38 / H 1000 | White | 3000K/ 4500K/ 6000K

36w | LE 4032 | L 1205 / W 38 / H 1000 | White | 3000K/ 4500K/ 6000K



120° Beam Angle



Oval End Cap for
End to End Brightness...

Starlux Hanging

Model	Watt	Feet
PR 1505	20w	2 ft
PR 1506	40w	4 ft
PR 1508	80w	8 ft

LED Colour : 3000K / 4500K / 6000K

Dimension : W - 50 / H - 70

Body Colour : White Black Silver




160° Beam Angle

Scarlet Suspended Linear

Watt	Model	Dimension
40w	PISL 02(4ft)	L 1210 / W 64.5 / H 84

LED Colour : 3000K / 4500K / 6000K

Body Colour : White Black Silver



ELEGANT Hanging

Watt	Model	Dimension	Feet
20w	PR 1512	L 600 / W 36 / H 60mm	2 ft
40w	PR 1509	L 1200 / W 36 / H 60mm	4 ft
80w	PR 1510	L 2400 / W 36 / H 60mm	8 ft
120w	PR 1511	L 3600 / W 36 / H 60mm	12 ft

CCT : 3000K / 4000K / 6000K

White Black



Dayle Hanging (70mm x 70mm)

Watts	Model	Ft
20w	PR 1422	2 ft
40w	PR 1419	4 ft
80w	PR 1452	8 ft



CCT Change

Watts
20w
30w
60w



Magic Hanging (50mm x 70mm)

Watts	Model	Feet
20w	PR 1502	2 ft
40w	PR 1501	4 ft
80w	PR 1503	8 ft

CCT Change


Watts
20w
30w
60w



120° Beam Angle

White Black Red

CCT : 3000K / 4000K / 6000K



All Round Brightness



350° Beam Angle

Circulo Hanging

Model	Watts	Size
PISL 01	20w	2ft
PISL 05	40w	4ft
PISL 06	80w	8ft

Finish : Acrylic
LED Colour : 3000K / 4500K / 6000K
Dimension : D - ϕ 60



1mtr Suspension Kit



Lexis Hanging (Up & Down Light)

40w	PISL 17	L 1200 / W 124 / H 16
80w	PISL 18	L 2400 / W 124 / H 16



350° Beam Angle

Body Colour : White Black
LED Colour : 3000K / 4500K / 6000K



1mtr Suspension Kit




Edion Hanging

40w	PISL 16	L 1200 / W 26 / H 75
-----	---------	----------------------




120° Beam Angle

Body Colour : White Black
LED Colour : 3000K / 4500K / 6000K




1mtr Suspension Kit



Curve Hanging

40w	PR 1345	L 1200 / W 95 / H 35
-----	---------	----------------------


Body Colour : Silver
LED Colour : 3000K / 4500K / 6000K






PLS 002 (Slim Recess)

LED (120 LED - 12v) 5mm Strip	4w / Feet	W 12 / H 6
Empty	2.0 Meter Length	




PLS 008 (Slim Recess)

LED (120 LED's - Spots Visible)	5.5w / Feet	W 22 / H 6
LED (240 LED's - No Spots)		
Empty	2 Meter Length	





PLS 022 (Recess)

LED	5.5w / Feet	W 22 / H 12
Empty	3 Meter Length	





PLS 027 (Recess)

LED	11w / Feet	W 32 / H 12
Empty	2.44 Meter Length	



PLS 029 (Recess)


LED	11w / Feet	W 31 / H 25
Empty	3 Meter Length	



PLS 004 (Recess)



LED	11w / Feet	W 44 / H 35
Empty	3 Meter Length	

Recessed/Spring clip-mounted
Uniformity of light emission



PLS 031 (Recess)

LED	16.5w / Feet	W 57 / H 12
Empty	2.44 Meter Length	





PLS 005 (Recess)

LED	16.5w / Feet
Empty	3 Meter Length

W 64 / H 35

Recessed/Spring clip-mounted
Uniformity of light emission





PLS 006 (Recess)

LED	11w / Feet
Empty	2.5 Meter Length

W 101.6 / H 48.7

Recessed/Spring clip-mounted
Uniformity of light emission




PLS 035 (Trimless)

LED	11w / Feet
Empty	2.0 Meter Length

W 61.51 / H 14

Uniformity of light emission


Surface Profile



PLS 018 (Corner Surface)

LED	5.5w / Feet
Empty	2 Meter Length



W 16 / H 16



PLS 009 (Slim Surface)

LED (120LED - 12v) 5mm Strip	4w / Feet
Empty	2 Meter Length



W 7.5 / H 6



PLS 024 (Surface)

LED	5.5w / Feet
Empty	3 Meter Length


W 16 / H 12



PLS 026 (Slim Surface)


LED (120 LED's - Spots Visible)	5.5w / Feet
LED (240 LED's - No Spots)	5.5w / Feet
Empty	2 Meter Length

W 15.55 / H 6




PLS 028 (Surface)

LED	11w / Feet	W 25 / H 12
Empty	3.7 Meter Length	




PLS 030 (Surface)

LED	11w / Feet	W 25 / H 25
Empty	3 Meter Length	




PLS 012 (Surface)

LED	11w / Feet	W 35 / H 35
Empty	3 Meter Length	





PLS 032 (Surface)

LED	16.5w / Feet	W 50 / H 12
Empty	2 Meter Length	




PLS 016 (Walkover - IP 20)

LED	5.5w / Feet	W 21.3 / H 26.1
Empty	2 Meter Length	




PLS 017 (Step Surface)

LED	5.5w / Feet	W 48 / H 18.7
Empty	2 Meter Length	



PLS 033

LED	5.5w / Feet	D ϕ 20 / H 16
Empty	3 Meter Length	



RGB Max Length: 5 Meter Role



Strip Light (12v)

IP 20	LE 3904 / 2835	White Red / Pink
IP 65	LE 3950 / 3528	White / Warm White Red / Blue / Green
IP 68	LE 3929 / 3528	White Blue/ Green/ Red
IP 20	LE 3951 / 5050	White / Natural White Blue
IP 65	LE 3952 / 5050	White Blue/ Green / Red
IP 68	LE 3930 / 5050	White Blue / Green
IP 20	LE 3957 / 5050 (60 LED's/mtr)	5 Mtr RGB Strip Light Full Set in Blister Packing

LED Strip Light - IP 20 Application : Cove Lighting & Profile Lighting

LE 4015 - 24v	120 LEDs / Mtr	17w / Mtr	3000K / 4500K / 6000K
LE 4018 - 12v	240 LEDs / Mtr	20w / Mtr	
LE 4019 - 12v (5mm strip)	120 LEDs / Mtr	14w / Mtr	
LE 3905 - 12v (2835)	60 LEDs / Mtr	6w / Mtr	
LE 4017 - 12v	120 LEDs / Mtr	12w / Mtr	3000K / 4500K / 6000K Red / Blue / Green



Mini LED Driver Switch Mode Power Supply

2 Amp.	AC 2275 - 2835 / 3528	Black
4 Amp.	AC 2279 - 5050	Black
8 Amp.	AC 2269 - 5050	Black
15 Amp.	AC 2305 - 5050	Black



Neon Flex

IP 65

Description	Code	CCT	LED /mtr
AC 220V	PONF 01	WH / WW / NW	120 No's
	PONF 03	Blue	120 No's
	PONF 05	Purple	120 No's
	PONF 21	RGB	72 No's



AC 220v Strip do not use Underwater

ACCESSORIES KIT FOR SINGLE COLOUR

Power Cord	Middle Connector	End Cap	Mounting Clip & Screw	IP 65 Connector
1 Set Per Meter Free			1 Set Per Meter Free	

ACCESSORIES KIT FOR RGB

Power cord with Remote	Middle Connector	End Cap	IP 65 Connector	Mounting Clip & Screw
1 Set Per Meter Free			1 Set Per Meter Free	

Max Length : 50 Meter / Role | Power : 8w/mtr | Cutting Mark : 1 meter

⚠ Must use PVC glue to glue the interface



Neon Flex

IP 65

Description	Code	CCT	LED /mtr
AC 220V	PONF 11	White/ W.White	60 No's
	PONF 13	Blue	

Max Length : 50 Meter / Role | Power : 4.5w/mtr | Cutting Mark : 1mtr



AC 220v Strip do not use Underwater



Must use PVC glue to glue the interface

ACCESSORIES KIT

Power Cord	Middle Connector	End Cap	Mounting Clip & Screw	IP 65 Connector
1 Set Per Meter Free			1 Set Per Meter Free	

Scale light



4w	PILC 04	L 325mm / W 23mm / H 7.5mm
8w	PILC 05	L 585mm / W 23mm / H 7.5mm
14w	PILC 06	L 900mm / W 23mm / H 7.5mm
20w	PILC 07	L 1200mm / W 23mm / H 7.5mm


Silver | 3000K/ 4500K/ 6000K



Code	Item	Power	Dimensions	Colour Temp.
PILC 01	Minilink Light Bar - Cabinet Light	5w	L 300/ W 18 / H 8	4000K
PILC 02	Minilink Light Bar - Cabinet Light	9w	L 600/ W 18 / H 8	4000K
PILC 03	Minilink Light Bar - Cabinet Light	17w	L 1200/ W 18 / H 8	4000K


Please Note : Driver not Included.

Accessories



Code	Item	Description
PILC S01	Cabinet Light Spares	Right Connector
PILC S02	Cabinet Light Spares	Left Connector
PILC S03	Cabinet Light Spares	H Joint Connector
PILC S04	Cabinet Light Spares	Power Line Cable

Mini link - Constant Voltage Drivers



Code	Wattage	Item	Description
PIPS - 03 (APV)	8w	24v SMPS Driver - 350mA	Suitable for 1 Feet
PIPS - 04 (APV)	12w	24v SMPS Driver - 500mA	Suitable for 1 & 2 Feet
PIPS - 05 (APV)	16w	24v SMPS Driver - 670mA	Suitable for 17w - 4 Feet
PIPS - 06 (APV)	25w	24v SMPS Driver - 1050mA	Suitable for 2+4 Feet
PIPS - 07 (LRS)	35w	24v SMPS Driver - 1500mA	Suitable for 1,2 & 4 Feet

Suitable Driver for Profiles


Model	Description	Wattage
PIPS 03 (APV) / PIPS 051 (APV)	24v - 350mA / 12v - 670mA	8w
PIPS 04 (APV)	24v - 500mA	12w
PIPS 05 (APV) / PIPS 028 (APV)	24v - 600mA / 12v - 1250mA	16w
PIPS 06 (APV) / PIPS 025 (APV)	24v - 1050mA / 12v - 2100mA	25w
PIPS 07 (LRS) / PIPS 021 (LRS)	24v - 1500mA / 12v - 3000mA	35w
PIPS 016 (LRS) / PIPS 022 (LRS)	24v - 2200mA / 12v - 4200mA	50w
PIPS 015 (LRS) / PIPS 023 (LRS)	24v - 3200mA / 12v - 6000mA	75w
PIPS 018 (LRS) / PIPS 024 (LRS)	24v - 4500mA / 12v - 8500mA	100w
PIPS 019 (LRS) / PIPS 027 (LRS)	24v - 6500mA / 12v - 12500mA	150w
PIPS 031 (LRS) / PIPS 034 (LRS)	24v - 8800mA / 12v - 17000mA	200w
PIPS 032 (LRS) / PIPS 030 (LRS)	24v - 14500mA / 12v - 29000mA	350w



Constant Panel Driver

4w	DR 011	4 - 12V 300mA
5w - 7w	DR 012	13 - 24V 300mA
8w - 12w	DR 013	27 - 40V 300mA
13w - 18w	DR 015	36 - 65V 300mA
19w - 24w	DR 052	55 - 92V 300mA
25w - 36w	DR 053	45 - 65V 600mA

12v / 24v Linear Power Supply for Strips and Profiles

Product	Model	Vol	Discription	Size L / W / H	Wattage
	PIPS 037	12v	5000mA	145mm / 53mm / 22mm	60w
	PIPS 038	12v	8000mA	168mm / 53mm / 22mm	100w
	PIPS 039	12v	12500mA	235mm / 53mm / 22mm	150w
	PIPS 040	12v	16500mA	308mm / 53mm / 22mm	200w
	PIPS 042	12v	25000mA	308mm / 53mm / 22mm	300w
	PIPS 08	24v	2500mA	145mm / 53mm / 22mm	60w
	PIPS 09	24v	4000mA	168mm / 53mm / 22mm	100w
	PIPS 10	24v	6250mA	235mm / 53mm / 22mm	150w
	PIPS 17	24v	8000mA	308mm / 53mm / 22mm	200w
	PIPS 43	24v	12500mA	308mm / 53mm / 22mm	300w



SNSR 01
Surface
Sensor



SNSR 02
Recess
Sensor



SNSR 03
Hand Wave
Sensor



SNSR 04
Wardrobe
Sensor

Smart Sensors

SNSR 01	D ϕ 75mm / H 27.60mm
SNSR 02	D ϕ 75.5mm / C ϕ 62mm / H 58mm
SNSR 03	L 74.6mm / W 36.1mm / H 21mm (Driver)
SNSR 04	L 38mm / W 17mm / H 19.5mm (Sensor)



OUTDOOR LIGHTS


Outdoor Lights

Designed to sustain a lifetime of tough environmental conditions, this outdoor ceiling mounted luminaire is precisely designed die-cast housing face plate with a symmetrical downwards throw.




Wattage : 5w
Dimension : D ϕ 60 / H 16
CCT : 3000K/4500K/6000K
Finish : Black/White/Grey

POSC 03





Wattage : 10w
Dimension : D ϕ 100 / H 16
CCT : 3000K/4500K/6000K
Finish : Black/White/Grey

POSC 11




Power : 25w
Finish : White
CCT : 3000K / 6500K

POSC 08




POSC 12

Power : 6w
Finish : Graphite Grey
CCT : 3000K




POSC 13

Power : 12w
Finish : Graphite Grey
CCT : 3000K



POSC 14

Power : 18w
Finish : Graphite Grey
CCT : 3000K



POSC 15

Power : 24w
Finish : Graphite Grey
CCT : 3000K



- Aluminium Die Cast Construction
- Tempered Glass Diffuser
- Silicone Rubber





CREE LEDs



Spike Mounted



Surface Mounted




Garden Spike Light

7w	POGS 02	L 100 / W 65 / H 239	Grey	3000K
12w	POGS 03	L 110 / W 75 / H 289		

Surface Series

7w	POGS 02A	L 100 / W 65 / H 87	Grey	3000K
12w	POGS 03A	L 110 / W 75 / H 93		



25° Beam Angle

GU 10 Spike

GU 10	POGS 04	L 129 / W 60 / H 245	Grey
-------	---------	----------------------	------





LS 1234

Power : 3w
Finish : Black
CCT : 3000K



30° Beam Angle




LS 1235

Power : 2 x 3w
Finish : Black
CCT : 3000K





30° Beam Angle



LS 1229

Power : 5w
Finish : Black
CCT : 3000K / 6000K
CCT : Green





40° Beam Angle

EPISTAR LED



POSL 02

Power : 6w
Finish : Graphite Grey
CCT : 3000K




30° Beam Angle



POSL 03

Power : 12w
Finish : Graphite Grey
CCT : 3000K





30° Beam Angle



POSL 04

Power : 18w
Finish : Graphite Grey
CCT : 3000K




45° Beam Angle






POWL 05

Power : 3w
Finish : Grey
CCT : 3000K




POWL 06

Power : 2 x 3w
Finish : Grey
CCT : 3000K




POWL 08

Power : 2 x 3w
Finish : Grey
CCT : 3000K




POWL 13

Power : 2 x 3w
Finish : Grey
CCT : 3000K




POWL 17

Power : 4 x 1w
Finish : Grey
CCT : 3000K




POWL 25

Power : 3 x 1w
Finish : Grey
CCT : 3000K



POWL 26

Power : 4 x 1w
Finish : Grey
CCT : 3000K




POWL 27

Power : 20w
Finish : Grey
CCT : 3000K




POWL 29

Power : 6 x 1w
Finish : Grey
CCT : 3000K



POWL 32



Power : 6+1w
Finish : Grey
CCT : 3000K






POWL 40

Power : 5w
Finish : Grey
CCT : 3000K




POWL 41

Power : 5w
Finish : Grey
CCT : 3000K




POWL 43

Power : 8w
Finish : Grey
CCT : 3000K




POWL 46

Power : 10w
Finish : Grey
CCT : 3000K




POWL 55

Power : 5w
Finish : Grey
CCT : 3000K



POWL 58

Power : 6w
Finish : Grey
CCT : 3000K




POWL 59

Power : 6w
Finish : Grey
CCT : 3000K





POWL 61

Power : 8w
Finish : Grey
CCT : 3000K




POWL 62

Power : 13w
Finish : Grey
CCT : 3000K




POWL 63

Power : 12w
Finish : Grey
CCT : 3000K




POWL 64

Power : 2 X 12w
Finish : Grey
CCT : 3000K



POWL 65

Power : 6w
Finish : Grey
CCT : 3000K



POWL 66


Power : 2 x 6w
Finish : Grey
CCT : 3000K







POWL 67

Product : Beam Wall Light
 Power : 3w (1 Way)
 Finish : Grey
 CCT : 3000K



POWL 68

Product : Beam Wall Light
 Power : 2 x 3w (2 Way)
 Finish : Grey
 CCT : 3000K




POWL 76
Blowtorch

Product : RGB Colour
 Blowtorch
 Power : 3 x 1w / 2 Way
 Finish : Graphite Grey
 CCT : RGB





POWL 79

Power : 16w
 Finish : Grey
 CCT : 3000K




POWL 80

Power : 16w
 Finish : Grey
 CCT : 3000K




POWL 81

Power : 7w (2x3.5w)
 Finish : Grey
 CCT : 3000K




POWL 82

Holder : E 27
 Finish : Grey




POWL 83


Holder : GU 10
 Finish : Grey



POWL 84



Power : 8w
 Finish : Grey
 CCT : 3000K






POWL 85

Power : 12w
Finish : Grey
CCT : 3000K




POWL 86

Power : 12w
Finish : Grey
CCT : 3000K




POWL 87

Power : 6 x 1w
Finish : Grey
CCT : 3000K





POWL 88

Power : 3 x 2w
Finish : Grey
CCT : 3000K




POWL 89

Power : 8 x 1w
Finish : Grey
CCT : 3000K




POWL 90

Power : 3w
Finish : Grey
CCT : 3000K



POWL 91

Power : 2x3w
Finish : Grey
CCT : 3000K



POWL 92

Power : 4x3w
Finish : Grey
CCT : 3000K



POWL 93




Power : 2x1w
Finish : Grey
CCT : 3000K



POWL 94




Power : 4x1w
Finish : Grey
CCT : 3000K





Big Cypress / Mini Cypress

Model : B 10732 / B 10812
 Power : B-22
 Finish : Black/ Grey
 Antique silver
 Material : Alu. Casting



Axle


Model : B 10731
 Power : B-22
 Dimension: L 150 / W 150 / H 215
 Finish : Black/ Grey



Jazz Bollard

10w	B 10828	300mm
	B 10820	500mm

Finish : Grey
 CCT : 3000K / 6000K





Product : Jazz Wall Light
 Model : W 13005
 Power : 10w
 Finish : Grey
 CCT : 3000K / 6000K




Snow Bollard

10w	H 10793	300mm
	H 10786	500mm
	H 10790	800mm





Laser Bollard

10w	B 10814 (A)	300mm
	B 10814 (B)	
	B 10815 (A)	500mm
	B 10815 (B)	




Material - MS




Laser Bollard

10w	B 10814 (C)	300mm
	B 10814 (D)	
	B 10815 (C)	500mm
	B 10815 (D)	





Material - MS



Poly Bollard

10w	H 10795	200mm
	H 10796	500mm
	H 10797	800mm





Chloe Bollard

10w	B 10864	300mm
	B 10865	500mm

Finish : Grey
CCT : 3000K / 6000K




Product : Chloe Wall Light
Model : W 13006
Power : 10w
Finish : Grey
CCT : 3000K / 6000K



Calvin Bollard

8w	B 10861	200mm
	B 10862	500mm


Finish : Grey
CCT : 3000K / 6000K



Celerio Bollard

10w	B 10871	300mm
	B 10872	500mm
	B 10873	800mm


Finish : Grey
CCT : 3000K / 6000K



Radiant Bollard

20w	B 10880	300mm
	B 10881	500mm
	B 10882	800mm
	B 10882	800mm


*30w Possible



Trim Bollard

10w	B 10842	300mm
	B 10843	500mm
	B 10844	800mm


Finish : Grey
CCT : 3000K / 6000K



Ross Bollard

20w	B 10883	300mm
	B 10884	500mm
	B 10885	800mm


*30w Possible



Coral Bollard

6w	POBL 12A	300mm
	POBL 12B	500mm



Finish : Grey
CCT : 3000K / 6000K



Crafter Bollard

6w	POBL 13A	300mm
	POBL 13B	500mm

Finish : Grey
CCT : 3000K / 6000K







Tab Bollard

	POBL 16A	300mm
E 27	POBL 16B	500mm
	POBL 16C	800mm

Possible with in-built 7w LED Finish : Grey



Kobra Bollard

6w	B 10825	300mm
	B 10826	500mm

Finish : Grey
CCT : 3000K / 6000K




Product : Wall Light
Model : W 13002
Power : 6w
Finish : Grey
CCT : 3000K / 6500K




Maria Bollard

	B 10757	300mm
10w	B 10758	500mm
	B 10759	800mm

Finish : Grey
CCT : 3000K / 6000K




Product : Maria Wall Light
Model : W 12139
Power : 10w
Finish : Grey
CCT : 3000K / 6000K



Slim Kin Bollard

	B 10851	300mm
B-22	B 10852	500mm
	B 10853	800mm

Grey




Product : Slim Kin Wall Light
Model : B 10841
Power : B 22
Finish : Grey



Slim Peta Bollard

	B 10854	300mm
B-22	B 10855	500mm
	B 10856	800mm

Grey



Abia Bollard

	B 10754	300mm
B - 22	B 10755	500mm
	B 10756	800mm
	B 10802	300mm
10w	B 10803	500mm
	B 10806	800mm




Finish : Grey
CCT : 3000K / 6000K

Product : Abia Wall Light
Model : W 12138
Power : B - 22

Model : W 12164
Power : 10w
CCT : 3000K / 6000K


Custom Finish Bollard





Peta Bollard

B - 22	B 10748	300mm
	B 10749	500mm
	B 10750	800mm
10w	B 10796	300mm
	B 10797	500mm
	B 10798	800mm



Finish : Grey
CCT : 3000K / 6000K


Product : Peta Wall Light
Model : W 12136
Power : B - 22

Model : W 12162
Power : 10w
CCT : 3000K / 6500K



Kin Bollard

B - 22	B 10751	300mm
	B 10752	500mm
	B 10753	800mm
10w	B 10799	300mm
	B 10800	500mm
	B 10801	800mm



Finish : Grey
CCT : 3000K / 6000K


Product : Kin Wall Light
Model : W 12137
Power : B - 22

Model : W 12163
Power : 10w
CCT : 3000K / 6000K




Duster Bollard

B-22	B 10830	200mm
	B 10831	500mm
	B 10832	800mm
10w	B 10833	200mm
	B 10834	500mm
	B 10835	800mm



Product : Duster Wall Light
Model : W 13003
Power : B - 22


Model : W 13004
Power : 10w
CCT : 3000K / 6000K



Matrix Bollard

10w	B 10836	300mm
	B 10837	500mm
	B 10838	800mm

CCT : 3000K / 6000K
Finish : Grey
Material : Aluminium



Brushsteel Flat Bollard

B-22	H 10733 - 1Ft	D φ100 / H 300	Mat Brushsteel
	H 10726 - 2Ft	D φ100 / H 500	
	H 10727 - 3Ft	D φ100 / H 800	

Custom Finish Bollard






Spark Bollard

10w	B 10823	500mm
-----	---------	-------


Finish : Grey
 CCT : 3000K / 6000K
 Material : Aluminium



Vimio Bollard

10w	B 10817	300mm
	B 10818	500mm
	B 10819	800mm


Finish : Grey
 CCT : 3000K / 6000K
 Material : Aluminium



Carlo Bollard

10w	B 10846	500mm
	B 10847	800mm
10w	B 10849	500mm
	B 10850	800mm

Finish : Grey
 CCT : 3000K / 6000K
 Material : Aluminium




Shell Bollard


10w	B 10857	300mm
	B 10858	500mm
	B 10859	800mm
10w	B 10874	300mm
	B 10875	500mm
	B 10876	800mm

Finish : Grey
 CCT : 3000K / 6000K
 Material : Aluminium

***20w Possible**



Custom Finish Bollard



Bollard Foundation Set



Description	Model	Dimension	Finish	CCT
10w	POFL 01	L 500 / W 40 / H 55	Aluminium	Blue
Driver	POPS 09	24V DC -15w Power Supply Suitable For POFL01		Blue (Driving 1Piece)



Description	Model	Dimension	Finish	CCT
12w	POFL 02	L 500 / W 40 / H 55	Gun Metal	3000K
24w	POFL 03	L 1000 / W 40 / H 95		



Description	Model	Dimension	Finish	CCT
36w	POFL 04	L 1000 / W 60 / H 82	Graphite Grey	RGB

*With Remote Controller




POSL 05

Product : Planter Light
 Power : 36w
 Finish : Graphite Grey
 CCT : 3000K



IP 65



POFL 05 / 25+ Feet




POFL 05



Product : Fascade Light
 Power : 10w
 Dimension : L 115 / W 105 / H 90
 Finish : Graphite Grey
 CCT : 3000K / Blue / Purple / Red





Recess Foot Light




POFW 03

Power : 3w
Finish : Graphite Grey
CCT : 3000K




POFW 04

Power : 3w
Finish : Graphite Grey
CCT : 3000K



POFW 06


Power : 6w
Finish : Graphite Grey
CCT : 3000K




POFW 07

Power : 7w
Finish : Graphite Grey
CCT : 3000K

SENSOR LIGHT




Foot Light with Motion Sensor




FT 2157

Product : Kwid Foot Light
Power : 3w
Finish : Grey
CCT : 3000K / 6000K



FT 2156

Product : Kwid Foot Light
Power : 6w
Finish : Grey
CCT : 3000K / 6000K





Surface Foot Light




FT 2154

Product : Audi Foot Light
Power : 3w
Finish : Grey
CCT : 3000K / 6000K





FT 2155

Product : Audi Foot Light
Power : 6w
Finish : Grey
CCT : 3000K / 6000K



FT 2160


Product : LED Grill Foot Light
Power : 12w
Finish : Graphite Grey
CCT : 3000K






POIU 01

Power : 0.5w
 Finish : Aluminium
 CCT : 3000K / Blue



Beam Angle




C ϕ 42




POIU 02

Power : 1w
 Finish : Stainless Steel
 CCT : 3000K



Beam Angle




C ϕ 42




POIU 03

Power : 3w
 Dimension : D ϕ 90mm / H 70mm / C ϕ 76mm
 Finish : SS + Black Case
 CCT : 3000K



Beam Angle




C ϕ 75




POIU 04

Power : 6 x 1w
 Finish : Stainless Steel
 CCT : 3000K



Beam Angle




C ϕ 120




POIU 05

Power : 9 x 1w
 Finish : Stainless Steel
 CCT : 3000K



Beam Angle




C ϕ 135




POIU 06

Power : 15w
 Dimension : L 180mm / W 146mm / H 90mm
 Finish : Stainless Steel
 CCT : RGB





Beam Angle



C ϕ 185

Driver : POPS 01 (24v AC - 30w)



- Aluminium Die Cast Construction
- P.C. / Glass Vandal Proof Diffuser
- Silicone Rubber Gasket.
- 220-240V / 24V, 50Hz



POIU 09

Product: Urbas burial
 Power : 3w
 Finish : Graphite Grey
 CCT : 3000K
 Dimension: D ϕ 60 / H 110 / C ϕ 60



1 way Urbas burial



2 way Urbas burial



3 way Urbas burial



4 way Urbas burial







POUW 01

Power : 9w
 Finish : Stainless Steel
 CCT : Blue

Driver : POPS 12 (24v AC - 15w)



Beam Angle




Dia ϕ 40mm




POUW 02

Power : 18w
 Finish : Stainless Steel
 CCT : RGB

Driver : POPS 01 (24v AC - 30w)



Beam Angle



Dia ϕ 50mm



POUW 09

Power : 4 X 1w
 Finish : Stainless Steel
 CCT : 3000K / Blue / RGB

Driver (Driving 1-2 Nos.)

POPS 07
 (24v DC - 10w)ww


POPS 11
 (24v AC - 10w) RGB



Beam Angle



IP 65



POUW 10

Power : 9 X 1w
 Finish : Stainless Steel
 CCT : 3000K / RGB

Driver (Driving 1 No.)

POPS 13A
 (24v DC - 15w) ww

POPS 13B
 (24v AC - 15w)RGB




Beam Angle



IP 65

RGB : 10 Seconds Auto Fading



POUW 13

Recessed Under Water


Power : 10w
 Finish : Brushsteel
 CCT : 3000K

Driver : PIPS 05 (24v 16w - 600mA) DC

IP 20



Beam Angle




C ϕ 80



CONNECTOR - IP 65

Connector 01

1 Way In - 1 Way Out





10w SMD	FL 2071	L 185 / W 154 / H 45	Black	3000K / 6000K
---------	---------	----------------------	-------	---------------

20w SMD	FL 2072	L 185 / W 154 / H 45	Black	3000K / 6000K
---------	---------	----------------------	-------	---------------

30w SMD	FL 2073	L 230 / W 195 / H 50	Black	3000K / 6000K
---------	---------	----------------------	-------	---------------

50w SMD	FL 2085	L 285 / W 240 / H 60	Black	3000K / 6000K
---------	---------	----------------------	-------	---------------



100w SMD	FL 2086	L 335 / W 293 / H 85	Black	3000K / 6000K
----------	---------	----------------------	-------	---------------

150w SMD	FL 2087	L 425 / W 325 / H 87	Black	3000K / 6000K
----------	---------	----------------------	-------	---------------

300w SMD	FL 2089	L 372 / W 387 / H 63	Black	3000K / 6000K
----------	---------	----------------------	-------	---------------

400w SMD	FL 2090	L 499 / W 465 / H 70	Black	3000K / 6000K
----------	---------	----------------------	-------	---------------

LIDO MODEL FLOOD LIGHT



50w	FL 2098	L 285 / W 240 / H 60	Black	3000K / 4500K / 6000K
-----	---------	----------------------	-------	-----------------------

100w	FL 2099	L 335 / W 293 / H 85	Black	3000K / 4500K / 6000K
------	---------	----------------------	-------	-----------------------

150w	FL 2100	L 425 / W 325 / H 87	Black	3000K / 4500K / 6000K
------	---------	----------------------	-------	-----------------------

200w	FL 2101	L 425 / W 325 / H 98	Black	3000K / 4500K / 6000K
------	---------	----------------------	-------	-----------------------



SLIM FLOOD LIGHT

Model : FL 2082
 Power : 100w
 Dimension : L 230 / W 295 / H 65
 CCT : 3000K / 6000K
 Body Colour : Grey

SMD FLOOD LIGHT (With Lens)



Model : FL 2094
 Power : 200w
 Dimension : L 395 / W 382 / H 60
 CCT : 3000K / 6000K
 Body Colour : Grey



Finish : Grey
 CCT : 3000K / 6000K

SPIRO FLOOD LIGHT (With Lens)

30w	FL 2102	L 185 / W 155 / H 44	Grey	3000K / 6000K
-----	---------	----------------------	------	---------------

50w	FL 2103	L 223 / W 192 / H 50	Grey	3000K / 6000K
-----	---------	----------------------	------	---------------

100w	FL 2104	L 283 / W 239 / H 55	Grey	3000K / 6000K
------	---------	----------------------	------	---------------

150w	FL 2105	L 346 / W 280 / H 73	Grey	3000K / 6000K
------	---------	----------------------	------	---------------

200w	FL 2106	L 425 / W 325 / H 78	Grey	3000K / 6000K
------	---------	----------------------	------	---------------



*Tilttable

BAR FLOOD LIGHT

50w	FL 2107		Black	3000K / 4500K / 6000K
-----	---------	--	-------	-----------------------

2x50w	FL 2108		Black	3000K / 4500K / 6000K
-------	---------	--	-------	-----------------------

3x50w	FL 2109		Black	3000K / 4500K / 6000K
-------	---------	--	-------	-----------------------

4x50w	FL 2110		Black	3000K / 4500K / 6000K
-------	---------	--	-------	-----------------------



OSRAM LED

UFO Highbay with Lens

IP 44


50w	POHB 07	D ϕ 250 / H 200	Grey	3000K / 6000K
-----	---------	----------------------	------	---------------

100w	POHB 08
------	---------

150w	POHB 09	D ϕ 350 / H 200
------	---------	----------------------

200w	POHB 10
------	---------

Surge Protection 4.0 KV



12w	SL 1948	L- 325 / W- 100	Grey Die Cast Aluminium	3000K / 6000K
20w	SL 1980	H- 50 / PD- 40		
30w	SL 1983	L- 395 / W- 148		
42w	SL 1984	H- 55 / PD- 40		



With Lens

75w	SL 1993	L 438/ W 180/ H 50/ PD 45	Grey	3000K / 6000K
100w	SL 1994	L 438/ W 180/ H 50/ PD 45		
150w	SL 1995	L 455/ W 200/ H 58/ PD 50		
200w	SL 1996	L 585/ W 282/ H 60/ PD 60		
250w	SL 1997	L 585/ W 282/ H 60/ PD 60		



24w	SL 1985	L 430/ W 170/ H 65/ PD 45	Grey	3000K / 6000K
55w	SL 1987	L 545/ W 210/ H 70/ PD 50		



Rocket

12w	SL 2001	L 275 / W 80 / H 60 / PD 38	Grey	3000K / 6000K
20w	SL 2002	L 275 / W 80 / H 60 / PD 38		
30w	SL 2003	L 325 / W 80 / H 65 / PD 38		



SOLAR STREET LIGHT

20w	SL 2005	L 360 / W 185 / PD 55	Black *Coming Soon
40w	SL 2006	L 465 / W 190 / PD 55	
60w	SL 2007	L 600 / W 195 / PD 55	
80w	SL 2008	L 630 / W 250 / PD 70	



SLIM STREET LIGHT

24w	SL 2026	L 305/ W 107/ H 50/ PD 32	Grey	3000K / 6000K
36w	SL 2027	L 354/ W 128/ H 42/ PD 32		
50w	SL 2028	L 385/ W 161/ H 51/ PD 32		
70w	SL 2029	L 372/ W 163/ H 53/ PD 38		
100w	SL 2030	L 475/ W 205/ H 53/ PD 48		



Slim Linear Street Light

24w	SL 2034	L 50 / H 360 / PD 45	Grey
36w	SL 2035	L 50 / H 410 / PD 45	
50w	SL 2036	L 50 / H 485 / PD 45	



Clamp 1to5



Clamp 6and7

(Adjustable wall bracket)

STREET LIGHT Clamp

STREET LIGHT Clamp		Suitable for
Clamp 1	φ 38	12w / 20w / 30w / 42w
Clamp 2	φ 42	42w
Clamp 3	φ 50	110w / 150w/200w
Clamp 5	φ 32	70w/100w
Clamp 6	φ 36	12w/20w/30w/42w/ 70w/100w
Clamp 7	φ 52	110w/150w/200w/ Solar Street Light



L 10512 L 10521 - Dior

I4 / Dior Gate Light

4 x 1w	L 10512	D ϕ 195 / H 275 / PD 53	Black	3000K / 6000K
12w	L 10521	D ϕ 195 / H 325 / PD 53	Black	3000K / 6000K



Leo

7w	U 10068	D ϕ 175 / H 245 / PD 53	Top Black Bottom Clear	3000K / 6000K
12w	U 10069	D ϕ 265 / H 290 / PD 53		



A- Star

7w	U 10070	D ϕ 170 / H 330 / PD 53	Top Black Bottom Clear	3000K / 6000K
	U 10071	D ϕ 170 / H 368 / PD 53		



B-22 Star Black Wall Light

Mini	W 12084	D ϕ 72 / H 16 / C ϕ 62	Black/ White	B - 22
Maxi	W 12087	D ϕ 82 / H 20 / C ϕ 72		



U 10072
Suitable for Pole



U 10073
Suitable for surface
Post top

Scion

20w	U 10072	D ϕ 250 / H 375 / PD 60	Black	3000K / 6000K
	U 10073	D ϕ 250 / H 375		



I-10



I-20

I-10 / I-20

10 x 1w	L 10480	D ϕ 335 / H 405 / PD 50	Top Plate Blue / Black	3000K / 6000K
28 x 1w	L 10481	D ϕ 450 / H 545 / PD 60		



Royce - 1

10w	POPT 001	D ϕ 175 / H 245 / PD 50	Grey	3000K / 6000K
-----	----------	------------------------------	------	---------------



Royce - 2

20w	POPT 003	D ϕ 270 / H 275 / PD 50	Grey	3000K / 6000K
-----	----------	------------------------------	------	---------------



Clear



Milky

Hover Gate Light

10w	POPT 002	D ϕ 176 / H 254 / PD 50	Grey	3000K / 6000K
-----	----------	------------------------------	------	---------------

Finish:- Clear | Milky



Viro
 30w | POPT 005 | D ϕ 300 / H 430 / PD 50 | Grey | 3000K / 6000K

Dory Gate Light
 20w | POPT 007 | D ϕ 267 / H 380 / PD 55 | Grey | 3000K / 6000K

30w | POPT 008 | D ϕ 267 / H 410 / PD 55 | Grey | 3000K / 6000K



Luce Post Top Clear
 40w | POPT 010 | D ϕ 333 / H 385 / PD 75 | Black / Clear | 3000K / 6000K
 POPT 011 | Black / Milky



Cory & Curly Gate Light
 20w | L 10516 | L 305 / W 315 / H 550 / PD 60 | Black | 3000K / 6000K
 L 10517 | L 285 / W 250 / H 510 / PD 60



Ray Gate Light
 7w | POPT 004 | D ϕ 190 / H 273 / PD 52 | Grey | 3000K / 6000K

Marlin Gate Light
 12w | POPT 006 | D ϕ 300 / H 353 / PD 56 | Grey | 3000K / 6000K

Brisk Gate Light
 12w | POPT 009 | D ϕ 100 / H 300 / PD 50 | Grey | 3000K / 6000K



Gleam Gate Light
 50w | POPT 013 | W 600 / H 375 / PD 66 | Grey | 3000K / 6000K

Bright Gate Light
 50w | POPT 014 | W 350 / H 410 / PD 66 | Grey | 3000K / 6000K



Jovie Gate Light
 30w | P 20583 | D ϕ 275 / H 380 / PD ϕ 63 | 3000K / 6000K



Oliver Gate Light
 B 10736 (A) |
 B-22 | B 10736 (B) | L -W 206 / H 380 | Grey / Black
 B 10736 (C) |



Ring Gate Light

B-22 - Micro	L 10468	D ϕ 278 / H 365 / PD 53	Black
B-22 - Roma	L 10470	D ϕ 272 / H 300 / PD 53	Black
B-22 - Light Home	L 10472	D ϕ 335 / H 400 / PD 53	Black



Roma / Micro Liner Gate Light

B-22 Neno	L 10477	D ϕ 193 / H 335 / PD 53	Black
B-22 Punesia	L 10493	D ϕ 193 / H 210	Black
B-22 - Bertram	L 10476	D ϕ 190 / H 260 / PD 53	Black



Micro / Nano Ring Gate Light

B-22 Micro (Clear)	T 10808A	D ϕ 270 / H 335 / PD 53	Brushsteel
B-22 Micro (Milky)	T 10808B	D ϕ 270 / H 335 / PD 53	Brushsteel
B- 22	T 10871	D ϕ 193 / H 320 / PD 53	Brushsteel



B-22 Mini	U 10001	D ϕ 175 / H 240 / PD 53	Top Milky Bottom Milky
	U 10009		Top Black Bottom Clear
	U 10013		Top Black Bottom Milky
	U 10017		Top Clear Bottom Clear



B-22 Mini Piazza	U 10035	D ϕ 195 / H 260 / PD 53	
B-22 Star Big	U 10065	D ϕ 183 / H 370 / PD 53	Black
B-22 Piazza Black	X 10139	D ϕ 290 / H 345 / PD 53	




B-22 Star White	U 10061	D ϕ 183 / H 330 / PD 53	Black
B-22 Star Black	U 10062		
B-22 - Puma Mini Ring	U 10049	D ϕ 175 / H 250 / PD 53	Black



B-22 Maxi	X 10101	D ϕ 270 / H 290 / PD 53	Top White Bottom Milky
B-22 Maxi	X 10117A		Top Clear Bottom Clear
B-22 Maxi	X 10117B		Top Clear Bottom Milky
B-22 Maxi	X 10123		Top Black Bottom Milky



8" Milky Globe	G 10926	
10" Milky Globe	G 10927	Milky
12" Milky Globe	G 10928	



12w Seiko	D 11066	L 310 / W 140 / H 90	Grey	3000K / 6000K
B - 22 Seiko	D 11071			
12w Casio	D 11067	L 310 / W 140 / H 90	Grey	3000K / 6000K
B - 22 Casio	D 11072			
12w Celio	D 11068	L 310 / W 140 / H 90	Grey	3000K / 6000K
B - 22 Celio	D 11073			



B-22 Cronus	D 11051	L 255 / W 128 / H 95	Available with Black/Grey
B-22 Voilas	D 11052	L 255 / W 128 / H 95	
B-22 Rai	D 11056	L 265 / W 133 / H 95	



7w LED Armin	D 11064	L 225 / W 128 / H 95	Black	3000K / 6000K
7w LED Owl	D 11065			
7w LED Hype	D 11074	L 219 / W 120 / H 43	Grey	3000K / 6000K
7w LED Puma	D 11075			



10w LED Hino	D 11057	L 270 / W 135 / H 95	Available with Black/Grey
10w LED Riley	D 11058	L 268 / W 135 / H 90	
10w LED Joss	D 11059	L 268 / W 135 / H 93	



B-22 Rubus	D 11044	L 270 / W 135 / H 95	Available with Black/Grey
B-22 Toyon	D 11046	L 268 / W 135 / H 90	
B-22 Virginia	D 11049	L 268 / W 135 / H 93	



7w Corn Led Bulkhead	D 11069	L 217 / W 120 / H 60	Available with Black/Grey
------------------------	---------	----------------------	------------------------------



B-22 Bilberry	D 11047	H 110 / C ϕ 260	Casting Black
---------------	---------	----------------------	---------------



Dace and Dice BULKHEAD

7w	D 11076	L 200/W 100/H 50	White/Black
7w	D 11077	L 200/W 100/H 50	White/Black
12w	D 11078	L 200/W 100/H 55	White/Black
12w	D 11079	L 200/W 100/H 55	White/Black





Aviation Light

B- 22	AL 2102 - Single	D ϕ 170 / H 245
	AL 2103 - Double	L 400 / W 170 / H 250
5w	AL 2104 - Single	D ϕ 170 / H 245
2x5w	AL 2105 - Double	L 400 / W 170 / H 250

POLE LIGHTS





Xenon Pole X - I

Model	Height
X - I	10 Feet 12 Feet 15 Feet

Power : 30w / 60w
 Pole Dimension : 120 X 80 mm
 Bed Size / Thickness : 200 X 200 X 6mm
 Housing Material : Aluminium
 Body Colour : Grey / Black

Xenon Pole X - II

Model	Height
X - II	10 Feet 12 Feet 15 Feet



Power : 2x30w / 2x60w
 Pole Dimension : 120 X 80 mm
 Bed Size / Thickness : 200 X 200 X 6mm
 Housing Material : Aluminium
 Body Colour : Grey / Black




Xenon Pole X - III

Model	Height
X - III	10 Feet 12 Feet 15 Feet


Power : 30w / 60w
 Pole Dimension : 120 X 80 mm
 Bed Size / Thickness : 200 X 200 X 6mm
 Housing Material : Aluminium
 Body Colour : Grey / Black

Xenon Pole X - IV


Model	Height
X - IV	10 Feet 12 Feet 15 Feet

Power : 30w / 60w
 Pole Dimension : 120 X 80 mm
 Bed Size / Thickness : 200 X 200 X 6mm
 Housing Material : Aluminium
 Body Colour : Grey / Black



Xenon Pole X - V

Model	Height
X - V	10 Feet 12 Feet 15 Feet
Power	: 2 x 30w/2x60w
Pole Dimension	: 120 X 80 mm
Bed Size / Thickness	: 200 X 200 X 6mm
Housing Material	: Aluminium
Body Colour	: Grey / Black



Xenon Pole X - VI

Model	Height
X - VI	10 Feet 12 Feet 15 Feet
Power	: 30w/60w
Pole Dimension	: 120 X 80 mm
Bed Size / Thickness	: 200 X 200 X mm
Housing Material	: Aluminium
Body Colour	: Grey / Black



Xenon Pole X - VII

Model	Height
X - VII	10 Feet 12 Feet 15 Feet
Power	: 30w/60w
Pole Dimension	: 120 X 80 mm
Bed Size / Thickness	: 200 X 200 X 6mm
Housing Material	: Aluminium
Body Colour	: Grey / Black



Pyramid Post Top (Post Top)

Model	Power
P 20521	1 x 50w
P 20525	5 x 50w
Body Colour	: Grey / Black
Housing	: Aluminium Casting

Aramis Post Top

Model : P20501
 Power : 75W / 150W
 Body Colour : Grey / Black
 Housing : Aluminium



Viper Post Top

Model : P 20491
 Power : 25W / 50W
 Body Colour : Grey / Black
 Housing : Aluminum



Mushroom Post Top

Model	Dimension	Power
P 20515	D ϕ 345 / H 100 / PD ϕ 35	50W
P 20511	D ϕ 650 / H 180 / PD ϕ 78	75W
P 20512	D ϕ 650 / H 180 / PD ϕ 78	150W

Body Colour : Grey / Black
 Housing : Aluminium



Mille Post Top

Model : P20504
 Power : 70W
 Dimension : D ϕ 440 / H 450 / PD ϕ 48
 Body Colour : Grey / Black
 Housing : Aluminium Casting



Zydo Post Top

Model : PH 003
 Power : 30W
 Dimension : D ϕ 165 / H 615 / PD ϕ 50
 Body Colour : Black
 Housing : Aluminium



Trio Post Top

Model : P 20505
 Power : 60W
 Body Colour : Grey / Black
 Housing : Aluminium



Navy Post Top

Model : POPT 012
 Power : 50W
 Dimension : D ϕ 440 / H 445 / PD ϕ 65
 Body Colour : Grey / Black
 Housing : Aluminium





Euro 1 Post Top

Model	Dimension	Power
PH 001	D ϕ 450 / H 577 / PD ϕ 76	70w
Body Colour	: Grey / Black	
Housing	: Aluminium	


Elvis Post Top

Model	Dimension	Power
P 20580	D ϕ 420 / H 425 / PD ϕ 50	50w
P 20581	D ϕ 605 / H 435 / PD ϕ 50	70w
Body Colour	: Grey / Black	
Housing	: Aluminium	




Kovis Post Top

Model	Dimension	Power
P 20584	D ϕ 405 / H 205 / PD ϕ 67	50w
Body Colour	: Grey / Black	
Housing	: Aluminium Casting	




Euro 2 Post Top

Model	Dimension	Power
PH 002	D ϕ 450 / H 318 / PD ϕ 76	70w
Body Colour	: Grey / Black	
Housing	: Aluminium	




Galileo Pole

Model	Height
P 20079	8Ft
P 20080	10Ft
P 20081	12Ft
Bed Size / Thickness	: 200 x 200 x 6mm
Finish	: Mild Steel
Body Colour	: Black / Grey



Swing Pole - 1

Model	Height
P 20471	10 Feet
P 20472	12 Feet
Power	: 25w
Head Dia / Height	: ϕ 100mm / 200mm
Pipe Dia	: ϕ 60mm
Bed Size / Thickness	: 200 X 200 X 6mm
Finish	: Mild Steel
Body Colour	: Grey / Black



Swing Pole - 2

Model	Height
P 20473	10 Feet
P 20474	12 Feet
Power	: 2 X 25w
Head Dia / Height	: ϕ 100mm / 200mm
Pipe Dia	: ϕ 60mm
Bed Size / Thickness	: 200 X 200 X 6mm
Finish	: Mild Steel
Body Colour	: Grey / Black





Swing Pole - 11

Model	Height
P 20481	10 Feet
P 20482	12 Feet
Power	: 25w
Head Dia / Height	: ϕ 100mm / 250mm
Pipe Dia	: ϕ 60mm
Bed Size / Thickness	: 200 X 200 X 6mm
Finish	: Mild Steel
Body Colour	: Grey / Black



Swing Pole - 12


Model	Height
P 20483	10 Feet
P 20484	12 Feet
Power	: 2 X 25w
Head Dia / Height	: ϕ 100mm / 250mm
Pipe Dia	: ϕ 60mm
Bed Size / Thickness	: 200 X 200 X 6mm
Finish	: Mild Steel
Body Colour	: Grey / Black

Module lens with High Lumen Output

Cain Pole Light

Model	: P 20245
Power	: 30w / 60w
Body Colour	: Grey / Black
Bed Size / Thickness	: 200 x 200 x 6mm
Pipe Dia	: 100 x 100mm
Material	: Mild Steel
Height	
	10Ft
	12Ft
	15Ft



Cain - 2 Pole Light

Power	: 2 x 30w
Model	Height
P 20256	10Ft
P 20321	12Ft
	15Ft
Pipe Dia	: 100 x 100mm
Bed Size / hickness:	200 x 200 x 6mm
Finish	: Mild Steel
Body Colour	: Black / Grey




Module lens with High Lumen Output

Evian Pole Light

Model	: P 20244
Power	: 30w / 60w
Body Colour	: Grey / Black
Bed Size / Thickness	: 200 x 200 x 6mm
Pipe Dia	: 100 x 100mm
Material	: Mild Steel
Height	
	10Ft
	12Ft
	15Ft



Windsor Pole (Square)

Model	Height
W 021	3Mtr
W 022	4Mtr
W 023	5Mtr
Bed Size / Thickness	: 200 x 200 x 6mm
Finish	: Mild Steel
Body Colour	: Black / Grey
Pipe Dia	: 100x100mm

Windsor Series LED Pole Heads



New Module lens with High Lumen Output

Suitable for Pipe Dia : 100 x 100mm Pole.
Housing Material : Mild Steel




Model : W 001 (Single Arm)
Dimension : L 600 / W 115 / H 375
Power : 30w 60w



Model : W 002 (Single Arm)
Dimension : L 1000 / W 115 / H 375
Power : 30w 60w



Model : W 003 (Single Arm)
Dimension : L 600 / W 200 / H 375
Power : 2 x 30w 2x60w




Model : W 004 (Single Arm)
Dimension : L 1000 / W 200 / H 375
Power : 2 x 30w 2x60w




Model : W 005 (Double Arm)
Dimension : L 1200 / W 115 / H 375
Power : 2 x 30w 2x60w




Model : W 006 (Double Arm)
Dimension : L 2000 / W 115 / H 375
Power : 2 x 30w 2x60w



Model : W 007 (Double Arm)
 Dimension : L 1200 / W 200 / H 375
 Power : 4 x 30w 4x60w



Model : W 008 (Double Arm)
 Dimension : L 2000 / W 200 / H 375
 Power : 4 x 30w 4x60w



Model : W 009 (Single Arm)
 Dimension : L 1100 / W 115 / H 375
 Power : 30w 60w




Model : W 010 (Double Arm)
 Dimension : L 2000 / W 200 / H 375
 Power : 4 x 30w 4x60w




Model : W 011 (Double Arm)
 Dimension : L 2400 / W 200 / H 515
 Power : 8 x 30w 8x60w




Model : W 012 (Single Arm)
 Dimension : L 800 / W 280 / H 310
 Power : 2 x 30w 2x60w



Model : W 013 (Single Arm)
 Dimension : L 1200 / W 280 / H 360
 Power : 2 x 30w 2x60w



Arm
 600mm
 1000mm
 Model : W 014 (Four Arm)
 Power : 4 x 30w 4x60w
 Arm Length : 1000mm



Snow Pole

Model	Feet
P 20344	8Ft
P 20341	10Ft
P 203416	12Ft
Power	: 35W
Pipe Dia	: 100 x 100mm
Bed Size / Thickness	: 200 x 200 x 6mm

Model	Feet
P 20347	8Ft
P 20348	10Ft
P 20349	12Ft
Power	: 50W
Pipe Dia	: 150 x 150mm
Bed Size / Thickness	: 250 x 250 x 6mm

Finish : Mild Steel
Body Colour : Black / Grey



Lar Pole Light

Model	: P 20246
Power	: 10 Ft (Include Post top)
Power	: 40W
Wings Dimension	: 480 X 400mm
Pipe Dia	: ϕ 114mm
Bed Size / Thickness	: 200 x 200 x 6mm
Material	: Mild Steel (Pole) Aluminum (Post Top)
Body Colour	: Grey / Black



Zar Pole Light

Model	: P 20247
Power	: 10 Ft (Include Post top)
Power	: 40W
Wings Dimension	: 495 X 405mm
Pipe Dia	: ϕ 114mm
Bed Size / Thickness	: 200 x 200 x 6mm
Material	: Mild Steel (Pole) Aluminum (Post Top)
Body Colour	: Grey / Black



Xanto Pole Light


Model	: P 20248
Power	: 10 Ft (Include Post top)
Power	: 40W
Head Dimensions	: D ϕ 600mm x H 305mm
Pipe Dia	: ϕ 114mm
Bed Size / Thickness	: 200 x 200 x 6mm
Material	: Mild Steel (Pole) Aluminum (Post Top)
Body Colour	: Grey / Black



Helix Pole Light

Model	Height
P 20461	10 Feet
P 20462	12 Feet
Power	: 40w
Pipe Dia	: 100 X 100mm
Finish	: Mild Steel
Body Colour	: Grey / Black

Embrace Pole Light



Model	Height	Power
P 20451	500mm	20w
P 20452	1000mm	40w
Total Length	: 10 feet	
Pipe Dia	: φ 100mm	

Model	Height	Power
P 10752	500mm	20w
P 10753	1000mm	40w
Total Length	: 10 feet	
Pipe Dia	: φ 76mm	

Bed Size / Thickness : 200 X 200 X 6mm
 Finish : Mild Steel
 Body Colour : Black / Grey




Tuskar - 1 Pole Light

Model	Height
P 20042	8Ft
P 20043	10Ft
P 20044	12Ft
Bed Size / Thickness	: 200 x 200 x 6mm
Housing Material	: Mild Steel
Body Colour	: Black / Grey



Tuskar - 2 Pole Light

Model	Height
P 20052	10Ft
P 20053	12Ft
Bed Size / Thickness	: 200 x 200 x 6mm
Housing Material	: Mild Steel
Body Colour	: Black / Grey



Opera - 1 Pole Light

Model	Height
P 20062	8Ft
P 20063	10Ft
P 20064	12Ft
Bed Size / Thickness	: 200 x 200 x 6mm
Material	: Mild Steel (Pole) Aluminum (Post Top)
Body Colour	: Black / Grey
Holder	: B - 22


With Luminaries



Opera - 2 Pole Light

Model	Height
P 20071	8Ft
P 20072	10Ft
P 20073	12Ft
Bed Size / Thickness	: 200 x 200 x 6mm
Material	: Mild Steel (Pole) Aluminum (Post Top)
Body Colour	: Black / Grey
Holder	: B - 22

With Luminaries



Ring Lantern Pole Light

Model	Height
P 20068	8Ft
P 20069	10Ft
P 20070	12Ft
Bed Size / Thickness	: 200 x 200 x 6mm
Material	: Mild Steel/Aluminum
Body Colour	: Black/Grey
Holder	: B - 22

With Luminaries



Road king- 2 Pole Light

Model	Height
P 20007	8Ft
P 20008	10Ft
P 20009	12Ft
Bed Size / Thickness	: 200 x 200 x 6mm
Material	: Mild Steel (Pole) Aluminum (Post Top)
Body Colour	: Black/Grey
Holder	: B - 22

With Luminaries



Empire - 2 Pole Light

Model	Height
P 20019	8Ft
P 20020	10Ft
P 20021	12Ft

Bed Size / Thickness : 200 x 200 x 6mm
 Material : Mild Steel
 Body Colour : Black/Grey

Without Gate Light



Ring Pole Light

Model	Height
P 20059	8Ft
P 20060	10Ft
P 20061	12Ft

Bed Size / Thickness : 200 x 200 x 6mm
 Material : Mild Steel
 Body Colour : Black/Grey

Without Gate Light



Olampia - 1 Pole Light

Model	Height
P 20056	8Ft
P 20057	10Ft
P 20058	12Ft

Bed Size / Thickness : 200 x 200 x 6mm
 Material : Mild Steel
 Body Colour : Black/Grey

Without Gate Light



Olampia - 4 Pole Light

Model	Height
P 20010	8Ft
P 20011	10Ft
P 20012	12Ft

Bed Size / Thickness : 200 x 200 x 6mm
 Material : Mild Steel
 Body Colour : Black/Grey

Without Gate Light



Exendra - 1

Model	Height
P 20022	8Ft
P 20023	10Ft
P 20024	12Ft
Bed Size / Thickness : 200 x 200 x 6mm	
Material	: Mild Steel
Body Colour	: Black/Grey

Without Globe



Exendra - 2

Model	Height
P 20027	8Ft
P 20028	10Ft
P 20029	12Ft
Bed Size / Thickness : 200 x 200 x 6mm	
Material	: Mild Steel
Body Colour	: Black/Grey

Without Globe



Jorg Pole Light

Model	Height
P 20268	10Ft
P 20269	12Ft
Bed Size / Thickness : 200 x 200 x 6mm	
Material	: Mild Steel
Body Colour	: Grey

Without Gate Light



Pristine Pole Light

Model	: P 20181
Height	: 10 Feet
Bed Size / Thickness	: ϕ 290 X 12mm
Material	: Aluminium Casting
Body Colour	: Grey




Indus Pole Light

Model : P 20180
 Height : 10 Feet
 Bed Size / Thickness : 230 x 230 x 6mm
 Material : Mild Steel (Pole)
 Aluminum (Post Top)
 Body Colour : Grey



Sigma Pole Light

Model : P 20365
 Height : 10 Feet
 Bed Size / Thickness : 200 x 200 x 6mm
 Pole Material : Mild Steel
 Gate Light Material : Cast Iron
 Body Colour : Black / Grey



Decorative Pole Light

Model : P 20367 P 20368
 Height : 12 Feet
 Arm : Single Arm Double Arm
 Bed Size / Thickness : 200 x 200 x 6mm
 Material : Mild Steel (Pole)
 Aluminum (Post Top)
 Body Colour : Black / Grey

Without Luminaries



Akhil Pole Light

Model	Height
P 20175	7Ft
P 20168	2Ft
Material	: Cast Iron
Body Colour	: Black / Grey



Volvo Wall Bracket

Model : P 20108
 Material : Mild Steel
 Body Colour : Black / Grey



Voxon Wall Bracket

Model : P 20112
 Material : Mild Steel
 Body Colour: Black / Grey




Voxon Mini Wall Bracket

Model : P 20115
 Material : Mild Steel
 Body Colour: Black / Grey



Exendra Wall Bracket


Model : P 20104
 Material : Mild Steel
 Body Colour : Black / Grey



Decorative Head

Model	P 20280	P 20281
Dimension:	D ϕ 450 / H ϕ 340 / PD ϕ 38	D ϕ 600 / H 500 / PD ϕ 38mm
	: B-22 30w / 50w	B-22 / 70w / 100w

Material: Alluminum + Acrylic
 Body Colour : Black / Grey



Jacob Pole Light

Model	Height
P 20270	10Ft
P 20271	12Ft

Bed Size / Thickness : 200 x 200 x 6mm
 Housing Material : Mild Steel
 Body Colour : Black




Fontana Pole

Model	Height
P 20265	5mtr
P 20265	6mtr
P 20265	7mtr

Material : Mild Steel

Height : including luminarie, not only pole.


Note : All poles are without luminaries. Poles, with foundation bolts & nuts



Veenus Pole

Model	Height
P 20519	5mtr
P 20519	6mtr
P 20519	7mtr


Material : Mild Steel



Fabio Pole

Model	Height
P 20511	5mtr
P 20511	6mtr
P 20511	7mtr

Material : Mild Steel



Platina Single Arm Pole

Model	Height
P 20514	5mtr
P 20514	6mtr
P 20514	7mtr

Material : Mild Steel



Platina Double Arm Pole

Model	Height
P 20515	5mtr
P 20515	6mtr
P 20515	7mtr

Material : Mild Steel


Height : including luminarie, not only pole.

Note : All poles are without luminaries. Poles, with foundation bolts & nuts

Avenue Pole Light

Model	Height
P 20516	5mtr
P 20516	6mtr
P 20516	7mtr


Material : Mild Steel



Modena Pole Light

Model	Height
P 20523	5mtr
P 20523	6mtr
P 20523	7mtr


Material : Mild Steel



Jaguar Pole Light

Model	Height
P 20522	5mtr
P 20522	6mtr
P 20522	7mtr


Material : Mild Steel



Davis - 1 Pole Light

Model	Height
P 20258	5mtr
P 20258	6mtr
P 20258	7mtr


Material : Mild Steel



Davis - 2 Pole Light

Model	Height
P 20261	5mtr
P 20261	6mtr
P 20261	7mtr

Material : Mild Steel



Solar Pole Light

Power	: 12w / 20w
Height	: 4.5 Mtr
M.R.P.	:
Dimension(mm):	114 mm
Bed Size / Thickness:	6mm
Material	: Mild Steel
Body Colour	: Black
With Panel & Battery	




Custom height, wattage, battery backup and panel sizes are available.

Height : including luminarie, not only pole.

Note : All poles are without luminaries. Poles, with foundation bolts & nuts


Arizona Pole Light



Model	Height
P 10001	5mtr
P 10002	6mtr
P 10003	7mtr
Material	: Mild Steel

Without Luminaries

Ignix Pole Light



Model	Height
P 10021	3mtr
P 10022	4mtr
P 10024	5mtr
Material	: Mild Steel

Without Luminaries


Zuper Pole Light



Model	Height
P 10026	5mtr
P 10027	6mtr
P 10028	7mtr
Material	: Mild Steel


Without Luminaries

Breggo Pole Light



Model	Height
P 10051	2.5mtr
P 10052	3mtr
Material	: Mild Steel

Trabo Pole Light




Model	Height
P 10056	4mtr
P 10057	5mtr
P 10058	6mtr
Material	: Mild Steel

Nokkir Pole Light



Model	Height
P 10006	3mtr
P 10007	4mtr
P 10008	5mtr
Material	: Mild Steel

Octagonal Pole Light



Model	Height
P 10881	4mtr
P 10882	5mtr
P 10883	6mtr

Material : Mild Steel

Octagonal Pole

Tubular Conical Pole Light



Model	Height
P 10886	4mtr
P 10887	5mtr
P 10888	6mtr

Material : Mild Steel



IF 1718
With Poly Carbonate Bowl

Integrated well Glass

B-22	IF 1718	D ϕ 190 / H 270	Grey
40w	IF 1772	D ϕ 165 / H 105	Grey
70w	IF 1773		Grey



LED Sign Boards

LE 3922	Acrylic Glass	3000K / 6000K Red / Blue / Green
---------	---------------	-------------------------------------



Civis

3w - Round	FT 2151	D ϕ 45 / H 85
3w - Square	FT 2152	D ϕ 65 / H 43
Finish : White CCT : 3000K / 6000K		



Surface Panel

30w	LDL 161	Round	D ϕ 272 / H 38	White	3000K / 6000K
-----	---------	-------	---------------------	-------	---------------



Clean Room

32w	IF 1767	L 595 / W 295 / C ϕ 567 x 270	White	6000K
50w	IF 1769	L 1250 / W 250 / H 50 / C ϕ 1228 x 190		



LED Paralite

32w	RM 1330	L 595 / H 70 / C ϕ 570 x 570	White	6000K
-----	---------	-----------------------------------	-------	-------



Surface / Pendant Mount Dust & Moisture Proof Luminarie	SL 1963	1x28w T5	L 1285 / W 155 / H 102	Poly Carbonate
	SL 1964	2x28w T5		Poly Carbonate



Smile

20w Downlight | LDL 126 - Round | D ϕ 145/ H 90 / C ϕ 125 | 3000K / 6000K | White



LDL 027

LDL 104

15w Downlight with Milky Glass | LDL 027 - Round | D ϕ 180 / H 85 / C ϕ 165 | 3000K / 4500K/ 6000K | White

15w Downlight with Milky Glass | LDL 104 - Square | L-W 160/ H 75 / C ϕ 150 | 3000K / 4500K/ 6000K | White



18w Benz Panel Light | LDL 084 - Square | L-W 180/ H 30 / C ϕ 155 | White + Blue | White

18w Benz Panel Light | LDL 086 - Round | D ϕ 180/ H 30 / C ϕ 155 | White + Blue | White

Vento Round Panel



16w | LDL 107 | D ϕ 200/ H 32 / C ϕ 165 | 3000K/4500K/6000K | White

Swift Panel

14w | LDL 153 | Round | D ϕ 193/ H 35 / C ϕ 160 | White + Blue | 6000K
(12w+2w)



HL 3203

HL 3202

12 / 50w Square Zoom Without Choke | HL 3203 | D ϕ 75 / H / C ϕ 97 | White |

12 / 50w - B/S Room | HL 3202 | H 65 / C ϕ 268 | White |



AZ 2961

AZ 2962

12 / 50w Zoom Without Choke | AZ 2960 | D ϕ 75 / C ϕ 97 | White

12 / 50w - B/S Zoom Without Choke | AZ 2961 | D ϕ 75 / C ϕ 97 | White

70w Downlight | AZ 2962 | H 145 / C ϕ 205 | White

150w Downlight | AZ 2963 | H 145 / C ϕ 205 | White



1x12/50w Gridlite | GL 3701 | L- 100 / W- 100 / H- 55 / C- f80 | White

1x12/50w B/S Gridlite | GL 3702 | L- 100 / W- 100 / H- 55 / C- f80 | White

3 x 12/50w B/S Gridlite | GL 3706 | L- 245 / W- 100 / H- 55 / C- f230 | White

4 x 12/50w Gridlite | GL 3709 | L- 177 / W- 177 / H- 55 / C- f155 | White

4 x 12/50w B/S Gridlite | GL 3710 | L- 177 / W- 177 / H- 55 / C- f155 | White

Ingress Protection system

Protection against ingress of solid bodies, dust and moisture:

The ingress protection system (IP) EN 60529, 1991 defines various degrees of protection against the ingress of foreign bodies, dust and moisture. The term 'foreign bodies' includes things like fingers and tools coming into contact with the electrical live parts of the luminaire.

Both safety aspects (contact with live parts) and harmful effects on the function of the luminaire are defined. The exact testing method for each IP classification is described in EN 60529.

Note that the conditions during testing might differ from the specific conditions in an application

The designation to indicate the degree of protection consists of the characteristic letters Ip followed by 2 digits indicating conformity with the conditions stated in two tables.

It is important to realize that the specification and safety of luminaires are only secured if the necessary maintenance according to the instructions of the manufacturer is carried out in time. Luminaires are not available in all possible combinations of ingress and moisture protection. The most common applications of the IP classifications for luminaires are:

IP20:

Luminaires which can be applied indoors only if no specific pollution rates are expected. Offices, dry, heated industrial halls, shops, shopping malls and theatres are typical application segments.

IP21/22:

Luminaires which can be applied in unheated (industrial) halls and under Canopies as the luminaires are drip-and condensation-water-protected.

IP23:

Luminaires which can be applied in unheated industrial halls or outdoors.

IP43/44:

Luminaires and bollards for outdoor street lighting and street lanterns. Bollards mounted at a low height are protected against small solid objects and against rain and splash.

A common combination within an industrial high-bay luminaire or street lantern is Ip 43 for the electrical part of the luminaire, to secure safety, and IP 54/65 for the optical part of the luminaire, to prevent pollution of reflector and lamp.

IP 50:

Luminaires which are applied in dusty environments, to prevent rapid pollution of the luminaire.

The exterior of IP 50 luminaires can be cleaned easily. In the food industry closed luminaires are specified to prevent glass particles from accidentally broken lamps entering the production area and contaminating the products under preparation.

Although ingress protection is specified to protect the luminaire function, it also means that particles cannot leave the luminaires housing. Thereby meeting the specification of the food industry. In the 'wet' food industry luminaires meeting the IP 50 classification shall not be applied.

IP 54:

The traditional water-protected classification. Luminaires can be cleaned with water without any harmful effect. This classification is often specified in the food processing industry, for industries where dust moisture are generated in the hall, and for use under canopies.

IP 60:

Luminaires which are completely sealed against dust accumulation, and are used in very dusty environments (wood and textile industry, stone carving) and in the food industry as explained above. IP 60 luminaires are rarely applied; IP 65/IP 66 is usually applied instead.

IP 65/ 66





Jet-proof luminaires which are applicable where the surroundings are hosed down frequently by water jets, or where luminaires are applied in a dusty environment. Although the luminaires are not fully watertight, the potential ingress of moisture will not have any harmful effect on the luminaire function. IP65/66 luminaires are often available in impact-protected versions.

IP67/68

Luminaires complying with this classification are suitable for immersion in water.

Typical application areas are underwater lighting of swimming pools and fountain lighting.

Deck lighting on ships should also meet this classification. The test method does not imply that IP 67/68 luminaires meet the IP 65/66 classification as well.

First Number	Description	Explanation	Second Number	Description	Explanation
0	Not protected	Not protected	0	Not protected	Non protected against moisture
1	Hand protected	Protected against solid objects exceeding 50 mm in diameter	1	 Drip proof against Vertical water drops	Water drips falling vertically shall have no harmful effect.
2	Finger protected	Protected against finger contact with live parts and against objects exceeding 12 mm in diameter	2	Drip-proof when tilted At angles up to 15°	Water drips shall have no harmful effect.
3	Tool protected	Protected against contact with live parts by tools, wire or similar objects over 2.5 mm thick; and Protection against penetration of Solid objects exceeding 2.5 mm in diameter	3	 Rain-/Spray Proof	Water falling at an angle of up to 60° shall have no harmful effect.
4	Wire protected	Protected against contact with Live parts by tools, wire or similar Objects over 1 mm thick; and Protection against penetration of Solid objects exceeding 1mm in diameter	4	 Splash Proof	Splashing water from any direction shall have no harmful effect.
5	Dust accumulation protected	Complete protection against Contact with live parts and against Harmful accumulation of dust some dust may penetrate but not to the extent that operation is impaired	5	 Jet-Proof	Water protected by a nozzle from any direction shall have no harmful effect. (Nozzle dia 6.3mm, pressure 30 kpa)
6	Dust penetration protected	Complete protection against contact with live parts and against penetration of dust.	6	Jet-Proof	Water protected by a nozzle from any direction shall have no harmful effect. (Nozzle dia 12.5mm, pressure 100 kpa)
			7	Water tight	Watertight; temporary immersion in water under specified conditions of pressure and time possible without ingress of water in harmful quantities.
			8	Pressure Water tight	Pressure Water tight; continuous submersion in water under specified conditions of and time possible without ingress of water in harmful quantities.

TERMS & CONDITIONS:-

1. The prices quoted above are nett.
2. All local taxes are payable as applicable.
3. Prices are subject to change without prior notice.
4. This cancels all our previous price lists.
5. The above prices are on ex-godown basis.
6. Packing and forwarding charges extra.

All dimensions are in milimeter
 L = Lenght, B = Breadth, H = Height,
 D = Depth, W = Width.

Custom Design Welcome

PASOLITE

AUG 2023

PASSION WITH LIGHT

OUTDOOR LIGHTINGS



Visit our website for more
www.pasolite.in

About Us

Pasolite is one of the oldest Lighting Solution Provider Operating from Bengaluru, to build a brand on the back of its in house production. However, what's different is that we use the international production facilities as the back-end of our operations, and focus on adding value through design and packaging.

Pasolite is the brand name under which Pasolite Electricals Pvt. Ltd., Markets its products. Unfettered by manufacturing, the company has build of formidable range of LED products, for practically all types of applications.

From Retail and Commercial in indoor to Facade and Landscape lighting in Outdoor, we offer a vast array of adoptive luminaries designed to reveal the soul of any architecture space.

A Disciplined Process

The company's modus operandi reflects the growing instance of outsourcing across all lighting categories, irrespective of the country from where products are originating.

The differentiator, therefore, is the manner in which a company chooses to builds its brand, the commitment that it makes with respect to quality, and the confidence levels that it is able to create amidst the trade.

Our Vision

At Present, we cater to the lighting requirement for various projects throughout INDIA, with sales and distribution via independent lighting channel partners throughout country. our aim is to build up relation with renowned consultants and Architects. Our range allows us offer our clients extensive and quality products.

At Pasolite, we help architects and designers capture creative inspiration. our design innovation opens up limitless possibilities.....

The forms shares, styles, finishes and customs solutions that bring ideas to life. High qualities, great flexibility, extremely prompt deliveries- it is an important recognition of our quality process, which allows our customers to be absolutely confident in the faithful fulfillment of our engagements and in the continuity of our business relation.

Our Mission

To be No 1 choice for all lighting need by not only providing light fixtures, but also providing the right solution to any lighting concept. To be able to transform architects and designers lighting dreams into reality by providing quality, state of the art and innovative designs of lighting. we strive to attain a position of long-term, sustainable pre-eminence in the lighting field "lighting up" both our customers and ourselves.

As we are constantly innovating and expanding our product range, this catalogue can never be completely upto date. if you require specific information about new products, changes in our product programme, please contact our channel partners.

Page
No:

01

CEILING Lights



POSC 01



POSC 03/11



POSC 13



POSC 14



POSC 15

05

Planter Lights



LS 1234



LS 1235



LS 1229



POGS 03



POGS 04



POSL 02



POSL 04

09

Wall Lights



POWL 05



POWL 08



POWL 13



POWL 25



POWL 26



POWL 27




POWL 29



POWL 30



POWL 41




POWL 43



POWL 55



POWL 56



POWL 58



POWL 59



POWL 60



POWL 61



POWL 62



POWL 66



POWL 68



POWL 79



POWL 80



POWL 82



POWL 83



POWL 84



POWL 85



POWL 86



POWL 88



POWL 92



POWL 94

Page No:

31

Bollard Lights



Cypress Bollard



Jazz Bollard



Poly Bollard



Coral Bollard



Snow Bollard




Calvin Bollard



Maria Bollard



Trim Bollard



Celerio Bollard



Crafter Bollard



Tab Bollard



Laser Bollard



Matrix Bollard



Kobra Bollard



Duster Bollard



Abia Bollard



Peta Bollard



Kin Bollard




Slim Peta Bollard



Slim kin Bollard



Spark Bollard



Vimio Bollard



Carlo Bollard

50

Wall Washers



POFL 02



POFL 03



POFL 04



POFL 05



POFL 05

55

Foot Lights



POFW 03



POFW 07



FT 2160



FT 2156



FT 2154

61

Inground UpLights



POIU 01



POIU 03



POIU 05



POIU 06



POIU 09

65

Under Water Lights



POUW 09



POUW 10

67

Gate Lights



POPT 002



POPT 004



POPT 007



P 20583



L 10516

CEILING Lights

Lights are not only the lights, They Make The Design.




Create an Inviting entry

Ceiling mounts attach to the ceilings of any of your outdoor spaces, rather than your home's vertical wall structures (like wall mounts). They are intended to illuminate your exterior from above, and their purpose is mainly decorative.


This type of lighting fixture is most commonly found at a property's entryway, or on any porches and gazebos. It's unique in that it is connected fully to the ceiling without any gaps, like you'd see in a hanging light or chandelier.



POSC 01



Wattage : 6w
 CCT : 3000K
 Finish : Graphite Grey
 Luminous Flux : 600 lm ($\pm 10\%$ lm)







POSC 03



POSC 11

Watts : 5w

10w




CCT : 3000K / 4500k / 6000k
 Finish : Grey White Black




Cylindrical Lights


POSC 12




Wattage : 6w
Luminous Flux : 600 lm (±10%lm)




POSC 13




Wattage : 12w
Luminous Flux : 1200 lm (±10%lm)




POSC 14




Wattage : 18w
Luminous Flux : 1800 lm (±10%lm)



POSC 15



Wattage : 24w
Luminous Flux : 2400 lm (±10%lm)




CCT : 3000K / 4500k / 6000k
Material : Aluminium
Finish : Graphite Grey

PASOLITE

Modern and Stylish Adjustable
Spike lights
are the perfect addition to your
Garden as an outdoor light and
Decorative accessory.


Planter Lights





LS 1234

Wattage : 3w
 CCT : 3000K
 Material : Aluminium
 Finish : Black
 Luminous Flux : 300 lm (± 10%lm)





30° Beam Angle



LS 1235

Wattage : 2 x 3w
 CCT : 3000K
 Material : Aluminium
 Finish : Black
 Luminous Flux : 600 lm (± 10%lm)



30° Beam Angle




LS 1229

Wattage : 5w
 CCT : 3000K / 6000K / Green
 Material : Aluminium
 Finish : Black
 Luminous Flux : 500 lm (± 10%lm)



40° Beam Angle
 EPISTAR LED





POGS 02
(Spike Mount)

POGS 03
(Spike Mount)

POGS 02A
(SURFACE MOUNT)

POGS 03A
(SURFACE MOUNT)

Watts : 7w

12w

Luminous : 700 lm
Flux (± 10%lm)

1200 lm

CCT : 3000k
Material : Aluminium
Finish : Graphite Grey




POGS 04

Holder : GU 10
Material : Aluminium
Finish : Graphite Grey





POSL 02



Wattage : 6w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 600 lm (± 10%lm)



30° Beam Angle




Surface



Spike



45° Beam Angle




POSL 03

POSL 04

Watts : 12w
 Luminous : 1200 lm
 Flux (± 10%lm)

18w
 1800 lm

CCT : 3000k
 Material : Aluminium
 Finish : Graphite Grey



Wall Lights

PASOLITE


Decorate your wall with our Elegant Lights

Mount outdoor wall lights on a building's exterior to create a welcoming Atmosphere and Enhance your Home's architecture while providing illumination for safety and security.







POWL 05





Wattage : 3w
 CCT : 3000K
 Material : Aluminium
 Finish : Grey
 Luminous Flux : 300 lm (±10%lm)




POWL 06




Wattage : 2 x 3w
 CCT : 3000K
 Material : Aluminium
 Finish : Grey
 Luminous Flux : 600 lm (±10%lm)



POWL 08




Wattage : 2 x 3w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 600 lm (±10%lm)







POWL 13



- Wattage : 2 x 3w
- CCT : 3000K
- Material : Aluminium
- Finish : Graphite Grey
- Luminous Flux : 600 lm (± 10%lm)





POWL 25



- Wattage : 3 x 1w
- CCT : 3000K
- Material : Aluminium
- Finish : Graphite Grey
- Luminous Flux : 300 lm (± 10%lm)







POWL 26

Wattage : 4 x 1w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 400 lm (± 10%lm)






POWL 27




Wattage : 20w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 2000 lm (± 10%lm)




POWL 29




- Wattage : 6 x 1w
- CCT : 3000K
- Material : Aluminium
- Finish : Graphite Grey
- Luminous Flux : 600 lm (± 10%lm)




POWL 30





- Wattage : 8w
- CCT : 3000K
- Material : Aluminium
- Finish : Graphite Grey
- Luminous Flux : 800 lm (± 10%lm)






POWL 41

Wattage : 5w
 CCT : 3000K
 Material : Aluminium
 Finish : Grey
 Luminous Flux : 500 lm (± 10%lm)



POWL 43




Wattage : 8w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 800 lm (± 10%lm)






POWL 55




Wattage : 5w
CCT : 3000K
Material : Aluminium
Finish : Graphite Grey
Luminous Flux : 500 lm (± 10%lm)






POWL 58


L 210 x W 175




Wattage : 6w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 600 lm (±10%lm)



POWL 59



Wattage : 6w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 600 lm (±10%lm)







POWL 60





Wattage : 6w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 600 lm (± 10%lm)



POWL 61




Wattage : 8w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 800 lm (± 10%lm)





POWL 62


Wattage : 13w
CCT : 3000K
Material : Aluminium
Finish : Graphite Grey
Luminous Flux : 1300 lm ($\pm 10\%$ lm)









POWL 63




Wattage : 12w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 1200 lm (±10%lm)




POWL 64





Wattage : 2 x 12w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 2400 lm (±10%lm)




POWL 65




Wattage : 6w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 600 lm (±10%lm)



POWL 66




Wattage : 2 x 6w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 1200 lm (±10%lm)




Beam Wall Lights



POWL 67




Wattage : 3w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey




Narrow Beam Lens



POWL 68




Wattage : 2 x 3w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey






Narrow Beam Lens




POWL 79





Wattage : 16w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 1600 lm (± 10%lm)



POWL 80




Wattage : 16w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 1600 lm (± 10%lm)





POWL 81


Wattage : 7w (2 x 3.5)
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 700 lm ($\pm 10\%$ lm)




POWL 82



Holder : E 27
 Finish : Graphite Grey




*Also available in 7w in-built LED






POWL 83




Holder : GU 10
Finish : Graphite Grey




POWL 84

Wattage : 8w
CCT : 3000K
Material : Aluminium
Finish : Graphite Grey
Luminous Flux : 800 lm (± 10%lm)







POWL 85



Wattage : 12W
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 1200 lm (± 10%lm)




POWL 87




Wattage : 6 x 1w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 600 lm (± 10%lm)







POWL 86




Wattage : 12W
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 1200 lm (± 10%lm)




POWL 88




Wattage : 3 x 2w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 600 lm (± 10%lm)



POWL 89




Wattage : 8x1 W
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 800 lm (± 10%lm)





POWL 90




Wattage : 3 W
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 270 lm (±10%lm)




POWL 91




Wattage : 2x3w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 570 lm (±10%lm)



POWL 92




Wattage : 4x3w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 1100 lm (±10%lm)







POWL 93




Wattage : 2x1w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 270 lm ($\pm 10\%$ lm)



POWL 94




Wattage : 4x1w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux : 270 lm ($\pm 10\%$ lm)



Bollard Lights

PASOLITE



Bollards have become a ubiquitous part of the modern landscape. Planners and architects use them to manage both pedestrian and vehicle traffic, enhance landscape and architecture, light pedestrian pathways, secure and protect buildings and people, and provide bike parking. Saavy facilities managers are bringing them indoors into warehouses, big box retail, and factories for asset protection.

Cypress Bollard






Big Cypress

Model : B 10732
 Holder : B - 22
 Finish : Grey / Black /
 Antq Sliver
 Material : Alu. Casting


Mini Cypress

Model : B 10812
 Holder : B - 22
 Finish : Grey / Black /
 Antq Sliver
 Material : Alu. Casting

*Also available in 15w in-built LED



Antique silver






Matt Black

Jazz Bollard



Model No	Size
B 10828	300mm
B 10820	500mm

Wattage : 10w
CCT : 3000K / 6000K




Finish : Grey
Material : Aluminium


Jazz Wall Light



Model : W 13005
Power : 10w
CCT : 3000K / 6000K




Poly Bollard



Model No	Size
H 10795	- 200mm
H 10796	- 500mm
H 10797	- 800mm



Wattage : 10w
 CCT : 3000K / 6000K
 Finish : Grey
 Material : Aluminium



Coral Bollard

Model No	Size
POBL 12A	- 300mm
POBL 12B	- 500mm

Wattage : 6w
 CCT : 3000K / 6000K
 Finish : Grey
 Material : Aluminium



Snow Bollard




Model No Size

H 10793 - 300mm

H 10786 - 500mm

H 10790 - 800mm

Wattage : 10w
 CCT : 3000K / 6000K
 Finish : Grey
 Material : Aluminium



Calvin Bollard




Model No Size

B 10861 - 200mm

B 10862 - 500mm

Wattage : 8w
 CCT : 3000K / 6000K
 Finish : Grey
 Material : Aluminium



Maria Bollard

Model No Size




B 10757 - 300mm

B 10758 - 500mm

B 10859 - 800mm

Wattage : 10w

CCT : 3000K / 6000K



Finish : Grey
Material : Aluminium


Maria Wall Light



Model : W 12139

Wattage : 10w

CCT : 3000k / 6000k




Trim Bollard



Model No	Size
B 10842	- 300mm
B 10843	- 500mm
B 10844	- 800mm

Wattage : 10w
 CCT : 3000k / 6000k
 Finish : Grey
 Material : Aluminium




Ross Bollard




Model No	Size
B 10883	- 300mm
B 10884	- 500mm
B 10885	- 800mm

Wattage : 20w
 CCT : 3000K / 6000K
 Finish : Grey
 Material : Aluminium



*30w Possible





Celerio Bollard



Model No	Size
B 10871	- 300mm
B 10872	- 500mm
B 10873	- 800mm

Wattage : 10w
 CCT : 3000K / 6000K
 Finish : Grey
 Material : Aluminium



Radiant Bollard





Model No	Size
B 10880	- 300mm
B 10881	- 500mm
B 10882	- 800mm



Wattage : 20w
 CCT : 3000K / 6000K
 Finish : Grey
 Material : Aluminium



*30w Possible





Crafter Bollard



Model No	Size
POBL 13A	300mm
POBL 13B	500mm

Wattage : 6w
 CCT : 3000K / 6000K
 Finish : Grey
 Material : Aluminium


Tab Bollard




Model No	Size
POBL 16A	300mm
POBL 16B	500mm
POBL 16C	800mm

Holder : E27
 Finish : Grey
 Material : Aluminium

*Also available in 7w in-built LED



Laser Bollards



(A)

(B)

Model : B 10814 (A)
 B 10814 (B)
 B 10814 (C)
 B 10814 (D)


300mm

B 10815 (A)
 B 10815 (B)
 B 10815 (C)
 B 10815 (D)

500mm


B 10816 (A)
 B 10816 (B)
 B 10816 (C)
 B 10816 (D)

800mm




(C)

(D)



Wattage : 10w
 CCT : 3000K / 6000K
 Material : Mild Steel





Matrix Bollard



Model No	Size
B 10836	- 300mm
B 10837	- 500mm
B 10838	- 800mm

Wattage : 10w
 CCT : 3000K / 6000K
 Finish : Grey
 Material : Aluminium





Chloe Bollard



Model No	Size
B 10864	- 300mm
B 10865	- 500mm

Wattage : 10w
 CCT : 3000K / 6000K
 Finish : Grey
 Material : Aluminium



Kobra Bollard



Model No	Size
B 10825	- 300mm
B 10826	- 500mm

Wattage : 6w
CCT : 3000K / 6000K

Finish : Grey
Material : Aluminium

Kobra Wall Light



Model : W 13002
Wattage : 6w
CCT : 3000K / 6000K



Duster Bollard

B-22

B 10830 - 200mm

B 10831 - 500mm

B 10832 - 800mm



LED

B 10833 - 200mm

B 10834 - 500mm

B 10835 - 800mm

Wattage : 10w
CCT : 3000K / 6000K



Finish : Grey
Material : Aluminium

Duster Wall Light




Model : W 13003

Holder : B - 22

Model : W 13004

Wattage : 10w

CCT : 3000k / 6000k



Abia Bollard

B-22

B 10754 - 300mm

B 10755 - 500mm

B 10756 - 800mm

LED




B 10802 - 300mm

B 10803 - 500mm

B 10806 - 800mm

Wattage : 10w

CCT : 3000K / 6000K



Finish : Grey

Material : Aluminium

Abia Wall Light



Model : W 12138

Holder : B - 22

Model : W 12164



Wattage : 10w

CCT : 3000k / 6000k



Peta Bollard

<u>B-22</u>	<u>LED</u>
B 10748 - 300mm	B 10796 - 300mm
B 10749 - 500mm	B 10797 - 500mm
B 10750 - 800mm	B 10798 - 800mm
Wattage : 10w	
CCT : 3000K / 6000K	





Finish : Grey
Material : Aluminium

Peta Wall Light



Model : W 12136
Holder : B - 22
Model : W 12162
Wattage : 10w
CCT : 3000K / 6000K



Kin Bollard

B-22

B 10751 - 300mm

B 10752 - 500mm

B 10753 - 800mm




LED

B 10799 - 300mm

B 10800 - 500mm

B 10801 - 800mm

Wattage : 10w
CCT : 3000K / 6000K



Finish : Grey
Material : Aluminium

Kin Wall Light


Model : W 12137

Holder : B - 22

Model : W 12163

Wattage : 10w

3000K / 6000K



Slim Peta Bollard

Model No Size

B 10854 - 300mm


B 10855 - 500mm

B 10856 - 800mm

Holder : B - 22

Finish : Grey

Material : Aluminium



Slim Kin Bollard

Model No Size

B 10851 - 300mm


B 10852 - 500mm

B 10853 - 800mm

Holder : B - 22

Finish : Grey


Material : Aluminium



Spark Bollard

Model No	Size
B 10823	- 500mm




Wattage : 10w
 CCT : 3000K / 6000K
 Finish : Grey
 Material : Aluminium



Carlo Bollard

Model No	Size
(Mini) B 10849	(Big) B 10846 - 500mm
B 10850	B 10847 - 800mm

Wattage : 10w
 CCT : 3000K / 6000K
 Finish : Grey
 Material : Aluminium





Vimio Bollard



Model No	Size
B 10817	- 300mm
B 10818	- 500mm
B 10819	- 800mm

Wattage : 10w
 CCT : 3000K / 6000K
 Finish : Grey
 Material : Aluminium





Shell Bollard




Model No		Size
(Mini)	(Big)	
B 10857	B 10874	- 300mm
B 10858	B 10875	- 500mm
B 10859	B 10876	- 800mm

Wattage : 10w
 CCT : 3000K / 6000K
 Finish : Grey
 Material : Aluminium





*20w Possible



Mount outdoor wall lights on a building's exterior to create a welcoming atmosphere and enhance your home's architecture while providing illumination for safety and security.

Wall washers are now being used in a variety of commercial lighting applications such as lighting interiors and exteriors of buildings, illuminating billboards, and creating attractive booths at tradeshow. LED wall washers are powerful, compact, portable and plug-and-play, and as their name suggests, they can light up a huge amount of space. They also offer the advantage of high-powered lighting without the high heat and power consumption.





Controlled Beam Angle, throwing Light Up-to 20ft

Model : **POFL 02**
 Wattage : 12w
 Luminous Flux : 1200 lm ($\pm 10\%$ lm)









Model : **POFL 03**
 Wattage : 24w
 Luminous Flux : 2400 lm ($\pm 10\%$ lm)



Specifications



- Material : Aluminium Casting
- Gun Metal Finish
- Driver Located Below the Fixture
- CCT : 3000K
- CRI : Ra ≥ 80
- No Light Spill





Model : POFL 04
 Wattage : 36w
 Luminous Flux : 3600 lm (± 10% lm)

Remote Controlled





Specifications

- Material : Aluminium Casting
- Driver Located Below the Fixture
- CCT : RGB
- CRI : Ra ≥ 80
- No Light Spill



Wattage : 10w
 CCT : 3000K / Blue / Purple / Red
 Material : Aluminium Casting
 Finish : Grey
 Luminous Flux : 1000 lm ($\pm 10\%$ lm)

POFL 05



CREE
LEDs






Throw up-to 30ft




POSL 05



Wattage : 36w
 CCT : 3000K
 Material : Aluminium Casting
 Finish : Grey
 Luminous Flux : 3600 lm (± 10%lm)






A range of LED based, recessed and surface mounted foot lights for guidance and accent applications. When scorching passion only leaves ashes of unfulfilled dreams, hope may entice the sprinkling magic of our magination into livening up the footlights on a new stage of life.




POFW 03



Wattage : 3w
 CCT : 3000K
 Material : Aluminium + Black Case
 Finish : Graphite Grey
 Luminous Flux : 300 lm (± 10%lm)



POFW 04




Wattage : 3w
 CCT : 3000K
 Material : Aluminium + Black Case
 Finish : Graphite Grey
 Luminous Flux : 300 lm (± 10%lm)







Recess Foot Lights

PASOLITE



FOOT LIGHT WITH
MOTION SENSOR


	<p>Model No : POFW 07 Wattage : 7w CCT : 3000K Material : Alum + Blk Case Finish : Graphite Grey Luminous Flux : 300 lm (± 10%)</p>			
---	--	---	--	---




Recess Foot Light






Model No : **POFW 06**
 Wattage : 6w
 CCT : 3000K
 Material : Aluminium + Black Case
 Finish : Graphite Grey
 Luminous Flux: 570 lm ($\pm 10\%$ lm)




Surface Grill Foot Light




Model No : **FT 2160**
 Wattage : 12w
 CCT : 3000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux: 1300 lm ($\pm 10\%$ lm)





Kwid Foot Lights




Model No : **FT 2157**
 Wattage : 3w
 CCT : 3000K / 6000K
 Material : Aluminium + Black Case
 Finish : Grey
 Luminous Flux : 320 lm (± 10%)





Model No : **FT 2156**
 Wattage : 6w
 CCT : 3000K / 6000K
 Material : Aluminium + Black Case
 Finish : Grey
 Luminous Flux : 700 lm (± 10%)




Audi Foot Lights



Model No : **FT 2154**
 Wattage : 3w
 CCT : 3000K / 6000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux: 300 lm ($\pm 10\%$ lm)




Model No : **FT 2155**
 Wattage : 6w
 CCT : 3000K / 6000K
 Material : Aluminium
 Finish : Graphite Grey
 Luminous Flux: 600 lm ($\pm 10\%$ lm)






In-ground lights Aims to create guide lights which highlight the paths in outdoor building and garden areas. They also make the most of architectures and greenery defining private and public spaces, reducing the size of illumination products whose light is only visible because their technical components disappear below the surface. The introduction of LED technology to in-ground lighting is in response to the need to combine energy efficiency and light quality.




POIU 01



Wattage : 1w
 CCT : 3000K
 Material : SS
 Luminous Flux : 120 lm (± 10%lm)




POIU 02



Wattage : 1w
 CCT : 3000K
 Material : SS + Black Case
 Luminous Flux : 120 lm (± 10%lm)



Beam Angle




Beam Angle







POIU 03




Wattage : 3 x 1w
 CCT : 3000K
 Material : SS + Black Case
 Luminous Flux: 310 lm (± 10%lm)



POIU 04




Wattage : 6 x 1w
 CCT : 3000K
 Material : SS + Black Case
 Luminous Flux: 650 lm (± 10%lm)






POIU 05




Wattage : 9 x 1w
 CCT : 3000K
 Material : SS + Black Case
 Luminous Flux : 1000 lm (± 10%lm)



Beam Angle




POIU 06




Wattage : 15 x 1w
 CCT : RGB
 Material : SS
 Luminous Flux : 1500 lm (± 10%lm)

Suitable Driver : POPS 01 (24v AC - 30w)



Beam Angle




RGB

* Driver to be kept Separately

RGB : 15 Seconds Auto Fading



Urbas Walk-Over Lights



POIU 09


1 way




2 way




3 way



4 way



Wattage : 3w
 CCT : 3000K
 Material : Alluminium + Black Case
 Finish : Graphite Grey
 Luminous Flux : 300 lm (± 10%lm)




UnderWater Lights

PASOLITE



Pasolite introduces compact swimming pool lights with exceptional illumination capabilities, minimal energy consumption and striking appearance. It can illuminate medium-scale swimming pools vividly, efficiently & most of all reliably.

POUW 09




Wattage : 4 x 1w
 CCT : WW / Blue / RGB
 Material : SS
 Luminous Flux : 400 lm ($\pm 10\%$ lm)

Suitable Driver : POPS 07 (24v DC - 10-15w) WW / Blue
 Operating (1-2nos) POPS 11 (24v AC - 10w) RGB




POUW 10



Wattage : 9 x 1w
 CCT : RGB / WW
 Material : SS
 Luminous Flux : 900 lm ($\pm 10\%$ lm)

Suitable Driver : POPS 13A (24v DC - 15w) WW
 Operating (1no) POPS 13B (24v AC - 15w) RGB



RGB : 10 Seconds Auto Fading

CONNECTOR - IP 65



Connector 01

1 Way In - 1 Way Out

Gate Lights




Pasolite Brings you Unique Style of Gate Lights That Bask in the shower of infinite illumination. It Decorate Your Front Space , The Introduction of LED in Gate Lights is to meet Efficiency and durabilityalso Helps tocreate Unique Designs.

Ray Gate Light



POPT 004

Wattage : 7w
 CCT : 3000K / 6000K
 Material : Aluminum
 Luminous Flux : 700 lm ($\pm 10\%$)
 Color : Grey



Marlin Gate Light



POPT 006

Wattage : 12w
 CCT : 3000K / 6000K
 Material : Aluminum
 Luminous Flux : 1200 lm ($\pm 10\%$)
 Color : Grey



Brisk Gate Light



POPT 009

Wattage : 12w
 CCT : 3000K / 6000K
 Material : Aluminum
 Luminous Flux : 1200 lm ($\pm 10\%$)
 Color : Grey



Hover Gate Light



POPT 002

Wattage : 10w
 CCT : 3000K / 6000K
 Material : Aluminum + PVC
 Luminous Flux : 1000 lm ($\pm 10\%$)
 Color : Grey



Dory Gate Light



Wattage : 20w / 30w
 CCT : 3000K / 6000K
 Material : Aluminum
 Luminous Flux : 2000 lm / 3000 lm ($\pm 10\%$)
 Color : Grey



LUCE Post Top



Wattage : 40w
 CCT : 3000K / 6000K
 Material : Aluminum
 Luminous Flux : 4000 lm ($\pm 10\%$)
 Color : Black : Clear / Milky



Jovie Post Top



Wattage : 30w
 CCT : 3000K / 6000K
 Material : Aluminum
 Luminous Flux : 3000 lm ($\pm 10\%$)
 Color : Grey / Black / Antique




Cory

Curly



Wattage : 20w
 CCT : 3000K / 6000K
 Material : Aluminum
 Luminous Flux : 2000 lm ($\pm 10\%$)
 Color : Grey



Ingress Protection system

Protection against ingress of solid bodies, dust and moisture:

The ingress protection system (IP) EN 60529, 1991 defines various degrees of protection against the ingress of foreign bodies, dust and moisture. The term 'foreign bodies' includes things like fingers and tools coming into contact with the electrical live parts of the luminaire.

Both safety aspects (contact with live parts) and harmful effects on the function of the luminaire are defined. The exact testing method for each IP classification is described in EN 60529.

Note that the conditions during testing might differ from the specific conditions in an application

The designation to indicate the degree of protection consists of the characteristic letters Ip followed by 2 digits indicating conformity with the conditions stated in two tables.

It is important to realize that the specification and safety of luminaires are only secured if the necessary maintenance according to the instructions of the manufacturer is carried out in time. Luminaires are not available in all possible combinations of ingress and moisture protection. The most common applications of the IP classifications for luminaires are:

IP20:

Luminaires which can be applied indoors only if no specific pollution rates are expected. Offices, dry, heated industrial halls, shops, shopping malls and theatres are typical application segments.

IP21/22:

Luminaires which can be applied in unheated (industrial) halls and under Canopies as the luminaires are drip-and condensation-water-protected.

IP23:

Luminaires which can be applied in unheated industrial halls or outdoors.

IP43/44:

Luminaires and bollards for outdoor street lighting and street lanterns. Bollards mounted at a low height are protected against small solid objects and against rain and splash.

A common combination within an industrial high-bay luminaire or street lantern is Ip 43 for the electrical part of the luminaire, to secure safety, and IP 54/65 for the optical part of the luminaire, to prevent pollution of reflector and lamp.

IP 50:

Luminaires which are applied in dusty environments, to prevent rapid pollution of the luminaire.

The exterior of IP 50 luminaires can be cleaned easily. In the food industry closed luminaires are specified to prevent glass particles from accidentally broken lamps entering the production area and contaminating the products under preparation.

Although ingress protection is specified to protect the luminaire function, it also means that particles cannot leave the luminaires housing. Thereby meeting the specification of the food industry. In the 'wet' food industry luminaires meeting the IP 50 classification shall not be applied.

IP 54:

The traditional water-protected classification. Luminaires can be cleaned with water without any harmful effect. This classification is often specified in the food processing industry, for industries where dust moisture are generated in the hall, and for use under canopies.

IP 60:

Luminaires which are completely sealed against dust accumulation, and are used in very dusty environments (wood and textile industry, stone carving) and in the food industry as explained above. IP 60 luminaires are rarely applied; IP 65/IP 66 is usually applied instead.

IP 65/ 66

Jet-proof luminaires which are applicable where the surroundings are hosed down frequently by water jets, or where luminaires are applied in a dusty environment. Although the luminaires are not fully watertight, the potential ingress of moisture will not have any harmful effect on the luminaire function. IP65/66 luminaires are often available in impact-protected versions.

IP67/68

Luminaires complying with this classification are suitable for immersion in water.

Typical application areas are underwater lighting of swimming pools and fountain lighting.

Deck lighting on ships should also meet this classification. The test method does not imply that IP 67/68 luminaires meet the IP 65/66 classification as well.

First Number	Description	Explanation	Second Number	Description	Explanation
0	Not protected	Not protected	0	Not protected	Non protected against moisture
1	Hand protected	Protected against solid objects exceeding 50 mm in diameter	1	☂ Drip proof against Vertical water drops	Water drips falling vertically shall have no harmful effect.
2	Finger protected	Protected against finger contact with live parts and against objects exceeding 12 mm in diameter	2	☂ Drip-proof when tilted At angles up to 15°	Water drips shall have no harmful effect.
3	Tool protected	Protected against contact with live parts by tools, wire or similar objects over 2.5 mm thick; and Protection against penetration of Solid objects exceeding 2.5 mm in diameter	3	☂ Rain-/Spray Proof	Water falling at an angle of up to 60° shall have no harmful effect.
4	Wire protected	Protected against contact with Live parts by tools, wire or similar Objects over 1 mm thick; and Protection against penetration of Solid objects exceeding 1mm in diameter	4	☂ Splash Proof	Splashing water from any direction shall have no harmful effect.
5	Dust accumulation protected	Complete protection against Contact with live parts and against Harmful accumulation of dust some dust may penetrate but not to the extent that operation is impaired	5	☂ Jet-Proof	Water protected by a nozzle from any direction shall have no harmful effect. (Nozzle dia 6.3mm, pressure 30 kpa)
			6	Jet-Proof	Water protected by a nozzle from any direction shall have no harmful effect. (Nozzle dia 12.5mm, pressure 100 kpa)
6	Dust penetration protected	Complete protection against contact with live parts and against penetration of dust.	7	Water tight	Watertight; temporary immersion in water under specified conditions of pressure and time possible without ingress of water in harmful quantities.
			8	Pressure Water tight	Pressure Water tight; continuous submersion in water under specified conditions of and time possible without ingress of water in harmful quantities.

All Pictures Shown are for Illustration purpose only, Actual Product may Slightly Vary.

All dimensions are in millimeter
L = Length, B = Breadth, H = Height,
D = Depth, W = Width.

Custom Design Welcome

Get in Touch with Us

Contact Us:

Mr. Laxmikant Laddha: 09822332340

Giriraj Laddha: 09881245431

Rahul Laddha: 09881245432

 sales@rajelectricals.co.in

 <https://rajelectricals.co.in/>



Lighting Store:

583, Narayan Peth, Jaldhara Society,
Near Kanyashala, Pune-411030

Phone: (020) 24455293, 24461156,
24481583, 24486306, 24492424



Electrical Store:

353/2, Shaniwar Peth, Ramanbaug
Co-operative Hsg Society, Near
Ramanbaug School, Pune-411030.

Phone: 098812 45432



[rajelectricalspune](https://www.facebook.com/rajelectricalspune)



[raj__electricals](https://www.instagram.com/raj__electricals)