

RR KABEL LIMITED													
RRKL/CU-ARM-UAR/LP/07/26								w.e.f. 9th July, 2026					
PRICE LIST													
POWER CABLES (COPPER ARMoured / UNARMoured)													
RR KABEL make Power/Control Cables, Solid Copper Conductor upto 6.0 Sq.mm balance Stranded, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Glavanised wire for cables upto 10Cx1.5 sq.mm, 8Cx2.5 sq.mm, 2Cx10.0 sq.mm, 3Cx10.0 Sq.mm, 4Cx6.0 Sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN CODE : 8544)													
Rate Per Meter (INR)													
(UNARMoured CABLES) (2XY)						(ARMoured CABLES) (2XWY / 2XFY)							
No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5		
2	195	298	14	1114	1911	2	257	362	14	1208	1996		
3	267	420	16	1321	2176	3	327	481	16	1382	2256		
4	350	561	19	1569	2577	4	411	620	19	1638	2651		
5	456	702	24	1959	3254	5	523	770	24	2049	3339		
6	547	824	27	2196	3632	6	631	903	27	2323	3805		
7	582	976	30	2606	4305	7	657	1050	30	2589	4576		
8	670	1111	37	3374	5161	8	747	1211	37	3359	5344		
10	844	1361	44	3947	6152	10	936	1438	44	3923	6242		
12	965	1630	61	5775	8469	12	1053	1703	61	5776	9050		
Size (Sq.mm)	(UNARMoured CABLES) (2XY)					(ARMoured CABLES) (2XWaY/2XFaY) (2XWY / 2XFY)							
	1 Core	2 Core	3 Core	3.5 Core	4 Core	1 Core	2 Core	3 Core	3.5 Core	4 Core	5 Core	6 Core	7 Core
4.0	-	436	636	-	839	-	499	692	-	900	1256	1491	1711
6.0	-	643	945	-	1249	-	710	1002	-	1303	1866	2244	2617
10.0	-	1090	1597	-	2139	-	1151	1639	-	2169	2871	-	-
16.0	883	1598	2405	-	3170	1001	1628	2435	-	3199	4277	-	-
25.0	1451	2466	3717	4522	4958	1540	2535	3805	4617	5062	7809	-	-
35.0	2014	3661	5395	6176	7145	2103	3743	5490	6286	7264	10763	-	-
50.0	2860	4961	7302	8603	9768	2945	5053	7407	8721	9899	14799	-	-
70.0	3993	7389	10609	12402	14230	4058	7506	10742	12541	14385	23274	-	-
95.0	5172	9890	14888	17260	19698	5417	10565	15041	17426	19872	-	-	-
120.0	6525	12498	18380	21907	24542	6790	12600	18549	22103	24734	-	-	-
150.0	8159	15693	22656	26236	30396	8437	15774	22829	26445	30609	-	-	-
185.0	10055	18830	28688	33556	38050	10377	19527	28914	33800	38294	-	-	-
240.0	13017	24109	37477	43232	50027	13384	25156	37712	43562	50068	-	-	-
300.0	16256	30041	46479	53976	62562	16669	31861	48169	55085	63540	-	-	-
400.0	21663	40094	57940	65995	82310	22152	43342	62295	69737	86779	-	-	-
500.0	27060	-	-	-	-	27582	-	-	-	-	-	-	-
630.0	34087	-	-	-	-	34675	-	-	-	-	-	-	-
800.0	43259	-	-	-	-	43912	-	-	-	-	-	-	-
1000.0	54054	-	-	-	-	54745	-	-	-	-	-	-	-
Additional to be charged for Special Construction													
A) Tinning	3%			G) HR PVC Insulation	10%			As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the Price List are only for guidelines and as per market convention, it may vary within the prescribed limit of IS:8130-1994, with related classes and tables.					
B) Stranding (upto 6.0 Sq.mm)	4%			H) HR PVC Inner Sheath	7.5%								
C) Extruded Inner Sheath	4.0%			I) HR PVC Outer Sheath	7.5%								
D) Round Wire Armouring:				J) FR-LSH Outer Sheath (Power Cables)									
1. 1C x 95.0 Sq.mm & above	9.0%			Upto 6.0 Sq.mm	11.5%			* MOQ will be applicable for all Special Items					
2. 12C x 1.5 Sq.mm & above	18%			10.0 Sq.mm & above	6%								
3. 9C x 2.5 Sq.mm & above	18%												
4. 4C x 10.0 Sq.mm & above	18%												
5. 2C x 16.0 & above	18%						* The above material will be supplied from our Waghodia Unit.						
6. 3C x 16.0 & above	18%												
E) Oxygen Index (FR)	4.0%			5C to 10C	7.5%			6%	22.5%	22.5%			
F) PVC Insulation (as per IS 1554)	7.5%			12C & above	7.5%			6%	18.0%	18.0%			
Terms & Conditions:													
> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.													
> Freight will be Extra as applicable													
Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.													
THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE													

RR KABEL LIMITED
RRKL/AL-ARM-UAR/LP/07/26
w.e.f. 9th July, 2026
PRICE LIST
POWER CABLES (AL. ARMoured / UNARMoured)

RR KABEL make Power Cables, Solid Aluminum conductor upto 10.0 sq.mm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core Cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 2Cx10.0 sq.mm, 3Cx10.0 sq.mm, 4Cx6.0 sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN Code : 8544)

Size (in Sq.mm)	CORES / RATE PER METER (INR)									
	(UNARMoured CABLES) (A2XY)					(ARMoured CABLES) (A2XW _a Y/ A2XF _a Y) (A2XWY / A2XFY)				
	1C	2C	3C	3.5C	4C	1C	2C	3C	3.5C	4C
4.0	-	129	172	-	207	-	232	273	-	303
6.0	-	186	233	-	264	-	291	339	-	380
10.0	-	254	304	-	367	-	336	401	-	525
16.0	132	263	353	-	474	233	390	446	-	569
25.0	158	328	466	598	633	290	402	535	628	675
35.0	205	441	665	719	796	362	515	732	811	923
50.0	280	578	815	957	1050	461	695	948	1081	1217
70.0	381	790	1150	1322	1505	585	886	1272	1473	1651
95.0	497	1026	1533	1750	2018	715	1146	1637	1866	2177
120.0	619	1277	1911	2217	2548	857	1412	2003	2339	2664
150.0	776	1598	2403	2682	3171	1020	1728	2481	2728	3219
185.0	951	1948	2932	3354	3903	1238	2110	3069	3451	4055
240.0	1209	2489	3771	4276	4995	1538	2669	3971	4399	5244
300.0	1500	3080	4668	5305	6218	1870	3283	4911	5456	6482
400.0	1986	4065	6149	6785	8193	2414	4303	6232	6923	8334
500.0	2460	5854	8206	9663	10837	2928	5975	8373	9861	11058
630.0	3088	7202	10432	11841	14225	3614	7349	10644	12082	14515
800.0	3897	-	-	-	-	4496	-	-	-	-
1000.0	4868	-	-	-	-	5482	-	-	-	-

Additional to be charged for Special Construction

A) Stranding (upto 10.0 Sq.mm)	10%	H) FR-LSH / LSZH Loading - (Inner / Outer Sheath) :						
B) Round Wire Armouring		Size	FR-LSH		LSZH			
			Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath		
		1. 1C x 95.0 & above	30%	Upto 1C x 16.0	NA	15%	NA	37.50%
		2. 2C x 16.0 & above	30%	1C x 25.0 to 1C x 50.0	NA	15%	NA	30%
		3. 3C x 16.0 & above	30%	1C x 70.0 & above	NA	11.50%	NA	26.0%
		4. 3.5C x 25.0 & above	30%	Multicore upto 16.0	15%	11.5%	22.5%	30%
5. 4C x 10.0 & above	30%							
C) Oxygen Index (FR)	4.0%	Multicore 25.0 to 50.0	11.5%	11.5%	18.0%	22.5%		
D) PVC Insulation (as per IS 1554)	12%	Multicore 70.0 & above	7.5%	7.5%	22.5%	18%		
E) HR PVC Insulation	15%	I) Extruded PVC Inner Sheath :			* MOQ will be applicable for all Special Items			
F) HR PVC Inner Sheath	7.50%	1. Upto 50.0 Sq.mm.	5%					
G) HR PVC Outer Sheath	7.50%	2. 70.0 Sq.mm. & above	2.5%					

Terms & Conditions:

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE