


# SYMBOL OF QUALITY

Pioneers in Solderless Terminals,  
Crimping Tools & Cable Glands



House of Designers & Makers of Terminals,  
Tools & Cable Glands Since 1961

**National Price List June, 2024**



PRICE LIST	CONTENTS
ABOUT DOWELL'S	1
DOWELL'S PRODUCT CATEGORY	2
CONNECTORS FOR 2C, 3C, 3.5C, 4C SECTOR SHAPED CONDUCTORS	3 - 7
Copper Sector Lugs - Long Barrel	5
Copper Sector Lugs - Long Barrel	6
Copper & Aluminium connectors	6
Aluminium Sector Lugs- Long Barrel	7
Aluminium Sector Lugs- Short Barrel	7
<b>COPPER SERIES</b>	<b>8 - 11</b>
Copper Tube Terminals Medium Duty	8
Copper Tube Terminals Heavy Duty Long Barrel	8
Copper Tube Terminals Heavy Duty BS 4579	8
Copper Tube Terminals Extended Palm ( Blank)	8
Copper Reducer Terminals	
Copper Tublar Terminals Long Barrel	9
Copper Tube Terminals Heavy Duty In- line Connectors	9
Copper Tube Terminals Heavy Duty In- line Connectors	9
Copper DIN Type Terminals	10
Copper Tube Terminals ICF Series	10
Copper Tube Light Duty In- line Connectors	10
<b>ALUMINIUM SERIES</b>	<b>11 - 12</b>
Aluminium Tube Terminals	11
Aluminium Tube Terminals Long Barrel	11
Aluminium Terminals for Al. XLPE Conductors	11
Aluminium Tube Terminals Two Holes	11
Aluminium Reducer Terminals	12
Aluminium In- line Connectors	12
Aluminium In- line Connectors for Al. XLPE Conductors	12
<b>BI-METTALIC SERIES</b>	<b>13</b>
Bi-Mettalic Connectors ( Friction Welded)	13
Bi-Mettalic Terminals ( Friction Welded)	13
Aluminium Alloy Tublar Bi-Mettalic Terminals	13

PRICE LIST

CONTENTS

COPPER RING, PIN & FORK TERMINALS

14 - 16

Pin Terminals non- insulated	14
Pin Terminals Double Grip ( Pre -insulated )	14
Pin Terminals Double Grip ( Pre -insulated )	14
End Sealing Ferrules non- insulated	14
Non- insulated Ring Terminals	14
Ring Terminals insulated	15
Ring Terminals Double Grip ( Pre -insulated )	15
Fork Terminals non- insulated	15
Fork Terminals Insulated	15
Fork Terminals Pre- insulated	15
Snap on Terminals	15
End Sealing Ferrules Insulated	16
Copper Twin Type Lugs	16

COPPER GLANDS

17- 20

Double Compression Armoured weather and Frame Proof Brass Cable Glands	17
DC Type Medium Duty Armoured Brass Cable Glands	18
Double Compression Un- Armoured Brass Cable Glands	18
Single Compression & SIBG Brass Cable Glands	19
Brass PG Gland	19
Nylon PG Gland	19
Flange Type Cable Glands	19
Earth Tag & LSF/ LSZH Shroud	20

TOOLS & ACCESSORIES

21 - 22

Hand Operated Crimping Tools	21
Hydraulic Crimping Tools	21
Corrosion Inhibiting Compound	21
Jack for SYD/ SYT/ SYE	22
Crimping JIGS	22



## COMPANY PROFILE

---

Dowells is proud of being Pioneer & market leader in Terminal Technology with its accumulated experience in the line of manufacturing of cable Terminals, Connectors, Cable Glands, Crimping system & Accessories since 1961.

At present, Company is a subsidiary of Polycab India Ltd., India's leading Cables & Wires company with a glorious track record of over 4 decades having their manufacturing facilities at Halol, Daman, Nashik & Roorkee in India, and this subsidiary company i.e M/S. Dowells Cable Accessories Pvt Ltd have set up their manufacturing plant at Halol in Gujarat state having an measuring area of 1,00,000 Sq. ft with in - house manufacturing facilities where more than 2500 line items with production capacity of 5000 metric tons per annum with an aim to serve world best technology in cable and termination

### OUR MISSION


---

we will create a great place to work by inspiring our people to continuously innovate and bring greater value to our customers and environment, there by enhancing stakeholder value.

### OUR VISION

---

Enhance and strengthen our leadership position in wires and cables, Continue to invest in technology to improve operational efficiencies, customer satisfaction, and sales and strengthen brand recognition.



## CABLE GLANDS



DOWELL's electrical armoured and unarmoured cable glands are designed for usage in including oil and gas, petrochemical, construction, pharmaceutical, transportation, solar and mining to name a few. Electrical cable glands can be used with a range of cable types, including armoured and unarmoured and are available in nickel plated brass, stainless steel, polyamide.

## CONNECTORS & SHEET TERMINALS



DOWELL's is a pioneer in designing and manufacturing Solderless Electrical tubular connectors. These Connectors are crimped on to a conductor, to facilitate a termination or a straight connection with utmost reliability. These are designed with optimum ductility which is an absolute necessity for connectors that will have to withstand the severe deformation arising when compressed or crimped during the installation. The connectors are available in both aluminium, copper (Electrolytically tin plated to prevent oxidation), Bimetallic and Friction welded (CU to Al). Sheet metal terminals are also available as Ring, Pin & Fork terminals.

## TOOLS & ACCESSORIES



The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity.

## CONNECTORS FOR 2C,3C,3.5C, 4C SECTOR SHAPED CONDUCTORS



Designed primarily for solid or stranded sector shape conductors for all angular arrangement of 2C,3C,3.5C or 4C cables. Precision fit on the sector conductor, allows for perfect and reliable connection. This eliminated the process of rounding of the conductors for fitment during crimping in case of round connectors. This design also gives an optimum crimping quality with sector shaped dies, making it more reliable and trusted connection.

## FEATURES

- Reduces contact Resistance > 10%
- Drastic Reduction in hot spots when compared with circular connector for the same applications
- Improved conductivity
- Increase in the contact surface area

## COPPER SECTOR LUGS - LONG BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	CUS-2001	CUS-3001	CUS-3501	CUS-4001	67.15	25
25	10.5	CUS-2002	CUS-3002	CUS-3502	CUS-4002	67.15	25
25	13	CUS-2003	CUS-3003	CUS-3503	CUS-4003	67.15	25
35	8.4	CUS-2004	CUS-3004	CUS-3504	CUS-4004	106.04	25
35	10.5	CUS-2005	CUS-3005	CUS-3505	CUS-4005	106.04	25
50	8.4	CUS-2006	CUS-3006	CUS-3506	CUS-4006	151.66	25
50	10.5	CUS-2007	CUS-3007	CUS-3507	CUS-4007	151.66	25
50	13	CUS-2008	CUS-3008	CUS-3508	CUS-4008	151.66	25
70	8.4	CUS-2009	CUS-3009	CUS-3509	CUS-4009	244.27	15
70	10.5	CUS-2010	CUS-3010	CUS-3510	CUS-4010	244.27	15
70	13	CUS-2011	CUS-3011	CUS-3511	CUS-4011	244.27	15
95	10.5	CUS-2012	CUS-3012	CUS-3512	CUS-4012	302.14	10
95	13	CUS-2013	CUS-3013	CUS-3513	CUS-4013	302.14	10
95	17	CUS-2014	CUS-3014	CUS-3514	CUS-4014	302.14	10
120	10.5	CUS-2015	CUS-3015	CUS-3515	CUS-4015	415.59	10
120	13	CUS-2016	CUS-3016	CUS-3516	CUS-4016	415.59	10
120	17	CUS-2017	CUS-3017	CUS-3517	CUS-4017	415.59	10
150	10.5	CUS-2018	CUS-3018	CUS-3518	CUS-4018	526.73	15
150	13	CUS-2019	CUS-3019	CUS-3519	CUS-4019	526.73	15
150	17	CUS-2020	CUS-3020	CUS-3520	CUS-4020	526.73	15
185	10.5	CUS-2021	CUS-3021	CUS-3521	CUS-4021	661.01	10
185	13	CUS-2022	CUS-3022	CUS-3522	CUS-4022	661.01	10
185	17	CUS-2023	CUS-3023	CUS-3523	CUS-4023	661.01	10
240	13	CUS-2024	CUS-3024	CUS-3524	CUS-4024	1,010.61	10
240	17	CUS-2025	CUS-3025	CUS-3525	CUS-4025	1,010.61	10
300	17	CUS-2026	CUS-3026	CUS-3526	CUS-4026	1,264.13	10
300	20.3	CUS-2027	CUS-3027	CUS-3527	CUS-4027	1,264.13	10
400	20.3	CUS-2028	CUS-3028	CUS-3528	CUS-4028	1,787.38	8
500	21	CUS-2029	CUS-3029	CUS-3529	CUS-4029	2,102.25	5
630	21	CUS-2030	CUS-3030	CUS-3530	CUS-4030	3,155.70	5



**COPPER SECTOR LUGS – SHORT BARREL**


SIZE (SQ - MM)	E-BOLT HOLE	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	CUS-2101	CUS-3101	CUS-3601	CUS-4101	47.00	25
25	10.5	CUS-2102	CUS-3102	CUS-3602	CUS-4102	47.00	25
25	13	CUS-2103	CUS-3103	CUS-3603	CUS-4103	47.00	25
35	8.4	CUS-2104	CUS-3104	CUS-3604	CUS-4104	68.31	25
35	10.5	CUS-2105	CUS-3105	CUS-3605	CUS-4105	68.31	25
50	8.4	CUS-2106	CUS-3106	CUS-3606	CUS-4106	106.04	25
50	10.5	CUS-2107	CUS-3107	CUS-3607	CUS-4107	106.04	25
50	13	CUS-2108	CUS-3108	CUS-3608	CUS-4108	106.04	25
70	8.4	CUS-2109	CUS-3109	CUS-3609	CUS-4109	169.02	15
70	10.5	CUS-2110	CUS-3110	CUS-3610	CUS-4110	169.02	15
70	13	CUS-2111	CUS-3111	CUS-3611	CUS-4111	169.02	15
95	10.5	CUS-2112	CUS-3112	CUS-3612	CUS-4112	207.22	10
95	13	CUS-2113	CUS-3113	CUS-3613	CUS-4113	207.22	10
95	17	CUS-2114	CUS-3114	CUS-3614	CUS-4114	207.22	10
120	10.5	CUS-2115	CUS-3115	CUS-3615	CUS-4115	309.09	10
120	13	CUS-2116	CUS-3116	CUS-3616	CUS-4116	309.09	10
120	17	CUS-2117	CUS-3117	CUS-3617	CUS-4117	309.09	10
150	10.5	CUS-2118	CUS-3118	CUS-3618	CUS-4118	388.97	15
150	13	CUS-2119	CUS-3119	CUS-3619	CUS-4119	388.97	15
150	17	CUS-2120	CUS-3120	CUS-3620	CUS-4120	388.97	15
185	10.5	CUS-2121	CUS-3121	CUS-3621	CUS-4121	500.10	10
185	13	CUS-2122	CUS-3122	CUS-3622	CUS-4122	500.10	10
185	17	CUS-2123	CUS-3123	CUS-3623	CUS-4123	500.10	10
240	13	CUS-2124	CUS-3124	CUS-3624	CUS-4124	788.34	10
240	17	CUS-2125	CUS-3125	CUS-3625	CUS-4125	788.34	10
300	17	CUS-2126	CUS-3126	CUS-3626	CUS-4126	1,008.30	10
300	20.3	CUS-2127	CUS-3127	CUS-3627	CUS-4127	1,008.30	10
400	20.3	CUS-2128	CUS-3128	CUS-3628	CUS-4128	1,495.66	8
500	21	CUS-2129	CUS-3129	CUS-3629	CUS-4129	1,735.29	5
630	21	CUS-2130	CUS-3130	CUS-3630	CUS-4130	2,602.35	5



## COPPER SECTOR CONNECTORS



SIZE (sq - mm)	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
	2 CORE	3 CORE	3.5 CORE	4 CORE		
25	2S-CB-25	3S-CB-25	3.5S-CB-25	4S-CB-25	31.73	50
35	2S-CB-35	3S-CB-35	3.5S-CB-35	4S-CB-35	49.44	50
50	2S-CB-50	3S-CB-50	3.5S-CB-50	4S-CB-50	81.16	50
70	2S-CB-70	3S-CB-70	3.5S-CB-70	4S-CB-70	138.92	50
95	2S-CB-95	3S-CB-95	3.5S-CB-95	4S-CB-95	203.75	25
120	2S-CB-120	3S-CB-120	3.5S-CB-120	4S-CB-120	278.99	20
150	2S-CB-150	3S-CB-150	3.5S-CB-150	4S-CB-150	375.08	25
185	2S-CB-185	3S-CB-185	3.5S-CB-185	4S-CB-185	496.62	25
240	2S-CB-240	3S-CB-240	3.5S-CB-240	4S-CB-240	769.82	20
300	2S-CB-300	3S-CB-300	3.5S-CB-300	4S-CB-300	1,069.65	10
400	2S-CB-400	3S-CB-400	3.5S-CB-400	4S-CB-400	1,641.52	8
500	2S-CB-500	3S-CB-500	3.5S-CB-500	4S-CB-500	1,881.14	5
630	2S-CB-630	3S-CB-630	3.5S-CB-630	4S-CB-630	2,576.88	5

## ALUMINIUM SECTOR CONNECTORS



SIZE (sq - mm)	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
	2 CORE	3 CORE	3.5 CORE	4 CORE		
25	2S-ALS-1	3S-ALS-1	3.5S-ALS-1	4S-ALS-1	5.67	100
35	2S-ALS-2	3S-ALS-2	3.5S-ALS-2	4S-ALS-2	8.46	100
50	2S-ALS-3	3S-ALS-3	3.5S-ALS-3	4S-ALS-3	13.78	100
70	2S-ALS-4	3S-ALS-4	3.5S-ALS-4	4S-ALS-4	24.31	100
95	2S-ALS-5	3S-ALS-5	3.5S-ALS-5	4S-ALS-5	35.32	50
120	2S-ALS-6	3S-ALS-6	3.5S-ALS-6	4S-ALS-6	49.09	35
150	2S-ALS-7	3S-ALS-7	3.5S-ALS-7	4S-ALS-7	66.80	50
185	2S-ALS-8	3S-ALS-8	3.5S-ALS-8	4S-ALS-8	86.60	40
240	2S-ALS-9	3S-ALS-9	3.5S-ALS-9	4S-ALS-9	137.76	20
300	2S-ALS-10	3S-ALS-10	3.5S-ALS-10	4S-ALS-10	187.55	15
400	2S-ALS-11	3S-ALS-11	3.5S-ALS-11	4S-ALS-11	289.42	10
500	2S-ALS-19	3S-ALS-19	3.5S-ALS-19	4S-ALS-19	282.47	5
630	2S-ALS-20	3S-ALS-20	3.5S-ALS-20	4S-ALS-20	373.92	5

## ALUMINIUM SECTOR LUGS - LONG BARREL



SIZE (sq - mm)	E-BOLT HOLE	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	2S-ALS-518	3S-ALS-518	3.5S-ALS-518	4S-ALS-518	9.84	50
25	10.5	2S-ALS-519	3S-ALS-519	3.5S-ALS-519	4S-ALS-519	9.84	50
25	13	2S-ALS-520	3S-ALS-520	3.5S-ALS-520	4S-ALS-520	9.84	50
35	8.4	2S-ALS-521	3S-ALS-521	3.5S-ALS-521	4S-ALS-521	15.51	50
35	10.5	2S-ALS-522	3S-ALS-522	3.5S-ALS-522	4S-ALS-522	15.51	50
50	8.4	2S-ALS-655	3S-ALS-655	3.5S-ALS-655	4S-ALS-655	22.70	50
50	10.5	2S-ALS-512	3S-ALS-512	3.5S-ALS-512	4S-ALS-512	22.70	50
50	13	2S-ALS-524	3S-ALS-524	3.5S-ALS-524	4S-ALS-524	22.70	50
70	8.4	2S-ALS-556	3S-ALS-556	3.5S-ALS-556	4S-ALS-556	33.69	30
70	10.5	2S-ALS-525	3S-ALS-525	3.5S-ALS-525	4S-ALS-525	33.69	30
70	13	2S-ALS-526	3S-ALS-526	3.5S-ALS-526	4S-ALS-526	33.69	30
95	10.5	2S-ALS-527	3S-ALS-527	3.5S-ALS-527	4S-ALS-527	40.29	20
95	13	2S-ALS-528	3S-ALS-528	3.5S-ALS-528	4S-ALS-528	40.29	20
95	17	2S-ALS-529	3S-ALS-529	3.5S-ALS-529	4S-ALS-529	40.29	20
120	10.5	2S-ALS-557	3S-ALS-557	3.5S-ALS-557	4S-ALS-557	56.26	20
120	13	2S-ALS-530	3S-ALS-530	3.5S-ALS-530	4S-ALS-530	56.26	20
120	17	2S-ALS-531	3S-ALS-531	3.5S-ALS-531	4S-ALS-531	56.26	20
150	10.5	2S-ALS-658	3S-ALS-658	3.5S-ALS-658	4S-ALS-658	71.66	25
150	13	2S-ALS-532	3S-ALS-532	3.5S-ALS-532	4S-ALS-532	71.66	25
150	17	2S-ALS-533	3S-ALS-533	3.5S-ALS-533	4S-ALS-533	71.66	25
185	10.5	2S-ALS-511	3S-ALS-511	3.5S-ALS-511	4S-ALS-511	90.42	20
185	13	2S-ALS-534	3S-ALS-534	3.5S-ALS-534	4S-ALS-534	90.42	20
185	17	2S-ALS-535	3S-ALS-535	3.5S-ALS-535	4S-ALS-535	90.42	20
240	13	2S-ALS-536	3S-ALS-536	3.5S-ALS-536	4S-ALS-536	138.92	15
240	17	2S-ALS-537	3S-ALS-537	3.5S-ALS-537	4S-ALS-537	138.92	15
300	17	2S-ALS-500	3S-ALS-500	3.5S-ALS-500	4S-ALS-500	172.49	10
300	20.3	2S-ALS-559	3S-ALS-559	3.5S-ALS-559	4S-ALS-559	172.49	10
400	20.3	2S-ALS-560	3S-ALS-560	3.5S-ALS-560	4S-ALS-560	243.11	8
500	20.3	2S-ALS-596	3S-ALS-596	3.5S-ALS-596	4S-ALS-596	380.86	5
630	20.3	2S-ALS-561	3S-ALS-561	3.5S-ALS-561	4S-ALS-561	498.94	5

## ALUMINIUM SECTOR LUGS - SHORT BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	2S-ALS-218	3S-ALS-218	3.5S-ALS-218	4S-ALS-218	7.19	50
25	10.5	2S-ALS-219	3S-ALS-219	3.5S-ALS-219	4S-ALS-219	7.19	50
25	13	2S-ALS-220	3S-ALS-220	3.5S-ALS-220	4S-ALS-220	7.19	50
35	8.4	2S-ALS-221	3S-ALS-221	3.5S-ALS-221	4S-ALS-221	9.84	50
35	10.5	2S-ALS-222	3S-ALS-222	3.5S-ALS-222	4S-ALS-222	9.84	50
50	8.4	2S-ALS-255	3S-ALS-255	3.5S-ALS-255	4S-ALS-255	15.51	50
50	10.5	2S-ALS-312	3S-ALS-312	3.5S-ALS-312	4S-ALS-312	15.51	50
50	13	2S-ALS-224	3S-ALS-224	3.5S-ALS-224	4S-ALS-224	15.51	50
70	8.4	2S-ALS-256	3S-ALS-256	3.5S-ALS-256	4S-ALS-256	24.31	30
70	10.5	2S-ALS-225	3S-ALS-225	3.5S-ALS-225	4S-ALS-225	24.31	30
70	13	2S-ALS-226	3S-ALS-226	3.5S-ALS-226	4S-ALS-226	24.31	30
95	10.5	2S-ALS-227	3S-ALS-227	3.5S-ALS-227	4S-ALS-227	30.34	20
95	13	2S-ALS-228	3S-ALS-228	3.5S-ALS-228	4S-ALS-228	30.34	20
95	17	2S-ALS-229	3S-ALS-229	3.5S-ALS-229	4S-ALS-229	30.34	20
120	10.5	2S-ALS-257	3S-ALS-257	3.5S-ALS-257	4S-ALS-257	44.12	20
120	13	2S-ALS-230	3S-ALS-230	3.5S-ALS-230	4S-ALS-230	44.12	20
120	17	2S-ALS-231	3S-ALS-231	3.5S-ALS-231	4S-ALS-231	44.12	20
150	10.5	2S-ALS-258	3S-ALS-258	3.5S-ALS-258	4S-ALS-258	55.11	25
150	13	2S-ALS-232	3S-ALS-232	3.5S-ALS-232	4S-ALS-232	55.11	25
150	17	2S-ALS-233	3S-ALS-233	3.5S-ALS-233	4S-ALS-233	55.11	25
185	10.5	2S-ALS-131	3S-ALS-131	3.5S-ALS-131	4S-ALS-131	70.04	20
185	13	2S-ALS-234	3S-ALS-234	3.5S-ALS-234	4S-ALS-234	70.04	20
185	17	2S-ALS-235	3S-ALS-235	3.5S-ALS-235	4S-ALS-235	70.04	20
240	13	2S-ALS-236	3S-ALS-236	3.5S-ALS-236	4S-ALS-236	110.21	15
240	17	2S-ALS-237	3S-ALS-237	3.5S-ALS-237	4S-ALS-237	110.21	15
300	17	2S-ALS-300	3S-ALS-300	3.5S-ALS-300	4S-ALS-300	140.07	10
300	20.3	2S-ALS-259	3S-ALS-259	3.5S-ALS-259	4S-ALS-259	140.07	10
400	20.3	2S-ALS-260	3S-ALS-260	3.5S-ALS-260	4S-ALS-260	210.70	8
500	20.3	2S-ALS-296	3S-ALS-296	3.5S-ALS-296	4S-ALS-296	314.88	5
630	20.3	2S-ALS-261	3S-ALS-261	3.5S-ALS-261	4S-ALS-261	420.23	5

## COPPER SERIES

Designed for excellent performance, copper series products, is guaranteed by high quality raw materials for making safe, reliable, and long-lasting electrical connections upto 36kV



COPPER TUBE TERMINAL MEDIUM DUTY		
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
2.5-5	CUS-05	7.30
4-6	CUS-06	10.42
6-6	CUS-07	11.34
10-6	CUS-08	14.59
16-6	CUS-09	18.99
25-6	CUS-10	31.73
35-6	CUS-11	34.27
35-8	CUS-12	34.27
50-6	CUS-13	45.73
50-8	CUS-14	45.73
50-10	CUS-15	45.73
70-8	CUS-16	79.88
70-10	CUS-17	79.88
70-12	CUS-18	79.88
95-10	CUS-19	113.46
95-12	CUS-20	108.83
120-10	CUS-21	145.87
120-12	CUS-22	145.87
120-16	CUS-23	145.87
150-10	CUS-24	214.16
150-12	CUS-25	211.85
150-16	CUS-26	207.22
185-12	CUS-27	319.51
185-16	CUS-28	312.57
225-16	CUS-231	378.55
240-16	CUS-29	428.33
240-20	CUS-30	428.33
300-16	CUS-31	636.70
300-20	CUS-32	629.75
400-20	CUS-33	867.06
500-20	CUS-34	1,158.78
630-20	CUS-35	1,624.16
800	CUS-062	2,674.12
1000	CUS-076	5,901.58

COPPER TUBE TERMINAL HEAVY DUTY LONG BARREL		
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
25-8	CUS-282	36.59
35-8	CUS-283	58.58
50-8	CUS-284	97.59
70-10	CUS-285	150.50
95-12	CUS-286	236.16
120-12	CUS-287	336.88
150-12	CUS-288	414.44
185-12	CUS-289	600.81
240-16	CUS-290	842.76
300-16	CUS-291	1,111.32
400-20	CUS-292	1,694.77
500-21	CUS-293	3,008.67
630-21	CUS-294	4,008.86



COPPER TUBE TERMINAL EXTENDED PALM (BLANK)		
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
50	CUS-466	125.03
70	CUS-467	207.22
95	CUS-468	296.36
120	CUS-469	356.55
150	CUS-470	467.69
185	CUS-471	693.42
240	CUS-472	1,023.35
300	CUS-473	1,480.61
400	CUS-474	2,562.99
500	CUS-475	3,074.66
630	CUS-476	4,735.85

COPPER TUBE TERMINAL HEAVY DUTY BS-4579		
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
1.5-5	CUS-538	9.15
1.5-6	CUS-539	9.50
2.5-4	CUS-388	9.50
2.5-5	CUS-540	9.96
2.5-6	CUS-541	9.96
4-5	CUS-389	12.16
4-6	CUS-543	12.16
6-5	CUS-390	14.59
6-6	CUS-544	14.59
6-8	CUS-545	14.59
10-6	CUS-353	15.28
10-8	CUS-547	16.45
16-8	CUS-549	22.00
16-6	CUS-354	20.72
20-8	CUS-550	23.27
25-6	CUS-355	33.57
25-8	CUS-551	33.57
25-10	CUS-552	33.57
35-8	CUS-356	43.87
35-6	CUS-542	43.87
35-10	CUS-554	45.73
50-8	CUS-357	72.01
50-10	CUS-556	72.01
70-10	CUS-358	119.24
70-8	CUS-557	119.24
70-13	CUS-559	119.24
95-10	CUS-359	166.70
95-13	CUS-561	166.70
120-17	CUS-546	226.90
120-13	CUS-241	226.90
150-13	CUS-242	296.36
150-17	CUS-564	274.36
185-17	CUS-243	388.97
240-17	CUS-244	575.34
240-21	CUS-567	575.34
300-17	CUS-245	836.97
300-21	CUS-569	836.97
400-17	CUS-246	1,317.39
400-21	CUS-571	1,345.17
500-21	CUS-247	1,796.64
550-21	CUS-573	2,200.65
630-21	CUS-248	2,694.96
800	CUS-599	4,683.76
1000	CUS-590	6,663.29



COPPER REDUCER TERMINAL		
mm <sup>2</sup>	CAT. NO.	PRICE (₹)
2.5	WPC-01	23.27
2.5	WPC-07	22.00
4	WPC-15	23.27
4	WPC-16	22.00
6	WPC-17	23.73
6	WPC-18	22.00
10	WPC-19	28.13
10	WPC-20	25.12
10	WPC-21	33.57
10	WPC-22	30.57
16	WPC-23	56.73
16	WPC-24	56.73
16	WPC-02	40.87
25	WPC-25	65.87
25	WPC-03	87.18
35	WPC-04	86.02
50	WPC-26	96.32
50	WPC-05	226.90
70	WPC-27	149.34
70	WPC-6	226.90
70	WPC-28	223.42
95	WPC-29	215.33
95	WPC-08	302.14
95	WPC-31	200.27
95	WPC-32	317.20
120	WPC-33	261.63
120	WPC-34	260.47
120	WPC-35	302.14
120	WPC-36	406.33
150	WPC-10	474.64
150	WPC-37	369.29
185	WPC-30	603.12
185	WPC-38	485.05
225	WPC-39	792.98
225	WPC-46	1,090.49
225	WPC-42	1,007.14
240	WPC-44	1,038.39
240	WPC-43	759.41
300	WPC-45	961.99
300	WPC-47	1,026.82
400	WPC-101	2,172.86

COPPER TUBULAR TERMINALS LONG BARREL		
mm <sup>2</sup>	CAT. NO.	PRICE (₹)
2.5-5	CEB-05	10.88
4-6	CEB-06	15.28
6-6	CEB-07	16.45
10-6	CEB-08	20.72
16-6	CEB-09	26.86
25-6	CEB-10	34.27
35-6	CEB-11	40.87
35-8	CEB-12	48.16
50-6	CEB-13	62.16
50-8	CEB-14	62.16
50-10	CEB-15	62.16
70-8	CEB-16	102.45
70-10	CEB-17	102.45
70-12	CEB-18	102.45
95-10	CEB-19	133.13
95-12	CEB-20	133.13
120-10	CEB-21	181.75
120-12	CEB-22	181.75
120-16	CEB-23	181.75
150-10	CEB-24	261.63
150-12	CEB-25	258.16
150-16	CEB-26	253.53
185-12	CEB-27	382.03
185-16	CEB-28	382.03
225-16	CEB-231	496.62
240-16	CEB-29	526.73
240-20	CEB-30	526.73
300-16	CEB-31	728.15
300-20	CEB-32	728.15
400-20	CEB-33	1,055.76
500-20	CEB-34	1,422.72
630-20	CEB-35	1,981.86
800	CEB-62	3,173.05
1000	CEB-76	7,173.80

COPPER TUBE HEAVYDUTY IN-LINE CONNECTORS		
mm <sup>2</sup>	CAT. NO.	PRICE (₹)
1.5	EH-453	4.06
1.5	CB-41	6.25
2.5	EH-454	4.87
4	CB-3	6.96
4.6	EH-455	8.11
6	CB-4	9.15
10	EH-460	12.86
16	CB-6	14.59
20	CB-47	16.45
25	CB-24	34.27
35	CB-25	47.00
50	CB-26	71.31
70	CB-27	136.61
70	CB-51	120.40
95	CB-28	192.18
95	CB-52	156.29
120	CB-29	257.00
120	CB-53	184.07
150	CB-30	316.03
150	CB-54	261.63
185	CB-55	358.87
185	CB-31	413.27
240	CB-32	634.38
240	CB-56	549.88
300	CB-33	900.64
300	CB-57	781.40
400	CB-34	1,596.37
400	CB-58	1,151.84
500	CB-35	2,050.16
500	CB-59	1,684.35
550	CB-60	1,866.10
630	CB-36	2,920.70
630	CB-61	2,493.53
800	CB-42	4,195.24
1000	CB-43	6,244.24



COPPER TUBE HEAVYDUTY IN-LINE CONNECTORS		
mm <sup>2</sup>	CAT. NO.	PRICE (₹)
1.5	EH-463	4.98
2.5	EH-464	6.14
4-6	EH-465	9.27



COPPER DIN TYPE TERMINALS					
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)	mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
6-5	DIN-6-5	23.27	95-16	DIN-95-16	608.92
6-6	DIN-6-6	23.27	120-10	DIN-120-10	764.04
6-8	DIN-6-8	23.27	120-12	DIN-120-12	764.04
10-5	DIN-10-5	23.73	120-14	DIN-120-14	764.04
10-6	DIN-10-6	23.73	120-16	DIN-120-16	764.04
10-8	DIN-10-8	23.73	120-20	DIN-120-20	764.04
16-6	DIN-16-6	86.02	150-10	DIN-150-10	1,090.49
16-8	DIN-16-8	86.02	150-12	DIN-150-12	1,090.49
16-10	DIN-16-10	86.02	150-14	DIN-150-14	1,090.49
16-12	DIN-16-12	86.02	150-16	DIN-150-16	1,090.49
25-6	DIN-25-6	108.83	150-20	DIN-150-20	1,090.49
25-8	DIN-25-8	108.83	185-10	DIN-185-10	1,247.93
25-10	DIN-25-10	108.83	185-12	DIN-185-12	1,247.93
25-12	DIN-25-12	108.83	185-14	DIN-185-14	1,247.93
35-6	DIN-35-6	211.85	185-16	DIN-185-16	1,247.93
35-8	DIN-35-8	211.85	185-20	DIN-185-20	1,247.93
35-10	DIN-35-10	211.85	240-12	DIN-240-12	1,789.70
35-12	DIN-35-12	211.85	240-14	DIN-240-14	1,789.70
35-14	DIN-35-14	211.85	240-16	DIN-240-16	1,789.70
50-8	DIN-50-8	314.88	240-20	DIN-240-20	1,789.70
50-10	DIN-50-10	314.88	300-14	DIN-300-14	2,163.60
50-12	DIN-50-12	314.88	300-16	DIN-300-16	2,163.60
50-14	DIN-50-14	314.88	300-20	DIN-300-20	2,163.60
50-16	DIN-50-16	314.88	400-14	DIN-400-14	4,251.96
70-8	DIN-70-8	415.59	400-16	DIN-400-16	4,251.96
70-10	DIN-70-10	415.59	400-20	DIN-400-20	4,251.96
70-12	DIN-70-12	415.59	500-16	DIN-500-16	5,039.14
70-14	DIN-70-14	415.59	500-20	DIN-500-20	5,039.14
70-16	DIN-70-16	415.59	625-16	DIN-625-16	4,989.37
95-8	DIN-95-8	608.92	625-20	DIN-625-20	4,989.37
95-10	DIN-95-10	608.92	800-16	DIN-800-16	9,002.85
95-12	DIN-95-12	608.92	800-20	DIN-800-20	9,002.85
95-14	DIN-95-14	608.92	1000-21	DIN-1000-21	11,351.68

COPPER TUBE TERMINAL ICF SERIES					
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)	mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
17-5	CUS-106	42.72	90-8	CUS-161	314.88
17-6	CUS-145	42.72	90-10	CUS-162	314.88
17-8	CUS-146	42.72	110-6	CUS-115	384.34
17-10	CUS-109	43.87	110-8	CUS-164	384.34
23-5	CUS-107	70.73	110-10	CUS-165	384.34
23-6	CUS-147	70.73	110-13	CUS-166	384.34
23-8	CUS-148	70.73	146-8	CUS-138	562.62
23-10	CUS-108	74.44	146-10	CUS-167	562.62
29-5	CUS-110	104.89	146-13	CUS-168	562.62
29-6	CUS-149	96.32	146-17	CUS-169	562.62
29-8	CUS-150	96.32	183-10	CUS-128	735.10
29-10	CUS-151	98.75	183-13	CUS-170	773.30
29-13	CUS-111	96.32	183-17	CUS-171	773.30
45-5	CUS-116	136.61	225-10	CUS-139	889.06
45-6	CUS-152	136.61	225-13	CUS-172	889.06
45-8	CUS-153	136.61	225-17	CUS-173	889.06
45-10	CUS-154	136.61	225-21	CUS-174	889.06
45-10	CUS-113	136.61	299-13	CUS-140	1,257.19
57-6	CUS-112	223.42	299-17	CUS-175	1,272.24
57-8	CUS-155	223.42	299-21	CUS-176	1,257.19
57-10	CUS-156	223.42	366-13	CUS-141	1,770.01
57-13	CUS-157	223.42	366-17	CUS-177	1,770.01
75-6	CUS-114	284.79	366-21	CUS-178	1,770.01
75-8	CUS-158	284.79	437-13	CUS-142	2,427.54
75-10	CUS-159	284.79	437-17	CUS-179	2,428.71
75-13	CUS-160	284.79	437-21	CUS-180	2,428.71
90-6	CUS-137	314.88			



COPPER TUBE LIGHT DUTY IN-LINE CONNECTORS					
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)	mm <sup>2</sup>	CAT. NO.	PRICE (₹)
2.5	CB-23	6.83	225	CB-20	428.33
25	CB-7	34.27	240	CB-15	448.01
35	CB-8	45.73	300	CB-16	677.21
50	CB-9	68.31	400	CB-17	1,025.67
70	CB-10	98.75	500	CB-18	1,330.11
95	CB-11	140.07	630	CB-19	1,832.53
120	CB-12	193.33	800	CB-21	2,867.44
150	CB-13	246.58	1000	CB-22	4,269.33
185	CB-14	309.09			

## ALUMINIUM SERIES

Designed for excellent performance, Aluminium series products offers wide range of application requirements upto 36kV All the products are manufactured to precision with attention to detail offering competitive solutions.



ALUMINIUM TUBE TERMINAL		
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
2.5-3	ALS-151	3.13
2.5-3.5	ALS-309	3.13
4-4	ALS-155	3.25
4-5	ALS-317	3.25
6-5	ALS-158	3.71
6-6	ALS-313	3.71
10-4	ALS-159	4.52
10-6	ALS-214	4.52
10-8	ALS-215	4.52
16-6	ALS-252	6.25
16-8	ALS-216	6.25
16-10	ALS-217	6.25
25-6	ALS-253	8.57
25-8	ALS-218	8.57
25-10	ALS-219	8.57
25-12	ALS-220	8.57
35-6	ALS-254	10.31
35-8	ALS-221	10.31
35-10	ALS-222	10.31
50-8	ALS-255	15.51
50-10	ALS-312	15.51
50-12	ALS-224	15.51
70-8	ALS-256	24.31
70-10	ALS-225	24.31
70-12	ALS-226	24.31
95-10	ALS-227	26.06
95-12	ALS-228	25.48
95-16	ALS-229	25.48
120-10	ALS-257	36.12
120-12	ALS-230	35.32
120-16	ALS-231	35.32
150-10	ALS-258	48.04
150-12	ALS-232	46.89
150-16	ALS-233	46.89
185-10	ALS-311	60.66
185-12	ALS-234	59.28
185-16	ALS-235	59.97
225-12	ALS-320	85.43
240-12	ALS-236	98.17
240-16	ALS-237	98.17
300-16	ALS-300	138.92
300-20	ALS-259	138.92
400-20	ALS-260	201.44
500-20	ALS-296	316.03
630-20	ALS-261	410.96
800	ALS-318	650.60
1000	ALS-319	948.10



ALUMINIUM TUBE TERMINALS LONG BARREL		
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
2.5-3	ALS-551	4.52
2.5-3.5	ALS-509	4.52
4-4	ALS-555	4.52
4-5	ALS-517	4.52
6-5	ALS-558	4.87
6-6	ALS-513	4.87
10-6	ALS-514	5.91
10-8	ALS-515	5.91
16-6	ALS-552	7.42
16-8	ALS-516	7.42
16-10	ALS-617	7.42
25-8	ALS-518	8.57
25-10	ALS-519	8.57
25-12	ALS-520	8.57
35-8	ALS-521	12.16
35-10	ALS-522	12.16
50-8	ALS-655	18.76
50-10	ALS-512	18.76
50-12	ALS-524	18.76
70-8	ALS-556	30.34
70-10	ALS-525	30.34
70-12	ALS-526	30.34
95-10	ALS-527	31.49
95-12	ALS-528	31.49
95-16	ALS-529	31.49
120-10	ALS-557	46.89
120-12	ALS-530	46.89
120-16	ALS-531	46.89
150-10	ALS-658	57.53
150-12	ALS-532	56.26
150-16	ALS-533	56.26
185-10	ALS-511	73.40
185-12	ALS-534	75.02
185-16	ALS-535	74.21
225-12	ALS-620	105.12
240-12	ALS-536	119.24
240-16	ALS-537	119.24
300-16	ALS-500	174.81
300-20	ALS-559	174.81
400-20	ALS-560	251.21
500-20	ALS-596	402.86
630-20	ALS-561	522.10
800	ALS-618	781.40
1000	ALS-619	1,171.52



ALUMINIUM TERMINALS FOR AL XLPE CONDUCTORS		
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
25-8	ALS-XL17	12.16
35-8	ALS-XL18	16.56
50-10	ALS-XL19	26.52
70-10	ALS-XL20	35.32
95-12	ALS-XL21	55.11
120-12	ALS-XL22	70.04
150-12	ALS-XL23	101.41
185-12	ALS-XL24	134.29
225-12	ALS-XL25	166.70
240-12	ALS-XL26	185.22
300-20	ALS-XL27	241.95
400-20	ALS-XL28	385.49
500-20	ALS-XL29	535.99
630-20	ALS-XL30	766.36
800-20	ALS-XL31	1,034.93
1000-20	ALS-XL32	2,204.12



ALUMINIUM TUBE TERMINALS TWO HOLES		
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
150	ALS-701	112.18
240	ALS-702	201.44
300	ALS-703	309.09
630	ALS-706	816.13
300	ALS-704	309.09
300	ALS-705	339.19





ALUMINIUM REDUCER TERMINALS		
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
2.5	AWP-01	10.31
2.5	AWP-07	10.31
4	AWP-15	10.31
4	AWP-16	9.50
6	AWP-17	10.88
6	AWP-18	9.50
10	AWP-19	11.82
10	AWP-20	11.82
10	AWP-21	11.82
10	AWP-22	11.82
16	AWP-23	24.31
16	AWP-24	24.31
16	AWP-02	16.56
25	AWP-25	26.52
25	AWP-03	33.69
35	AWP-04	35.32
50	AWP-26	40.29
50	AWP-05	67.85
70	AWP-27	61.70
70	AWP-06	78.84
70	AWP-28	93.77
95	AWP-29	89.25
95	AWP-08	125.03
95	AWP-31	81.62
95	AWP-32	131.98
120	AWP-33	107.31
120	AWP-34	107.31
120	AWP-35	125.03
120	AWP-36	169.02
150	AWP-10	196.81
150	AWP-37	153.97
185	AWP-30	250.05
185	AWP-38	201.44
225	AWP-39	328.77
225	AWP-46	472.32
225	AWP-42	417.90
240	AWP-44	430.64
240	AWP-43	314.88
300	AWP-45	397.07
300	AWP-47	426.01

ALUMINIUM IN LINE CONNECTORS		
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
2.5	ALS-145	2.56
2.5	ALS-6	2.56
4	ALS-5	2.67
6	ALS-13	2.67
10	ALS-14	3.25
10	ALS-146	3.13
16	ALS-4	4.06
25	ALS-3	6.71
35	ALS-2	6.71
50	ALS-12	12.16
70	ALS-1	20.03
95	ALS-15	23.73
120	ALS-9	33.69
150	ALS-10	40.18
185	ALS-11	51.40
225	ALS-147	79.65
240	ALS-16	80.57
300	ALS-17	119.24
400	ALS-18	180.59
500	ALS-19	289.42
630	ALS-20	371.60
800	ALS-148	515.15
1000	ALS-149	860.12



ALUMINIUM IN LINE CONNECTORS FOR AL. XLPE CONDUCTORS		
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
25	ALS-XL01	10.31
35	ALS-XL02	16.09
50	ALS-XL03	25.48
70	ALS-XL04	35.32
95	ALS-XL05	49.09
120	ALS-XL06	62.40
150	ALS-XL07	83.35
185	ALS-XL08	125.03
225	ALS-XL09	151.66
240	ALS-XL10	175.96
300	ALS-XL11	228.05
400	ALS-XL12	349.61
500	ALS-XL13	457.27
630	ALS-XL14	629.75
800	ALS-XL15	862.43
1000	ALS-XL16	1,187.73

## BI-METALLIC SERIES

Designed for Excellent and rugged performance to meet the installation requirements for power generation via renewable sources. The connectors are time tested and proven to offer most reliable connections upto 36kV.



BI-METALLIC CONNECTORS (FRICTION WELDED)			
Sr. No	Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)
1	CACF-16-16	16-16	343.82
2	CACF-25-16	25-16	343.82
3	CACF-25-25	25-25	343.82
4	CACF-35-16	35-16	343.82
5	CACF-35-25	35-25	336.88
6	CACF-35-35	35-35	332.25
7	CACF-50-25	50-25	422.54
8	CACF-50-35	50-35	422.54
9	CACF-50-50	50-50	409.81
10	CACF-70-35	70-35	417.90
11	CACF-70-50	70-50	408.64
12	CACF-70-70	70-70	392.44
13	CACF-95-50	95-50	522.10
14	CACF-95-70	95-75	507.05
15	CACF-95-95	95-95	504.73
16	CACF-120-70	120-70	659.86
17	CACF-120-95	120-95	648.27
18	CACF-120-120	120-120	632.07
19	CACF-150-95	150-95	643.64
20	CACF-150-120	150-120	629.75
21	CACF-150-150	150-150	605.45
22	CACF-185-120	185-120	898.32
23	CACF-185-150	185-150	876.32
24	CACF-185-185	185-185	1,093.96
25	CACF-240-150	240-150	974.73
26	CACF-240-185	240-185	1,085.86
27	CACF-240-240	240-240	1,045.34

BI-METALLIC TERMINALS (FRICTION WELDED)			
Sr. No	Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)
1	CAF-25-10	25	275.52
2	CAF-35-10	35	302.14
3	CAF-50-13	50	344.98
4	CAF-70-13	70	404.01
5	CAF-95-13	95	410.96
6	CAF-120-13	120	471.16
7	CAF-150-13	150	520.94
8	CAF-185-13	185	872.86
9	CAF-240-13	240	893.69
10	CAF-300-17	300	1,136.80
11	CAF-400-17	400	1,149.52
12	CAF-500	500	2,991.31
13	CAF-630	630	3,483.30



ALUMINIUM ALLOY TUBULAR BI-METALLIC TERMINALS					
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)	mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
10-6	BL-01	5.67	120-12	BL-16	49.09
10-8	BL-02	6.25	150-12	BL-17	67.85
16-6	BL-03	8.00	150-16	BL-18	67.85
16-8	BL-04	8.00	185-12	BL-19	84.86
25-8	BL-05	10.31	185-16	BL-20	84.86
25-10	BL-06	10.31	225-12	BL-21	119.13
35-8	BL-07	12.16	240-12	BL-22	144.71
35-10	BL-08	12.16	240-16	BL-23	144.71
50-8	BL-09	21.54	300-16	BL-24	230.37
50-10	BL-10	21.54	300-20	BL-25	230.37
70-10	BL-11	33.11	400-20	BL-26	289.42
70-12	BL-12	33.11	500-20	BL-27	416.75
95-10	BL-13	33.69	630-20	BL-28	542.93
95-12	BL-14	33.69	800-20	BL-29	814.97
120-10	BL-15	49.09	1000-20	BL-30	1,333.59

## COPPER RING, PIN AND FORK TERMINALS



PIN TERMINAL NON-INSULATED					
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)	mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
0.75	CP-59	3.25	4	CP-3	6.14
1	CP-44	3.25	6	CP-5	6.14
1.5	CP-9	3.25	10	CP-7	9.61
1.5	CP-35	3.60	16	CP-8	18.99
2.5	CP-1	3.25	50	CP-88	71.31
2.5	CP-2	3.25	70	CP-89	96.55
25	CP-86	35.43	95	CP-90	126.18
35	CP-87	47.00			

NON INSULATED RING TERMINALS					
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)	mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
0.75-4	RS-7317	3.02	10-5	RS-7026	8.23
1-3.5	RS-7318	3.02	10-6	RS-7120	8.92
1.5-3	RS-7001	3.25	10-8	RS-7121	11.34
1.5-3.5	RS-7002	3.25	10-10	RS-7027	15.28
1.5-3.5	RS-7048	3.25	10-10	RS-7123	16.45
1.5-4	RS-7003	3.25	10-12	RS-7028	15.63
1.5-4	RS-7049	3.25	16-5	RS-7124	14.13
1.5-4	RS-7004	3.36	16-6	RS-7029	15.28
1.5-4	RS-7154	3.48	16-6	RS-7031	20.72
1.5-5	RS-7005	3.36	16-8	RS-7030	18.99
1.5-5	RS-7006	4.06	16-10	RS-7032	23.27
1.5-6	RS-7007	4.06	16-10	RS-7128	23.73
1.5-6	RS-7106	4.17	16-12	RS-7033	22.00
2.5-3	RS-7107	3.71	25-6	RS-7156	33.57
2.5-3.5	RS-7008	4.06	25-8	RS-7034	34.97
2.5-3.5	RS-7108	4.06	25-8	RS-7036	38.90
2.5-4	RS-7009	3.48	25-10	RS-7035	33.57
2.5-5	RS-7010	3.48	25-10	RS-7132	49.44
2.5-5	RS-7109	3.48	25-12	RS-7037	49.44
2.5-5	RS-7110	4.87	35-6	RS-7133	40.87
2.5-6	RS-7011	3.48	35-8	RS-7038	43.87
2.5-6	RS-7012	4.87	35-10	RS-7135	55.57
2.5-8	RS-7013	5.67	35-12	RS-7040	51.75
2.5-8	RS-7014	6.83	50-8	RS-7136	62.16
2.5-10	RS-7015	8.00	50-10	RS-7137	67.15
2.5-10	RS-7151	8.00	50-12	RS-7042	72.82
4.6-4	RS-7155	6.25	50-16	RS-7139	90.77
4.6-5	RS-7050	6.25	70-10	RS-7140	91.81
4.6-5	RS-7016	7.42	70-12	RS-7141	94.12
4.6-6	RS-7017	6.37	70-16	RS-7142	109.29
4.6-6	RS-7019	8.46	95-10	RS-7144	133.13
4.6-6	RS-7115	9.27	95-12	RS-7044	127.35
4.6-8	RS-7018	7.42	95-16	RS-7145	144.71
4.6-8	RS-7020	9.84	120-12	RS-7146	165.55
4.6-8	RS-7116	12.16	120-16	RS-7147	204.90
4.6-10	RS-7022	12.16	120-20	RS-7148	236.16
4.6-10	RS-7023	10.88	150-12	RS-7149	351.92
4.6-12	RS-7024	10.88	150-16	RS-7045	346.14
10-5	RS-7025	9.15	150-20	RS-7046	386.66

PIN TERMINAL (INSULATED)					
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)	mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
0.75	CPI-60	3.60	4	CPI-20	7.30
1	CPI-45	3.60	4	CPI-21	9.61
1.5	CPI-17	3.60	6	CPI-22	10.54
1.5	CPI-40	4.06	6	CPI-23	11.11
2.5	CPI-18	3.71	10	CPI-24	12.86
2.5	CPI-19	3.71	16	CPI-25	23.73

PIN TERMINAL DOUBLE GRIP (PRE-INSULATED)					
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)	mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
1.5	CPD-26	4.87	2.5	CPD-28	5.10
2.5	CPD-27	5.10	4	CPD-29	8.80

END SEALING FERRULES NON-INSULATED					
mm <sup>2</sup> -L	CAT. NO.	PRICE (₹)	mm <sup>2</sup> -L	CAT. NO.	PRICE (₹)
0.5-6	EH-508	1.04	6-10	EH-518	1.85
0.75-6	EH-509	1.04	6-12	EH-519	2.08
1-6	EH-510	1.04	6-15	EH-520	2.90
1-10	EH-511	1.04	10-12	EH-521	3.36
1.5-7	EH-512	1.04	10-15	EH-522	3.48
1.5-10	EH-513	1.16	10-18	EH-523	4.06
2.5-7	EH-514	1.16	16-12	EH-524	3.48
2.5-12	EH-515	1.28	16-15	EH-525	4.06
4-9	EH-516	1.28	16-18	EH-526	4.75
4-12	EH-517	1.51	-	-	-



RING TERMINALS INSULATED					
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)	mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
0.75-4	RSI-7501	3.48	2.5-5	RSI-7073	5.10
1-4	RSI-7502	3.48	2.5-5	RSI-7075	6.96
1.5-3	RSI-7054	4.87	2.5-6	RSI-7074	5.10
1.5-3.5	RSI-7055	4.87	2.5-6	RSI-7076	6.14
1.5-3.5	RSI-7058	4.98	2.5-8	RSI-7077	6.25
1.5-4	RSI-7056	4.87	2.5-8	RSI-7079	7.42
1.5-4	RSI-7059	4.98	2.5-10	RSI-7081	8.80
1.5-4	RSI-7061	3.71	4.6-4	RSI-7083	7.42
1.5-4	RSI-7063	4.87	4.6-5	RSI-7084	7.42
1.5-5	RSI-7062	3.71	4.6-5	RSI-7086	8.80
1.5-5	RSI-7065	5.91	4.6-6	RSI-7089	8.46
1.5-5	RSI-7066	5.67	4.6-6	RSI-7092	9.84
1.5-6	RSI-7067	5.91	4.6-6	RSI-7093	10.65
2.5-3	RSI-7068	4.98	4.6-8	RSI-7090	8.80
2.5-3.5	RSI-7069	4.98	4.6-8	RSI-7094	10.65
2.5-3.5	RSI-7070	5.67	4.6-8	RSI-7096	12.86
2.5-4	RSI-7071	4.87	4.6-10	RSI-7099	12.16
2.5-5	RSI-7072	4.87	4.6-12	RSI-7100	12.16

RING TERMINALS DOUBLE GRIP (PRE-INSULATED)					
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)	mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
1.5-3	PSD-7437	5.10	4.6-5	PSD-7469	10.54
1.5-3.5	PSD-7438	5.10	4.6-6	PSD-7472	9.61
1.5-4	PSD-7439	5.10	4.6-8	PSD-7473	10.42
1.5-3.5	PSD-7441	5.10	4.6-6	PSD-7475	11.46
1.5-4	PSD-7442	5.10	4.6-6	PSD-7476	12.86
1.5-4	PSD-7444	4.98	4.6-8	PSD-7477	12.86
1.5-5	PSD-7445	4.98	4.6-8	PSD-7479	14.13
1.5-4	PSD-7446	5.79	4.6-8	PSD-7482	15.28
1.5-5	PSD-7448	6.14	4.6-12	PSD-7483	14.13
1.5-6	PSD-7449	6.14			
1.5-6	PSD-7450	6.37			
2.5-3	PSD-7451	6.14			
2.5-3.5	PSD-7452	6.14			
2.5-3.5	PSD-7453	6.25			
2.5-4	PSD-7454	5.33			
2.5-5	PSD-7455	5.33			
2.5-5	PSD-7456	5.33			
2.5-6	PSD-7457	5.33			
2.5-5	PSD-7458	7.42			
2.5-6	PSD-7459	6.83			
2.5-8	PSD-7460	7.42			
2.5-8	PSD-7462	8.80			
2.5-10	PSD-7464	9.84			
4.6-4	PSD-7466	9.27			
4.6-5	PSD-7467	9.27			



FORK TERMINAL NON-INSULATED					
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)	mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
1-3	RS-7249SPL	2.90	2.5-5	RS-7280	8.34
1.5-3.5	RS-7249	2.90	4.6-3	RS-7252	5.10
2.5-3.5	RS-7251	3.13	4.6-3.5	RS-7253	5.10



FORK TERMINAL INSULATED					
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)	mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
1-3	RSI-7926SPL	3.48	2.5-5	RSI-7929	9.50
1.5-3.5	RSI-7926	3.48	4.6-3	RSI-7930	6.83
2.5-3.5	RSI-7928	4.06	4.6-3.5	RSI-7931	6.83




SNAPON TERMINALS		
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
1.5	SNP-8351	4.29
1.5	SND-8352	6.02
2.5	SNP-8347	4.40
2.5	SND-8348	6.48
4	SND-8476	11.23
1.5	SND-8359	7.88
1.5	SND-8362	7.88
1.5	SNP-8336	4.29
1.5	SNP-8356	4.29
1.5	SNP-8358	4.98

FORK TERMINALS PRE INSULATED					
mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)	mm <sup>2</sup> -E	CAT. NO.	PRICE (₹)
1.5-3.5	PSD-7935	4.75	4.6-3	PSD-7939	8.46
2.5-3.5	PSD-7937	5.10	4.6-3.5	PSD-7940	8.46
2.5-5	PSD-7938	12.16			



END SEALING FERRULES INSULATED		
mm <sup>2</sup> -L	CAT. NO.	PRICE (₹)
0.5-8	EHI-508	1.28
0.75-8	EHI-509	1.28
1-6	EHI-510	1.51
1-10	EHI-511	1.51
1.5-10	EHI-513	1.74
2.5-8	EHI-514	1.74
2.5-12	EHI-515	1.97
4-12	EHI-517	2.56
6-12	EHI-519	3.02
10-12	EHI-521	3.60
16-15	EHI-525	6.14

COPPER TWIN TYPE LUGS				
mm <sup>2</sup> -E	LENGTH mm	CAT. NO.	COLOUR NATURAL	PRICE (₹)
0.5-8	8	TW-0.5-8	WHITE	3.02
0.5-10	10	TW-0.5-10	WHITE	3.13
0.75-8	8	TW-0.75-8	GREY	3.02
0.75-10	10	TW-0.75-10	GREY	3.02
1-8	8	TW-1-8	RED	3.13
1-10	10	TW-1-10	RED	3.13
1.5-8	8	TW-1.5-8	BLACK	3.13
1.5-10	10	TW-1.5-10	BLACK	3.13
2.5-8	8	TW-2.5-8	BLUE	3.36
2.5-10	10	TW-2.5-10	BLUE	3.71
4-12	12	TW-4-12	GREY	4.29
6-12	12	TW-6-12	YELLOW	4.29



## CABLE GLANDS



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF BRASS CABLE GLANDS							
		WEATHER PROOF			FLAME PROOF		
SUITABLE OVER ALL DIAMETER	NIPPLE ET THREAD	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.0	3/4"	DBW-01SS	280.16	56	DBF-01SS	361.18	50
12.0-16.5	3/4"	DBW-01S	321.83	50	DBF-01S	388.97	40
16.5-18.5	3/4"	DBW-01	360.03	36	DBF-01	429.49	24
16.5-18.5	1"	DBW-01A	412.12	30	DBF-01A	486.21	30
18.5-20.0	1"	DBW-02	460.74	20	DBF-02	563.77	20
18.5-20.0	3/4"	DBW-02A	475.79	20	DBF-02A	593.86	20
20.0-23.0	1"	DBW-03	488.53	20	DBF-03	637.86	20
23.0-26.0	1"	DBW-04	637.86	12	DBF-04	810.34	12
23.0-26.0	1.1/4"	DBW-04A	717.73	12	DBF-04A	905.27	12
26.0-30.0	1.1/4"	DBW-05	798.77	12	DBF-05	941.15	12
26.0-30.0	1.1/2"	DBW-05A	956.21	12	DBF-05A	1,091.65	12
30.0-33.0	1.1/2"	DBW-06	1,148.37	10	DBF-06	1,346.33	8
30.0-33.0	1.1/4"	DBW-06A	1,187.73	8	DBF-06A	1,407.68	8
33.0-37.0	1.1/2"	DBW-07	1,341.69	6	DBF-07	1,514.18	6
37.0-41.0	2"	DBW-08	1,721.40	6	DBF-08	1,876.51	6
41.0-46.0	2"	DBW-09	1,899.66	5	DBF-09	2,169.40	5
46.0-52.0	2"	DBW-10	2,084.88	4	DBF-10	2,441.43	4
46.0-52.0	2.1/2"	DBW-10A	2,545.62	3	DBF-010A	2,773.67	3
52.0-54.0	2.1/2"	DBW-011A	3,094.33	2	DBF-011A	3,721.77	2
54.0-61.0	2.1/2"	DBW-011	3,102.44	2	DBF-011	3,409.21	2
61.0-66.0	3"	DBW-012	3,788.91	2	DBF-012	4,115.36	2
66.0-72.0	3"	DBW-013A	4,746.27	1	DBF-013A	5,777.71	1
72.0-78.0	3.1/4"	DBW-013	5,357.49	1	DBF-013	6,486.18	1
78.0-84.0	3.1/2"	DBW-014	6,428.29	1	DBF-014	6,886.71	1
84.0-94.0	4"	DBW-015	8,609.26	1	DBF-015	9,370.98	1
94.0-104.0	4.1/2"	DBW-016	11,094.68	1	DBF-016	12,052.04	1





**DC TYPE MEDIUM DUTY ARMOURED BRASS CABLE GLANDS**

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRODUCT CODE	NIPPLE (inch)	PRICE (₹)	INNER PACKING (NOS.)
07.0-14.0	DC-3/8"	DGPI0036	5/8"	217.64	64
14.1-15.5	DC-1/2"	DGPI0037	5/8"	260.47	50
15.6-17.0	DC-5/8"	DGPI0038	3/4"	266.26	46
17.1-18.5	DC-3/4"	DGPI0039	3/4"	307.94	28
18.6-19.5	DC-7/8"	DGPI0040	3/4"	371.60	24
19.6-22.5	DC-1"	DGPI0041	1"	413.27	20
22.6-25.5	DC-1.1/8"	DGPI0042	1.1/8"	527.88	15
25.6-31.5	DC-1.1/4"	DGPI0043	1.1/4"	695.73	12
31.6-34.5	DC-1.3/8"	DGPI0044	1.1/2"	831.18	12
34.6-36.5	DC-1.1/2"	DGPI0045	1.1/2"	978.2	8
36.6-44.5	DC-1.3/4"	DGPI0046	2"	1,345.17	5
44.6-49.5	DC-2"	DGPI0047	2"	1,541.96	5
49.6-54.5	DC-2.1/4"	DGPI0048	2.1/4"	1,800.11	4
54.6-63.5	DC-2.1/2"	DGPI0049	2.1/2"	2,475.01	2
63.6-69.5	DC-2.3/4"	DGPI0050	2.3/4"	2,794.52	2
69.6-74.5	DC-3"	DGPI0051	3"	3,440.47	2
74.6-81.0	DC-3.1/4"	DGPI0052	3.1/4"	3,984.56	1
81.1-86.0	DC-3.1/2"	DGPI0053	3.1/2"	5,197.75	1
86.1-100.0	DC-4"	DGPI0054	4"	7,060.36	1

**DOUBLE COMPRESSION UN-ARMOURED BRASS CABLE GLANDS**

SR. NO.	SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
1	6.0-12.5	DBW-01SS(UN)	297.51	50
2	12.6-14.0	DBW-01S(UN)	325.29	50
3	14.1-17.0	DBW-01A(UN)	394.75	30
4	17.1-19.0	DBW-02(UN)	502.42	20
5	19.1-22.0	DBW-03SP(UN)	535.99	20
6	22.1-25.0	DBW-04A(UN)	760.56	12
7	25.1-29.0	DBW-05A(UN)	833.49	12
8	29.1-32.0	DBW-06SP(UN)	1,165.74	10
9	32.1-35.0	DBW-07SP(UN)	1,341.69	6
10	35.1-40.0	DBW-08(UN)	1,684.35	6
11	40.1-43.0	DBW-09(UN)	1,994.60	5
12	43.1-51.0	DBW-010A(UN)	2,457.65	3
13	51.1-59.0	DBW-011SP(UN)	3,248.31	2
14	59.1-65.0	DBW-012(UN)	3,815.54	2
15	65.1-71.0	DBW-013(UN)	4,838.88	1
16	71.1-79.0	DBW-014(UN)	5,900.42	1
17	79.1-89.0	DBW-015(UN)	8,852.37	1





SINGLE COMPRESSION & SIBG BRASS CABLE GLANDS							
SINGLE COMPRESSION GLANDS					SIBG SERIES		
DOWELLS CAT. NO.		PRODUCT CODE	PRICE (₹)	BOX PKG.	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG.
INCH	MM						
3/8"	10	DGPI0001	82.55	64	1616	145.87	70
1/2"	12	DGPI0002	82.55	128	1619	150.50	50
5/8"	16	DGPI0003	82.55	135	2119	241.95	40
3/4"	19	DGPI0004	91.81	105	2125	219.96	40
7/8"	22	DGPI0005	113.33	84	2925	294.05	24
1"	25	DGPI0006	164.39	60	2932	323.03	20
1.1/8"	28	DGPI0007	203.75	30	2938	350.77	20
1.1/4"	32	DGPI0008	274.36	24	3638	505.88	10
1.3/8"	35	DGPI0009	341.51	24	4251	880.95	5
1.1/2"	38	DGPI0010	402.86	16	5451	1,003.67	4
1.3/4"	45	DGPI0011	488.53	12	5463	1,044.19	4
2"	50	DGPI0012	597.34	10	6063	1,531.55	4
2.1/4"	57	DGPI0013	767.51	6	6675	1,855.68	3
2.1/2"	63	DGPI0014	886.75	5	7882	2,677.59	3
2.3/4"	70	DGPI0015	1,302.33	5			
3"	75	DGPI0016	1,531.55	4			
3.1/4"	82	DGPI0017	1,627.63	3			
3.1/2"	88	DGPI0018	2,146.25	3			
4"	100	DGPI0019	2,546.78	3			
4.1/2"	112	DGPI0020	4,055.17	2			



BRASS PG GLAND		
SUIT ABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)
2-5	MPG-7	91.62
3-8	MPG-9	119.07
4-10	MPG-11	146.63
5-12	MPG-13.5	191.84
8-14	MPG-16	201.76
12-17	MPG-21	336.26
16-25	MPG-29	678.04
20-32	MPG-36	747.50
28-37	MPG-42	1,476.25
32-40	MPG-48	1,550.12




NYLON PG GLAND		
SUIT ABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)
3.5-6	PG-7	23.15
4-8	PG-9	28.67
5-10	PG-11	38.59
6-12	PG-13.5	48.51
10-14	PG-16	57.33
13-18	PG-21	76.07
18-25	PG-29	119.07
22-32	PG-36	189.63
30-38	PG-42	238.14
34-44	PG-48	285.55



FLANGE TYPE CABLE GLANDS			
SUIT ABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRODUCT CODE	PRICE (₹)
12.0-16.0	DOWELLS-5	DGPI0021	151.66
16.1-18.0	DOWELLS-4	DGPI0022	193.33
18.1-21.0	DOWELLS-3	DGPI0023	208.38
21.1-25.0	DOWELLS-2	DGPI0024	258.16
25.1-29.0	DOWELLS-1	DGPI0025	299.83
29.1-33.0	DOWELLS-1	DGPI0026	373.92
33.1-35.0	DOWELLS-0	DGPI0027	463.05
35.1-38.0	DOWELLS-00	DGPI0028	527.88
38.1-41.0	DOWELLS-38	DGPI0029	524.41
41.1-45.0	DOWELLS-001	DGPI0030	666.80
45.1-52.0	DOWELLS-002	DGPI0031	761.73
52.1-59.0	DOWELLS-003	DGPI0032	825.39
59.1-67.0	DOWELLS-0033	DGPI0033	999.04
67.1-76.0	DOWELLS-004	DGPI0034	1,332.43



FOR GLAND SIZE	EARTH TAG		LSF/LSZH SHROUD	
	DOWELL'S CAT. NO.	PRICE (₹)	SHROUD SIZE/CODE	PRICE (₹)
DBW -01SS/DBF-01SS	DET-20	57.55	2023	35.28
DBW -01S/DBF-01S	DET-20	57.55	2026	44.10
DBW -01/DBF-01	DET-20	57.55	2030	45.20
DBW -01A/DBF-01A	DET-25	59.87	2030A	45.20
DBW -02/DBF-02	DET-25	59.87	2533	55.13
DBW -02A/DBF-02A	DET-20	57.55	2533A	55.13
DBW -03/DBF-03	DET-25	59.87	2535	55.13
DBW -04/DBF-04	DET-25	59.87	4000	111.35
DBW -04A/DBF-04A	DET-32	104.74	4000A	111.35
DBW -05/DBF-05	DET-32	104.74	3246	95.92
DBW -05A/DBF-05A	DET-40	115.76	3246A	95.92
DBW -06/DBF-06	DET-40	115.76	3251	93.71
DBW -06A/DBF-06A	DET-32	104.74	3251A	93.71
DBW -07/DBF-07	DET-40	115.76	4053	111.35
DBW -08/DBF-08	DET-50	155.45	5063	165.38
DBW -09/DBF-09	DET-50	155.45	5068	180.81
DBW -010/DBF-010	DET-50	155.45	6371	282.24
DBW -010A/DBF-010A	DET-63	197.35	6371A	282.24
DBW -011A/DBF-011A	DET-63	197.35	6388A	313.11
DBW -011/DBF-011	DET-63	197.35	6388	313.11
DBW -012/DBF-012	DET-75	274.52	7595	323.03
DBW -013A/DBF-013A	DET-75	274.52	7595A	323.03
DBW -013/DBF-013	DET-82	296.57	7595B	323.03
DBW -014/DBF-014	DET-90	330.75		
DBW -015/DBF-015	DET-100	463.05		
DBW -016/DBF-016	DET-110			



**FIG 1** Terminating the armouring of an swa cable to metallic enclosures

## TOOLS AND ACCESSORIES

The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity



HAND OPERATED CRIMPING TOOLS					
mm <sup>2</sup> Range	CAT. NO.	PRICE (₹)	mm <sup>2</sup> Range	CAT. NO.	PRICE (₹)
1.5-6	SYT-17	1,126.65	6-50	SYT-9	3,165.75
0.5-16	SYT-2	1,432.20	16-50	SYT-50	4,392.15
0.75	SYG-2622	2,058.37	25-400	SYT-7	20,647.20
1.5	SYG-2216	2,058.37	10-35	SYT-53M	3,073.35
2.5	SYH-1614	2,058.37	0.25-6	SYT-6-6	4,482.45
4-6	SYI-1210/SYO-1210	3,499.34	120	SYT-120	2,464.09
10-95	SYB-95	9,215.85	240	SYT-240	3,714.33
10-185	SYB-9502	12,770.10	500	SYT-500	6,368.04
1.5-10	SYA-427	1,231.65	0.5-6	SYT-52M	2,259.60
10-185	SYT-185	8,958.60	1.5-4.6	SYT-1546	2,259.60
25-400	SYT-400	16,176.30	10-185	SYB-9502H	14,071.21
16-300	SYM-300	20,507.61	240	SYXL-240	8,758.26



HYDRAULIC CRIMPING TOOLS					
mm <sup>2</sup> Range	CAT. NO.	PRICE (₹)	mm <sup>2</sup> Range	CAT. NO.	PRICE (₹)
10-300	SYD-20A	33,791.10	10-1000	SYE-150B	60,602.85
50-400	SYD-20B	41,503.35	10-1000	SYE-150C	53,489.10
10-300	SYD-20C	43,095.15	16-300	SYT-106	12,081.30
10-1000	SYE-150A	54,909.75	50-630	SYT-102R	54,428.22
10-120	SYT-107	13,343.56	50-400	SYT-109	74,926.95

SPECS.	DOWELL'S CAT. NO.	PRICE (₹)
Hand Operated Hydraulic Pump (Max. Pressure 10000 P.S.I.)	R-T1242	10,797.89
Jack Hose Pipe Standard 2 meters	R-T1349	3,084.80
Electrically Operated Power Pack Capacity = Max. pressure 700 Bar Special features: Electrically Operated Pump Electric Motor: 2HP SYT - 117 Tank Capacity: 25 Ltr. Oil: Hydraulic Oil no. 68		219,180.31

CORROSION INHIBITING COMPOUND
GTZ - 8785 Rs. 69.46/-



mm <sup>2</sup> Range	DOWELL'S CAT. NO.	PRICE (₹)
UPTO 300	JACK FOR SYD-20A (SPD-2034)	28,779.66
UPTO 400	JACK FOR SYD-20B (SPD-2036)(PORTABLE JACK)	26,995.82
UPTO 630	JACK FOR SYT-102R (HY-282)(portable jack)	30,209.61
UPTO 1000	JACK FOR SYE-150A (SPE-1709)	34,195.14
UPTO 1000	JACK FOR SYE-150B (SPE-1713)(PORTABLE JACK)	48,592.69



SPECS.	DOWELL'S CAT. NO.	PRODUCT CODE	PRICE (₹)
CRIMPING JIGS FOR SYD-20B TOOL	JDA-50, JDA-70, JDA-95, JDA-120, JDA-150, JDA-240, JDA-300, JDA-400	W-TSA1080, W-TSA1081, W-TSA1082, W-TSA1083, W-TSA1084, W-TSA1085, W-TSA1086, W-TSA1087, W-TSA1088	Rs. 1,743.06/- (each)
CRIMPING JIGS FOR SYE-150A TOOL	JER-11, JER-12, JER-13, JER-14	W-TSA1125, W-TSA1126, W-TSA1127, W-TSA1128	Rs. 2,397.94/- (each)
	JER-15, JER-16, JER-17, JER-18	W-TSA1129, W-TSA1130, W-TSA1131, W-TSA1132	Rs. 2,615.13/- (each)
CRIMPING JIGS FOR SYE-150 B TOOL	JEA-10, JEA-16, JEA-25, JEA-35	W-TSA1063, W-TSA1064, W-TSA1065, W-TSA1066	Rs. 2,070.50/- (each)
	JEA-50, JEA-70, JEA-95, JEA-120, JEA-150	W-TSA1067, W-TSA1068, W-TSA1069, W-TSA1070, W-TSA1071	Rs. 2,941.47/- (each)
	JEA-185, JEA-140, JEA-300, JEA-400	W-TSA1072, W-TSA1073, W-TSA1074, W-TSA1075	Rs. 4,118.94/- (each)
	JEA-500, JEA-600, JEA-800, JEA-1000	W-TSA1076, W-TSA1077, W-TSA1078, W-TSA1079	Rs. 5,577.55/- (each)
JIG FOR SYB-95/9502 RING DIES	JBR-1, JBR-2, JBR-3, JBR-4, JBR-5, JBR-6, JBR-7, JBR-9, JBR-10, JBR-11	W-TSA1024, W-TSA1025, W-TSA1026, W-TSA1027, W-TSA1028, W-TSA1029, W-TSA1030, W-TSA1031, W-TSA1032	Rs. 379.26 /- (each)
JIG FOR SYB-95/9502 PUNCH TYPE RING DIES	JBR-12, JBR-13	W-TSA1033, W-TSA1043	Rs. 464.16 /- (each)
CRIMPING JIG FOR SYT-185 (PLIERTYPE)	R-1, R-2, R-3, R-4, R-5, R-6, R-7, R-9, R-10, R-11, R-12, R-13	W-TSA1034, W-TSA1035, W-TSA1145, W-TSA1036, W-TSA1146, W-TSA1147, W-TSA1038, W-TSA1039, W-TSA1040, W-TSA1041, W-TSA1042, W-TSA1148	Rs. 456.44 /- (each)
CRIMPING JIG FOR SYT-7 (Hex profile) (Mechanical gear power)	JRH-25, JRH-35, JRH-50, JRH-70, JRH-95, JRH-120, JRH-150, JRH-185, JRH-240, JRH-300, JRH-400	W-TSA1150, W-TSA1151, W-TSA1152, W-TSA1153, W-TSA1154, W-TSA1155, W-TSA1156, W-TSA1157, W-TSA1158, W-TSA1159, W-TSA1160	Rs. 1,197.32/- (each)
JIG FOR SYT-102R (Hex profile) (Foot operated hydraulic crimping tool)	HY-267 (50 mm <sup>2</sup> ), HY-268 (70 mm <sup>2</sup> ), HY-269 (95 mm <sup>2</sup> ), HY-270 (120 mm <sup>2</sup> ), HY-271 (150 mm <sup>2</sup> ), HY-272 (185 mm <sup>2</sup> ), HY-273 (240 mm <sup>2</sup> ), HY-274 (300 mm <sup>2</sup> ), HY-275 (400 mm <sup>2</sup> ), HY-279 (500 mm <sup>2</sup> ), HY-280 (630 mm <sup>2</sup> )	W-TSA1114, W-TSA1115, W-TSA1116, W-TSA1117, W-TSA1118, W-TSA1119, W-TSA1120, W-TSA1121, W-TSA1122	Rs. 2,252.41/- (each)
JIG FOR SYT-400 Hex Profile (plier type)	J-25, J-35, J-50, J-70, J-95, J-120, J-150, J-185, J-240, J-300, J-400	W-TSA1044, W-TSA1045, W-TSA1046, W-TSA1047, W-TSA1048, W-TSA1049, W-TSA1050, W-TSA1051, W-TSA1052, W-TSA1053, W-TSA1054	Rs. 895.23/- (each)
CRIMPING JIGS FOR SYD-20A TOOL	JDR-11, JDR-12, JDR-13, JDR-14, JDR-15	W-TSA1161, W-TSA1162, W-TSA1163, W-TSA1164, W-TSA1165	Rs. 1,525.86/- (each)
CRIMPING JIGS FOR SYD-20A TOOL	JDR-16	W-TSA1166	Rs. 2,614.03/- (each)